# 1-1939758-8 ✔ ACTIVE

Dynamic Series | Dynamic 1000 Series

TE Internal #: 1-1939758-8

8 Position, Receptacle, Housing, Crimp, Wire-to-Board, 2 mm [.079 in] Centerline, 1 Row, Wire & Cable, Signal, Dynamic 1000 Series

View on TE.com >

Connectors > Rectangular Connectors > Standard Rectangular Connectors > Receptacle and Tab Housing: 2.0 mm pitch, 125V



Connector Product Type: **Housing**

Connector & Housing Type: **Receptacle**

Connector System: **Wire-to-Board**

Number of Positions: **8**

Centerline (Pitch): **2 mm [ .079 in ]**

All Receptacle and Tab Housing: 2.0 mm pitch, 125V (50)

## Features

### Product Type Features

| | |
|---|---|
| Connector Product Type | Housing |
| Connector & Housing Type | Receptacle |
| Connector System | Wire-to-Board |
| Sealable | No |
| Connector & Contact Terminates To | Wire & Cable |

### Configuration Features

| | |
|---|---|
| Number of Positions | 8 |
| Number of Rows | 1 |

### Body Features

| | |
|---|---|
| Primary Product Color | Black |

### Termination Features

| | |
|---|---|
| Termination Method to Wire & Cable | Crimp |

### Mechanical Attachment

| | |
|---|---|
| Mating Retention | With |
| Connector Mounting Type | Cable Mount (Free-Hanging) |

### Housing Features

| | |
|---|---|
| Centerline (Pitch) | 2 mm[.079 in] |

### Usage Conditions

| | |
|---|---|
| Operating Temperature Range | -55 – 105 °C[-67 – 221 °F] |

### Operation/Application

| | |
|---|---|
| Circuit Application | Signal |

## Product Compliance


For compliance documentation, visit the product page on TE.com>

| | |
|---|---|
| EU RoHS Directive 2011/65/EU | Compliant |
| EU ELV Directive 2000/53/EC | Compliant |
| China RoHS 2 Directive MIIT Order No 32, 2016 | No Restricted Materials Above Threshold |
| EU REACH Regulation (EC) No. 1907/2006 | Current ECHA Candidate List: JUNE 2025 (250)<br>Candidate List Declared Against: JUNE 2025 (250)<br>Does not contain REACH SVHC |
| Halogen Content | Not Low Halogen - contains Br or Cl > 900 ppm. |
| Solder Process Capability | Not applicable for solder process capability |

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

## Compatible Parts



TE Part # 1-2394617-8
D1100S HDR ASSY, 8POS,X-KEY, V, AU-PL




TE Part # 1-1939760-8
HDR ASSY (H-TYPE) 8POS X-KEY Au

## Also in the Series | Dynamic 1000 Series



Connector Contacts(40)



Connector Hardware(3)




Power Contacts(9)



Rectangular Connector Housings(149)



Rectangular Power Connectors(130)



Standard Rectangular Connectors(152)



Wire-to-Board Connector Assemblies & Housings(84)

## Customers Also Bought



TE Part #178325-2
DYNAMIC D3100D HDR V 10P ASSY PdNi&AU038



TE Part #1-1393212-1
T92S7D12-48



TE Part #1-1571983-1
GDH08STR04=DIP SWITCH




TE Part #1-1827862-9
DYNAMIC 1100D REC HSG 18P X BLACK




TE Part #CAT-D9934-A15B
Receptacle and Tab Housing: 2.5 mm Pitch, 250V



TE Part #CAT-D9934-A15F
Header Assembly: Wire-to-Board, 5A, gold or tin plated



TE Part #1-1939758-0
REC HSG 10POS X-KEY



TE Part #6-2319848-5
END STACK DIP2PGRECESSSEALT&R

# Documents

## CAD Files

3D PDF

3D

Customer View Model

ENG_CVM_CVM_1-1939758-8_G.2d_dxf.zip

English

Customer View Model

ENG_CVM_CVM_1-1939758-8_G.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_1-1939758-8_G.3d_stp.zip

English

By downloading the CAD file I accept and agree to the Terms and Conditions of use.

## Product Specifications

Application Specification

English

## Instruction Sheets

Instruction Sheet (non U.S.)

English