**Part Number :** 1301440014
**Product Description :** Safeway Individually Fused Plug, 2 Pole/3 Wire, NEMA 5-15, 125V, Yellow
**Series Number :** 130144
**Status :** Active
**Product Category :** Wiring Devices
**Engineering Part Number :** 14F47



## Documents and Resources

### Drawings

1301440014_sd.pdf

## Product Environment Compliance

### Compliance

| | |
|---|---|
| GADSL/IMDS | Not Relevant |
| China RoHS | per SJ/T 11365-2006 |
| EU ELV | Not Relevant |
| Low-Halogen Status | Low-Halogen per IEC 61249-2-21 |
| REACH SVHC | Contains Lead per D(2025)7771-DC (04 Feb 2026) |
| EU RoHS | Compliant with Exemption 6(c) per EU 2015/863 |

Compliance Statements

- EU RoHS
- REACH SVHC
- Low-Halogen

Industry Documents

- IPC 1752A Class C
- IPC 1752A Class D
- Molex Product Compliance Declaration
- IEC-62474
- chemSHERPA (xml)

Substances of Interest

- PFAS

EU RoHS Certificate of Compliance

Additional Product Compliance Information

---

## Part Details

### General

| | |
|---|---|
| Status | Active |
| Category | Wiring Devices |
| Series | 130144 |
| Description | Safeway Individually Fused Plug, 2 Pole/3 Wire, NEMA 5-15, 125V, Yellow |
| IP Rating | N/A |
| NEMA Configuration | NEMA 5-15 |
| Product Name | Safeway |
| Specialty | N/A |
| Type | Plug |
| UPC | 78678870125 |

### Agency

| | |
|---|---|
| UL | E52190 |

### Electrical

| | |
|---|---|
| Current - Maximum per Contact | 15.0A |
| GFCI | Yes - Plug |
| Voltage - Maximum | 125V |

### Physical

| | |
|---|---|
| Cord Type | N/A |
| Flange | No |
| Flip Lid | No |
| Gender | Male |
| Length | N/A |
| Lighted Connector | No |
| Locking Blade | No |

| | |
|---|---|
| Net Weight | 857.288/g |
| Poles | 2-pole/3-wire |
| Receptacle Type | N/A |