




Connectors > PCB Connectors > Backplane Connectors > Eurocard Connectors



Connector System: **Board-to-Board**
Connector & Contact Terminates To: **Printed Circuit Board**
Operating Temperature Range: **-55 – 150 °C [-67 – 302 °F]**

Features

Product Type Features

Connector System	Board-to-Board
Connector & Contact Terminates To	Printed Circuit Board

Usage Conditions

Operating Temperature Range	-55 – 150 °C[-67 – 302 °F]
-----------------------------	----------------------------

Product Compliance

[For compliance documentation, visit the product page on TE.com>](#)

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2025 (250) Candidate List Declared Against: JUNE 2024 (241) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Not applicable for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these



limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) ‘Guidance on requirements for substances in articles’ posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

Compatible Parts



TE Part # 1579008-5
EXTRACTION TOOL

Customers Also Bought



TE Part #1062-16-0122-PS
SOC, SF, SIZE 16, 14-18, NI/SN, 100 PC



TE Part #182926-1
CPC PLUG ASSY SIZE 23-37



TE Part #1-338309-2
9P.HDP20 PLUG ASSY



TE Part #3-640427-2
02P MTA156 CONN ASSY 20AWG YEL



TE Part #8-1393243-2
RT425012



TE Part #1-1623728-1
BCHE 11 W 220R 5%




TE Part #6-1625890-4
2W SM M/OX 5% 680R



TE Part #4-1625892-9
3W SM M/OX 5% 3R3



TE Part #3-1625999-6
HSC100 47R 5%



TE Part #1SNA199411R1400
FJH501

Documents



CAD Files

3D PDF

3D

Customer View Model

ENG_CVM_CVM_166633-1_M.2d_dxf.zip

English

Customer View Model

ENG_CVM_CVM_166633-1_M.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_166633-1_M.3d_stp.zip

English

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

Product Specifications

48 Pos. Receptacle Connector With 1 x 1 mm ACTION PIN Feature

English

Application Specification

English

Application Specification

English