182663-1 ✔ ACTIVE

AMP | AMP Circular Plastic Connectors

TE Internal #: 182663-1

Cable Clamp Kit, Thermoplastic, Black, 13 Shell Size, 11.51 mm [. 453 in] Cable Entry, UL 94V-0, AMP Circular Plastic Connectors

View on TE.com >

Connectors > Connector Accessories > Connector Strain Relief

Strain Relief Accessory Type: **Cable Clamp Kit**

Primary Product Material: **Thermoplastic**

Primary Product Color: **Black**

Compatible With Connector Shell Size: **13**

Cable Entry Diameter: **11.51 mm [.453 in]**

Features

Product Type Features

Strain Relief Accessory Type	Cable Clamp Kit

Body Features

Primary Product Material	Thermoplastic
Primary Product Color	Black

Mechanical Attachment

Thread Size	3/4-20 UNEF-2B

Housing Features

Compatible With Connector Shape	Circular
Body Orientation	Straight

Dimensions

Cable Entry Diameter	11.51 mm[.453 in]

Operation/Application

Compatible With Connector Shell Size	13
Shielded	No

Industry Standards

UL Flammability Rating	UL 94V-0

Packaging Features

Packaging Method	Individual
Packaging Quantity	100

Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2025 (250) Candidate List Declared Against: JUNE 2025 (250) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Not applicable for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

Compatible Parts

TE Part # 182645-1
13-9 CPC PLUG

Also in the Series | AMP Circular Plastic Connectors

Circular Connector Backshells & Clamps(1)

Circular Power Connectors(423)

Connector Contacts(6)

Connector Hardware(10)

Power Contacts(6)



Sealing Sleeves(2)

Customers Also Bought



TE Part #163084-2
062 SOC.ASS. TYP3+

TE Part #182922-1
CPC SQ.FL.RCPT STD SEX

TE Part #183079-1
FREE HANG.13-9STD. SEX SRS 1

TE Part #211399-1
CPC PLUG ASSEMBLY SIZE 13-7

TE Part #927777-3
JUNIOR POWER TIMER CONTACT

TE Part #928930-2
FF 110 TAB 0.5-1 MM2 .080 F PTP CUZN30

TE Part #928931-2
FF 110 (2.8 X 0.8 MM) TAB PTP CUZN30



TE Part #964586-1
FF 2P HOUSING TAB POLYESTER VALOX 357

TE Part #BKA199N00160200000
923 extension speedtec-ready

TE Part #BKA199N00780200000
923 extension speedtec-ready

Documents

Product Drawings

13 SIZE CPC STD CLAMP

English

CAD Files

3D PDF

English

Customer View Model

ENG_CVM_182663-1_C.2d_dxf.zip

English

Customer View Model

ENG_CVM_182663-1_C.3d_igs.zip

English

Customer View Model

ENG_CVM_182663-1_C.3d_stp.zip

English

By downloading the CAD file I accept and agree to the Terms and Conditions of use.