



Automotive Parts > Automotive Cable Assemblies > Infotainment & Multimedia Cable Assemblies



Cable Type: Ethernet

Shielded: No

Impedance: 100 Ω

Sealable: No

Cable Assembly Length Range: 5 m

Features

Product Type Features

Sealable	No
----------	----

Electrical Characteristics

Operating Voltage	60 VDC
Impedance	100 Ω

Usage Conditions

Cable Type	Ethernet
Operating Temperature Range	-40 – 105 °C[-40 – 221 °F]

Operation/Application

Shielded	No
----------	----

Other

Cable Assembly Length Range	5 m
-----------------------------	-----

Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
------------------------------	-----------



EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	有害物质含量符合标准要求 No Restricted Substance(s) Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2025 (250) Candidate List Declared Against: JUNE 2025 (250) Does not contain REACH SVHC
Halogen Content	BFR/CFR/PVC Free, but Br/Cl >900 ppm in other sources.
Solder Process Capability	Not reviewed for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

Compatible Parts



TE Part # 2305987-3
MATENET,2-PORT,90DEG,HDR ASSY, COD C



TE Part # 2305987-1
MATENET,2-PORT,90DEG,HDR ASSY, COD A




TE Part # 2305987-2
MATENET,2-PORT,90DEG,HDR ASSY, COD B

Customers Also Bought



TE Part #W2S-P012
WEDGE LOCK, 2P, PLG, GRN, SL RET, DT



TE Part #1-215307-3
2X13P HV100 REC CON. TE, 7.0MM



TE Part #5-963715-1
MQS0,63 Sn rec LL unseal. 0,5-0,75



TE Part #1-1743282-2
8POS MQS REC COD B



TE Part #2302454-2
1-PORT MATENET FRAME,UTP, COD B

TE Part #2362766-1
MATENET,CABLE ASSY,100 MBPS UTP

TE Part #2362766-4
MATENET,CABLE ASSY,100 MBPS UTP

TE Part #5103308-5
A/L LOW PRO HDR 20P VERT BLACK UTP

TE Part #826629-6
06P AMPMODU II PIN HDR.

TE Part #2362766-2
MATENET,CABLE ASSY,100 MBPS UTP

Documents

Product Drawings
MATENET,CABLE ASSY,100 MBPS UTP
English

Product Specifications
Application Specification
English