
2388373-4 ✔ ACTIVE

TE Internal #: 2388373-4

Tab PCB Terminal, 5.9 mm [.276 in] Tab Width, 1.45 mm [.057 in] PCB Hole, Through Hole - Solder, Nickel / Tin Plating, Bag

View on TE.com >

Terminals & Splices > PCB Terminals





PCB Terminal Type: **Tab**

PCB Thickness (Recommended): **1.6 mm [.063 in]**

Mating Tab Width: **5.9 mm [.276 in]**

Mating Tab Thickness: **.8 mm [.031 in]**

PCB Hole Diameter: **1.45 mm [.057 in]**

Features

Contact Features

PCB Terminal Type	Tab
Mating Tab Width	5.9 mm[.276 in]
Mating Tab Thickness	.8 mm[.031 in]
Terminal Plating Material	Nickel, Tin
Contact Underplating Material	Nickel
Terminal Orientation	Straight

Termination Features

Termination Method to PCB	Through Hole - Solder
Product Terminates To	Printed Circuit Board

Dimensions

Extension Below Board	3 mm[.118 in]
Terminal Material Thickness	.8 mm[.031 in]
PCB Thickness (Recommended)	1.6 mm[.063 in]
PCB Hole Diameter	1.45 mm[.057 in]
Profile Height from PCB	9.5 mm[.37 in]

Usage Conditions

Operating Temperature Range	-10 – 80 °C[14 – 176 °F]

Packaging Features

Packaging Method	Bag

Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	有害物质含量符合标准要求 No Restricted Substance(s) Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2025 (250) Candidate List Declared Against: JUNE 2025 (250) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Not reviewed for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

Compatible Parts



TE Part # 2388379-5
SIGNAL REC TERM, PCB, BATT PLATFORM


Customers Also Bought



TE Part #TAD14741311-005
M12D4-MS-MS-PVC TYPE B RED-5.0M



TE Part #TAX3882A202-004
RPC-M12X-8MS-3.0SH-M12X-8MR-TPE



TE Part #1742303-1
250 FASTON,PCB TAB,TNBR




TE Part #1-1825139-4
A205P3ZQ04




TE Part #2-1879355-0
RR03 5% 27K AMMO




TE Part #2-1879464-4
RL73H 2H R11 1% 1K RL




TE Part #7-2176304-7
RP 1E 0.1W 61R9 0.1% 25PPM 5K RL



TE Part #2388376-4
POWER TAB TERM, PCB, BATT PLATFORM



TE Part #2823408-6
6P,2MM,PL HDR,DRVT,2.8,0.76AU,TB



TE Part #2823408-8
8P,2MM,PL HDR,DRVT,2.8,0.76AU,TB

Documents

Product Drawings

SIGNAL TAB TERM, PCB, BATT PLATFORM

English

CAD Files

3D PDF

3D

Customer View Model

ENG_CVM_CVM_2388373-4_A.2d_dxf.zip

English

Customer View Model

ENG_CVM_CVM_2388373-4_A.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_2388373-4_A.3d_stp.zip

English

By downloading the CAD file I accept and agree to the Terms and Conditions of use.

Product Specifications

Application Specification

English