# 368120-2 ✔ ACTIVE



Econoseal J - Mark II


TE Internal #: 368120-2

Rubber Seal, 4.4 mm [.173 in] Cavity Diameter, -40 – 130 °C [-40 – 266 °F], Gray, Silicone, Econoseal J - Mark II

View on TE.com >

Connectors > Connector Accessories > Connector Seals & Cavity Plugs




Connector Seal & Plug Type: **Rubber Seal**

Cavity Diameter: **4.4 mm [ .173 in ]**

Operating Temperature Range: **-40 – 130 °C [ -40 – 266 °F ]**

Primary Product Color: **Gray**

Primary Product Material: **Silicone**

## Features

### Product Type Features

| | |
|---|---|
| Connector Seal & Plug Type | Rubber Seal |

### Body Features

| | |
|---|---|
| Primary Product Color | Gray |
| Primary Product Material | Silicone |

### Dimensions

| | |
|---|---|
| Cavity Diameter | 4.4 mm[.173 in] |
| Compatible Insulation Diameter Range | 1.8 – 2.6 mm[.071 – .102 in] |

### Usage Conditions

| | |
|---|---|
| Operating Temperature Range | -40 – 130 °C[-40 – 266 °F] |
| Operating Temperature (Max) | 130 °C[266 °F] |

### Other

| | |
|---|---|
| Resistance to Hydrocarbons | Poor |
| Shore A Hardness | 50 – 58 |
| Contains Lubricant | Yes |

## Product Compliance

For compliance documentation, visit the product page on TE.com>

| | |
|---|---|
| EU RoHS Directive 2011/65/EU | Compliant |
| EU ELV Directive 2000/53/EC | Out of Scope |
| China RoHS 2 Directive MIIT Order No 32, 2016 | No Restricted Materials Above Threshold |
| EU REACH Regulation (EC) No. 1907/2006 | Current ECHA Candidate List: JUNE 2025 (250)<br>Candidate List Declared Against: JUNE 2025 (250)<br>Does not contain REACH SVHC |
| Halogen Content | Low Halogen - Br, Cl, F < 900 ppm per homogenous material. Also BFR/CFR/PVC Free |
| Solder Process Capability | Not applicable for solder process capability |

Product Compliance Disclaimer


This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

## Compatible Parts



TE Part # 2005489-3
EJ 3P CAP ASSY LAMP TYPE GRY

## Also in the Series | Econoseal J - Mark II



Automotive Connector Locks & Position Assurance(3)




Automotive Housings(16)



Automotive Seals & Cavity Plugs(4)




Automotive Signal & Power Connector Housings(16)



Other Automotive Connector Accessories(2)


## Customers Also Bought




TE Part #171661-1
E-J MK-2 070 TAB CONT




TE Part #CAT-EC7491-CH8172
ECONOSEAL, CONNECTOR HOUSING



TE Part #174260-7
EOCNO-J MK-2 LOCK PLATE CAP 4P




TE Part #174265-7
ECONO-J MK-2 LOCK PLATE CAP 6P



TE Part #174360-7
070 ECONOSEAL MARK-2 P/CAP 3P



TE Part #1-368280-1
WIRE SEAL FOR EJ MK-II(+) RED



TE Part #929989-1
1,5MM SOCK CONTACT



TE Part #2822356-1
070 TYPE NEW RUBBER PLUG S

## Documents

### Product Drawings

E-J MK-II RUBBER PLUG(M)GRAY

English

### CAD Files

3D PDF

3D

Customer View Model

ENG_CVM_CVM_368120-2_B.2d_dxf.zip

English

### Customer View Model

ENG_CVM_CVM_368120-2_B.3d_igs.zip

English

### Customer View Model

ENG_CVM_CVM_368120-2_B.3d_stp.zip

English

By downloading the CAD file I accept and agree to the Terms and Conditions of use.

## Product Specifications

### Product Specification

English

AMP-ECONOSEAL-J MARK II+ CONNECTOR

English

### Product Specification

English