368572-9 ✔ ACTIVE

Power Double Lock

TE Internal #: 368572-9

3 Position, Cap, Housing, Crimp, Wire-to-Wire, UL 94V-0, 3.96 mm [.156 in] Centerline, 1 Row, 300 VAC, Wire & Cable, Power, Power Double Lock

View on TE.com >

Connectors > Rectangular Connectors > Standard Rectangular Connectors



Connector Product Type: **Housing**

Connector & Housing Type: **Cap**

Termination Method to Wire & Cable: **Crimp**

Connector System: **Wire-to-Wire**

Contact Retention Within Housing: **Without**

Features

Product Type Features

Connector Product Type	Housing
Connector & Housing Type	Cap
Connector System	Wire-to-Wire
Sealable	No
Connector & Contact Terminates To	Wire & Cable

Configuration Features

Number of Positions	3
Number of Rows	1
Number of Power Positions	3
Number of Signal Positions	0

Electrical Characteristics

Operating Voltage	300 VAC

Body Features

Primary Product Color	Black

Contact Features

Contact Retention Within Housing	Without
Contact Type	Tab

Termination Features

Termination Method to Wire & Cable	Crimp

Mechanical Attachment

Connector Mounting Type	Cable Mount (Free-Hanging)

Housing Features

Centerline (Pitch)	3.96 mm[.156 in]
Housing Material	PA 66

Usage Conditions

Operating Temperature Range	-30 – 105 °C[-22 – 221 °F]

Operation/Application

Circuit Application	Power

Industry Standards

UL Flammability Rating	UL 94V-0
Glow Wire Rating	GWT 750°C (Without Flame)

Packaging Features

Packaging Method	Bag

Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2025 (250) Candidate List Declared Against: JUNE 2025 (250) Does not contain REACH SVHC
Halogen Content	Not Low Halogen - contains Br or Cl > 900 ppm.
Solder Process Capability	Not applicable for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part

numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

Compatible Parts

TE Part # 368571-9
PDL 3P PLUG 3.96(GWT) BLK



TE Part # 368571-1
PDL 3P PLUG 3.96(GWT) NAT



TE Part # CAT-P87024-T111
Power Double Lock Tab



TE Part # CAT-P87024-R2435
Power Double Lock Receptacle




TE Part # 177919-1
POWER DBL LOCK PLATE 3P

Also in the Series | Power Double Lock




Connector Contacts(24)



Connector Hardware(13)



Insertion & Extraction Tools(2)




PCB Headers & Receptacles(43)



Power Contacts(24)




Rectangular Power Connectors(275)



Wire-to-Board Headers & Receptacles (43)


Customers Also Bought



TE Part #1-57131-9
/RIB/44x30/-/PVC/UL2678/GY/-/



TE Part #103167-5
16 MODII HDR DRRA SHRD .100CL



TE Part #1-282841-0
TERMI-BLOK PCB MOUNT 10P.5



TE Part #440053-5
2.5MM,HDR,5POS,R/A



TE Part #650916-5
048 EURO TYPE C PIN BL ASSY




TE Part #776261-4
14POS,PIN DIA 1.3,HDR ASSY, 180DEG,COD 4



TE Part #1045351-1
1001 5004 02,OSSM CABLE PLUG



TE Part #8-1879215-7
CPF 0402 36K5 0.1% 25PPM 1K RL



TE Part #2274233-1
CDFP RCPT SUB-ASSY STYLE 2

TE Part #9-176140-0
1.25FP,P30,DS,B,N,BG,5.00,6.90

Documents

Product Drawings

PDL 3P CAP 3.96 F/H(GWT) BLK

English

CAD Files

3D PDF

3D

Customer View Model

ENG_CVM_CVM_368572-9_B1.2d_dxf.zip

English

Customer View Model

ENG_CVM_CVM_368572-9_B1.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_368572-9_B1.3d_stp.zip

English

By downloading the CAD file I accept and agree to the Terms and Conditions of use.

Product Specifications

Application Specification

English

Agency Approvals

UL Report

English