
5050871-6 ✔ ACTIVE

TE Internal #: 5050871-6

7.32 mm [.288 in] Socket Length, 2.56 mm [.101 in] PCB Hole, Open Bottom, .823 – 1.04 mm² Wire, 18 – 17 AWG, Cable-to-Board, Pin Sockets

View on TE.com >

Connectors > Socket Connectors > Pin Sockets > Miniature Spring Sockets: Open Bottom, Beryllium Copper, 7.5A







Socket Length: **7.32 mm [.288 in]**

PCB Hole Diameter: **2.56 mm [.101 in]**

Socket Sleeve Style: **Open Bottom**

Wire Size: **18 – 17 AWG**

All Miniature Spring Sockets: Open Bottom, Beryllium Copper, 7.5A (9)

Features

Product Type Features

Connector & Contact Terminates To	Printed Circuit Board
Socket Sleeve Style	Open Bottom
Connector System	Cable-to-Board
Sealable	No

Configuration Features

Compatible With Wire & Cable Type	Discrete Wire

Body Features

Sleeve Plating Material	Tin
Sleeve Material	Copper

Contact Features

Contact Spring Plating Material	Tin
Contact Base Material	Beryllium Copper
Contact Mating Area Plating Material Thickness	2.54 µm
Contact Spring Plating Thickness	2.54 µm[30 µin]

Contact Current Rating (Max)	7.5 A

Termination Features

Termination Method to PCB	Through Hole - Press-Fit
Termination Method to Wire & Cable	Solder
Insertion Method	Hand/Semi-Automatic

Dimensions

PCB Thickness (Recommended)	.79 – 3.18 mm[.031 – .125 in]
Socket Length	7.32 mm[.288 in]
PCB Hole Diameter	2.56 mm[.101 in]
Wire Size	18 – 17 AWG
Mating Pin Diameter Range	1.07 – 1.24 mm[.042 – .049 in]

Usage Conditions

Operating Temperature Range	-65 – 125 °C[-85 – 257 °F]

Operation/Application

Circuit Application	Power & Signal

Packaging Features

Packaging Method	Bag, Loose Piece
Packaging Quantity	2000

Other

Spring Material	Beryllium Copper

Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2025 (250) Candidate List Declared Against: JAN 2025 (247) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F < 900 ppm per homogenous material. Also BFR/CFR/PVC Free

Solder Process Capability

Pin-in-Paste capable to 260°C

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

Compatible Parts




TE Part # CAT-377-MSSCB75
Miniature Spring Sockets: Closed Bottom, Beryllium Copper, 7.5A

Customers Also Bought



TE Part #1SNA115177R1400
M4/6.DE1



TE Part #1SNA115643R2700
D2.5/6.DPA1


TE Part #1SNA118499R2300
FEM6D



TE Part #1-338088-3
8/8 INV.MOD.JACK



TE Part #2-1437667-4
4DB-P108-02=4DB ASSEMBLY



TE Part #2-1474644-6
FSN-21A-12



TE Part #2-1617031-3
HFW1201K46 = M39016/6-209L



TE Part #2-1825011-1
ASF4204=4PDT AUTOSLIDE



TE Part #5406533-1
INV MOD JACK,1X1,LED (G/Y)



TE Part #1-1623708-1
RGP0207CH 5% 82M

Documents

Product Drawings

SOCKET,MIN-SPR W/H SN SER-5

English

CAD Files

Customer View Model

ENG_CVM_5050871-6_A.3d_igs.zip

English

Customer View Model

ENG_CVM_5050871-6_A.3d_stp.zip

English

Customer View Model

ENG_CVM_5050871-6_A.2d_dxf.zip

English

3D PDF

English

By downloading the CAD file I accept and agree to the Terms and Conditions of use.

Product Specifications

Application Specification

English