









## Data

### Connection data

|                                     |                 |
|-------------------------------------|-----------------|
| No. of poles                        | 6               |
| Connectable sheathed cable diameter | 8.5 ... 13.5 mm |

### Geometrical Data

|        |                      |
|--------|----------------------|
| Width  | 72 mm / 2.835 inch   |
| Height | 16.8 mm / 0.661 inch |
| Depth  | 50 mm / 1.969 inch   |

### Mechanical data

|                      |      |
|----------------------|------|
| Degree of protection | IP20 |
|----------------------|------|

### Material Data

|                             |                      |
|-----------------------------|----------------------|
| Color                       | white                |
| Insulating material         | Polyamide 66 (PA 66) |
| Flammability class per UL94 | V0                   |
| Fire load                   | 0.466 MJ             |
| Weight                      | 16.583 g             |

### Environmental Requirements

|                                         |               |
|-----------------------------------------|---------------|
| Surrounding air (operating) temperature | -35 ... 85 °C |
|-----------------------------------------|---------------|

### Commercial data

|                    |               |
|--------------------|---------------|
| Country of origin  | DE            |
| GTIN               | 4045454001810 |
| Customs Tariff No. | 85389099990   |



## Compatible products

### Marking accessories



Item no.: 210-333

Marking strips; as a DIN A4 sheet; Strip width 6 mm; Strip length 182 mm; plain; Self-adhesive

[www.wago.com/210-333](http://www.wago.com/210-333)

## Downloads

### Documentation

#### Bid Text

|                     |              |         |          |
|---------------------|--------------|---------|----------|
| 770-516/029-000     | Jan 20, 2016 | DOC     | Download |
| WINSTA MIDI 6-polig |              | 24.1 kB |          |

Subject to changes.