




Connectors > Connector Accessories > Connector Hardware



Hardware Accessory Function: Latching, Locking & Retention, Mounting

Connector Hardware Accessory Type: Screw

Primary Product Material: Stainless Steel

Operating Temperature (Max): 105 °C [221 °F]

Operating Temperature Range: -40 – 105 °C [-40 – 221 °F]

Features

Product Type Features

Hardware Accessory Function	Latching, Locking & Retention, Mounting
Connector Hardware Accessory Type	Screw

Body Features

Primary Product Material	Stainless Steel
--------------------------	-----------------

Usage Conditions

Operating Temperature (Max)	105 °C[221 °F]
Operating Temperature Range	-40 – 105 °C[-40 – 221 °F]

Packaging Features

Packaging Method	Tray
Packaging Quantity	80

Product Compliance

[For compliance documentation, visit the product page on TE.com>](#)

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant



China RoHS 2 Directive MIIT Order No 32, 2016	有害物质含量符合标准要求 No Restricted Substance(s) Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2025 (250) Candidate List Declared Against: JUNE 2025 (250) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Not applicable for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) ‘Guidance on requirements for substances in articles’ posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

Compatible Parts

TE Part # 1648183-1
291-10-01100=SA CONN,PIN

Also in the Series | ELCON Drawer

Board-to-Board Headers & Receptacles(10)

Connector Contacts(34)

Connector Hardware(1)

PCB Headers & Receptacles(10)



Power Contacts(34)




Rectangular Connector Housings(1)



Rectangular Power Connectors(9)

Customers Also Bought



TE Part #1-178136-2
DYNAMIC D3200 HDR V ASSY 3P
PdNi &Au



TE Part #1-178288-5
3.81 DYNAMIC REC HSG 5P



TE Part #178325-2
DYNAMIC D3100D HDR V 10P ASSY
PdNi&AU038



TE Part #1-353082-2
DYNAMIC D-5200 HDR V ASSY 3P



TE Part #1650283-1
707-06-02109=CONTACT,PIN,#20




TE Part #1766811-1
CONTACT,PIN,#0



TE Part #2-1825027-0
FSMRA7JH04=R/A,TACT PB SW,160G



TE Part #2-1879022-7
SMF3 3K9 5%



TE Part #9-6474612-2
FSN-22A-6



TE Part #1648128-1
235-0153-01100=SKT,MARKED

Documents

Product Drawings

902-77-02113=SCREW,SHOULDER,10

English

CAD Files

3D PDF

3D

Customer View Model

ENG_CVM_CVM_1650399-1_L.2d_dxf.zip



English

Customer View Model

[ENG_CVM_CVM_1650399-1_L.3d_igs.zip](#)

English

Customer View Model

[ENG_CVM_CVM_1650399-1_L.3d_stp.zip](#)

English

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

Datasheets & Catalog Pages

[POWER_CONNECTORS_CATALOG_SEC02_CABLE_MOUNTED](#)

English

Product Specifications

[Application Specification](#)

English