



Switches > Toggle Switches



Configuration (Pole-Throw): **Single Pole - Double Throw**

Operating Function: **On Off On**

Number of Positions: **3**

Contact Current Rating: **20 A**

Operating Voltage: **30 VDC**

Features

Product Type Features

Sealed Device	Yes
Switch Connection Type	Quick Connect Terminal
Toggle Style	Baton
Switch Type	Power Toggle Switch

Configuration Features

Configuration (Pole-Throw)	Single Pole - Double Throw
Operating Function	On Off On
Number of Positions	3

Electrical Characteristics

Contact Resistance	10 mΩ
Insulation Resistance	1000 MΩ
Dielectric Withstanding Voltage (Max)	1500 VAC
Contact Current Rating	20 A
Operating Voltage	125 VAC, 250 VAC

Body Features

Sealing Method	Rubber O-Ring
Product Orientation	Vertical
Bushing Style	Unthreaded



Contact Features

Contact Base Material	Brass
Switch Contact Plating Material	Silver Alloy

Mechanical Attachment

Product Mount Type	Panel Mount
--------------------	-------------

Dimensions

Toggle Length	17.48 mm[.688 in]
---------------	-------------------

Product Compliance


For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Not Compliant
EU ELV Directive 2000/53/EC	Not Yet Reviewed
China RoHS 2 Directive MIIT Order No 32, 2016	有害物质含量超出标准 Restricted Substance(s) Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2025 (250) Candidate List Declared Against: JAN 2025 (247) SVHC > Threshold: Pb (3.7% in Component Part) Article Safe Usage Statements: Do not eat, drink or smoke when using this product. Wash thoroughly after handling. Recycle if possible and dispose of the article by following all applicable governmental regulations relevant to your geographic location.
Halogen Content	Not Low Halogen - contains Br or Cl > 900 ppm.
Solder Process Capability	Not applicable for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

Compatible Parts



TE Part # 1-6437630-1
AWTS1504



TE Part # 2-6437630-0
FTD0904=MINIATURE TOGGLE



TE Part # 8-6437630-0
A4TK15W04



TE Part # 7-6437630-2
AWTN1504 = POWER TOGGLE



TE Part # 5-6437630-0
AWTR1504 = POWER TOGGLE

Customers Also Bought




TE Part #5070122014
RNF-100-2-X-STK




TE Part #C71645-000
RMW-10/3-1200/ADH-0



TE Part #D26022-000
B-155-3802



TE Part #1SNA115118R1100
M6/8



TE Part #966066-5
FER,WIRE,PL SLV,,14/26,L6,GREY,LP



TE Part #1-1393239-3
RT114024



TE Part #1462037-4
IM01TS=IM RELAY 140mW 3V



TE Part #2-1625931-9
MCU 2K2 10% 1"PL



TE Part #6-2176611-9
EP 2W (SS) 680R 5%



TE Part #2213600-8
COOLSPlice LW 16/18 TO 16/18
AWG, SEAL

Documents



Product Drawings

AWTE1504 = POWER TOGGLE

English

CAD Files

3D PDF

3D

Customer View Model

ENG_CVM_CVM_7-6437630-1_B_c-7-6437630-1-b.2d_dxf.zip

English

Customer View Model

ENG_CVM_CVM_7-6437630-1_B_c-7-6437630-1-b.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_7-6437630-1_B_c-7-6437630-1-b.3d_stp.zip

English

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

Datasheets & Catalog Pages

SWITCHES_CORE_PROGRAM_CATALOG

English

AW_SERIES_SWITCHES_QUICK_REF_GUIDE_1-1773458-8

English