

DRC16-70SA

✓ ACTIVE

DEUTSCH | DEUTSCH DRC

DEUTSCH DRC, Housing for female terminals, Wire-to-Wire, 70
Position, Sealable, Black

[View on TE.com >](#)



Connectors > Automotive, Truck, Bus, & Off-Road Connectors > Connector Housings > DEUTSCH DRC HOUSINGS



Connector Style: **Housing for female terminals**

Mating Pin Diameter: **1.5 mm [.059 in]**

Connector System: **Wire-to-Wire**

Number of Positions: **70**

Centerline (Pitch): **5.5 mm [.216 in]**

[All DEUTSCH DRC HOUSINGS \(76\)](#)

Features

Product Type Features

Connector Style	Housing for female terminals
Connector System	Wire-to-Wire
Sealable	Yes
Hybrid Connector	No
Primary Locking Feature	Integrated in Housing
Strain Relief	Add By Accessory

Configuration Features

Number of Positions	70
Number of Rows	5

Electrical Characteristics

Nominal Voltage Architecture	12 V, 24 V, 42 V, 48 V, 80 V, 90 V, 125 V, 240 V
Operating Voltage	250 VDC

Body Features

Cable Exit Angle	180°
Body Material	PPS GF
Color	Black

Contact Features

--	--

DRC16-70SA

DEUTSCH DRC, Housing for female terminals, Wire-to-Wire, 70 Position, Sealable, Black



Mating Pin Diameter	1.5 mm[.059 in]
---------------------	-----------------

Mechanical Attachment

Terminal Position Assurance	No
Mounting Feature	Without
Polarized	Yes

Housing Features

Centerline (Pitch)	5.5 mm[.216 in]
--------------------	-----------------

Dimensions

Height	36.09 mm[1.421 in]
Length	103.99 mm[4.094 in]
Width	41.73 mm[1.643 in]

Usage Conditions

Operating Temperature Range	-55 – 125 °C[-67 – 257 °F]
-----------------------------	----------------------------

Industry Standards

Degree of Protection	IP68
----------------------	------

Other

Serviceable	Yes
Connector Position Assurance Capable	No

Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	欧洲化学品管理局最新发布的SvHCs候选清单: 2019年1月（197） SvHCs候选清单的声明更新至: 2018年1月（181）
Halogen Content	BFR/CFR/PVC Free, but Br/Cl >900 ppm in other sources.
Solder Process Capability	Not reviewed for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as

DRC16-70SA

DEUTSCH DRC, Housing for female terminals, Wire-to-Wire, 70 Position, Sealable, Black






EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulations, TE's information on SVHC in articles for this part number is still based on the European Chemical Agency (ECHA) 'Guidance on requirements for substances in articles'(Version: 2, April 2011), applying the 0.1% weight on weight concentration threshold at the finished product level. TE is aware of the European Court of Justice ruling of September 10th, 2015 also known as O5A (Once An Article Always An Article) stating that, in case of 'complex object', the threshold for a SVHC must be applied to both the product as a whole and simultaneously to each of the articles forming part of its composition. TE has evaluated this ruling based on the new ECHA "Guidance on requirements for substances in articles" (June 2017, version 4.0) and will be updating its statements accordingly.

Compatible Parts

			
TE Part # 0462-201-16141 SOCKET, SOLID, SIZE 16, 16-20AWG, NICKEL	TE Part # 1062-16-0122 SOCKET, S&F, SIZE 16, 14- 18AWG, NICKEL	TE Part # 0462-209-1631 SOCKET, SOLID, SIZE 16, 14AWG, GOLD	TE Part # 0462-201-1631 SOCKET, SOLID, SIZE 16, 16-20AWG, GOLD
			
TE Part # 0462-209-16141 SOCKET, SOLID, SIZE 16, 14AWG, NICKEL	TE Part # 1062-16-0144 SOCKET, S&F, SIZE 16, 14- 18AWG, GOLD	TE Part # DRC14-70PA 70P RECP ASM	TE Part # DRC12-70PA 70P RECP ASM

Also in the Series | DEUTSCH DRC

		
Automotive Connector Caps & Covers(5)	Automotive, Truck, Bus, & Off-Road Headers(30)	Automotive, Truck, Bus, & Off-Road Housings(76)

Documents

Product Drawings
70P PLUG ASM
English

DRC16-70SA

DEUTSCH DRC, Housing for female terminals, Wire-to-Wire, 70 Position, Sealable, Black



CAD Files

3D PDF

3D

Customer View Model

[ENG_CVM_CVM_DRC16-70SA_B.2d_dxf.zip](#)

English

Customer View Model

[ENG_CVM_CVM_DRC16-70SA_B.3d_igs.zip](#)

English

Customer View Model

[ENG_CVM_CVM_DRC16-70SA_B.3d_stp.zip](#)

English

Datasheets & Catalog Pages

ICT Terminals and Connectors Catalogue

English

Product Specifications

English