FLDWC0311-0.25-2 ✔ ACTIVE

RAYCHEM

TE Internal #: 4766853004

600 V, Tin-Plated Copper, 30 AWG, .25 mm² Wire, -65 – 125 °C [-85 – 257 °F], Hook Up Wire

View on TE.com >

Wire & Cable > Hook Up Wire



Cable Type: **FlexLite DW**

Operating Voltage: **600 V**

Wire & Cable Insulation Material: **Radiation-Crosslinked, Modified Polyalkene**

Conductor Material: **Tin-Plated Copper**

Wire Size: **30 AWG**

Features

Product Type Features

Cable Style	Primary, Stranded

Configuration Features

Number of Strands	19
Number of Conductors	1

Electrical Characteristics

Resistance Rating Conditions (Max)	83.6 Ω/1000 ft @ 68°F
Operating Voltage	600 V

Body Features

Wire & Cable Insulation Material	Radiation-Crosslinked, Modified Polyalkene
Conductor Material	Tin-Plated Copper
Wire Color (Base)	Red

Dimensions

Strand Size	36 AWG
Weight (Nominal)	3.77 kg/km
Outside Cable Diameter	1.12 – 1.22 mm[.044 – .048 in]
Conductor Diameter Range	.55 – .63 mm[.022 – .025 in]
Cable Insulation Thickness	.13 mm[.005 in]
Wire Size	.25 mm²

Usage Conditions

Cable Type	FlexLite DW
Operating Temperature Range	-65 – 125 °C[-85 – 257 °F]

Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	有害物质含量符合标准要求 No Restricted Substance(s) Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2025 (250) Candidate List Declared Against: JAN 2024 (240) Does not contain REACH SVHC
Halogen Content	Out of Scope - excluded from Halogen requirements
Solder Process Capability	Not applicable for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

Compatible Parts



TE Part # 650074-000
D-436-36


Customers Also Bought



TE Part #1062-20-0622
SOC, SF, SIZE 20, 14-16, NI/NI



TE Part #5053062032
RNF-100-3/16-4-STK



TE Part #849201-000
FLTWC0311-22-0



TE Part #DTM06-2S-E003
PLG, 2P, GRY, N, CAP




TE Part #32996
TERMINAL,SOLIS R 8 8




TE Part #2-34149-1
PG R 22-16 COMM 22-18 MIL 10



TE Part #2-320571-2
PIDG R 22-16 COMM 22-18MIL 1/4



TE Part #2-520409-2
ULTRA-FAST 187 ASY REC 22-18 TPBR



TE Part #1326030-2
2.8MM RECP,UNSEAL,18-20AWG



TE Part #1-1437719-8
T01-0550-P04-MALE PLUG CONNECTOR SOLDER

Documents

Product Drawings

FLDWC0311-0.25-2

English

Datasheets & Catalog Pages

1654025_Sec9_FlexLite

English