26-63-02 ✔ ACTIVE

KISSLING | KISSLING Series 26

TE Internal #: K1012814

General Purpose Power Relay, DC, Monostable, 1 Form A SPST-NO, 100 A Contact Rating, 28 VDC Coil Voltage, 28 VDC Contact Voltage, KISSLING Series 26

View on TE.com >

Relays & Contactors > Electromechanical Relays







Relay & Contactor Type: **General Purpose Power Relay**

Coil Magnetic System: **Monostable**

Contact Arrangement: **1 Form A SPST-NO**

Current Type: **DC**

Contact Current Rating: **100 A**

Features

Product Type Features

Relay & Contactor Type	General Purpose Power Relay

Configuration Features

Coil Special Features	Coil Suppression Diode
Contact Number of Poles	1
Contact Arrangement	1 Form A SPST-NO

Electrical Characteristics

Coil Resistance	145 Ω
Contact Current Rating	100 A
Coil Voltage Rating	28 VDC
Contact Voltage Rating	28 VDC

Body Features

Enclosure Type	Environmentally Sealed

Contact Features

Contact Material	Silver Alloy

Termination Features

Main Termination & Connection Type	M8 Male
Coil Termination & Connection Type	M4 Screw

Mechanical Attachment

Product Mounting Feature Type	Mounting Brackets
Product Mount Type	Chassis Mount

Dimensions

Product Width	50 mm[1.969 in]
Product Length	94 mm[3.7 in]
Product Height	51.5 mm[2.02 in]

Usage Conditions

Operating Temperature Range	-55 – 74 °C[-67 – 165 °F]
Environmental Ambient Temperature (Max)	74 °C[165 °F]

Operation/Application

Coil Magnetic System	Monostable
Current Type	DC

Other

Contact Current Class	>50 – ≤200 A
Height Class (Mechanical)	>45 – ≤70 mm[>1.772 – ≤2.756 in]
Length Class (Mechanical)	>70 mm[>2.756 in]
Width Class (Mechanical)	>33 mm[>1.299 in]

Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant with Exemptions
EU ELV Directive 2000/53/EC	Compliant with Exemptions
China RoHS 2 Directive MIIT Order No 32, 2016	有害物质含量超出标准 Restricted Substance(s) Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: FEB 2026 (253) Candidate List Declared Against: Not Yet Reviewed SVHC > Threshold:

	Pb (8% in Component) **Article Safe Usage Statements:** Do not eat, drink or smoke when using this product. Wash thoroughly after handling. Recycle if possible and dispose of the article by following all applicable governmental regulations relevant to your geographic location.
Halogen Content	Not Yet Reviewed for halogen content
Solder Process Capability	Not reviewed for solder process capability


Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

Compatible Parts



TE Part # K1008805
Relay 26-56-06



TE Part # K1013760
Relay 26-56-78



TE Part # CAT-AL6-KSPR2975
Power Relay, 75A, Standard, Monostable, DC




TE Part # K1147622
Bistable relay 500A 28V, Type 26-05-33



TE Part # K1013582
Relay-ECS 26-56-93




TE Part # K1000090
Mounting Bracket Standard Typ 26-50-00




TE Part # K1013577
Relay 26-60-75




TE Part # K1135475
Relay 26-05-251




TE Part # K1009404
Relay 26-08-01




TE Part # K1000102
Flansch-Sonder ZOLL-AUSF. Typ 26-02-53




TE Part # K1160369
Relay 26-07-51-909



TE Part # K1148154
Relay 26-05-23



TE Part # K1006114
Relay 26-70-04-900



TE Part # K1013133
Relay 26-25-01



TE Part # CAT-AL6-KSPR29120
Power Relay, 120A, Standard, Monostable, DC



TE Part # K1060046
Relay 30-211-02

TE Part # K1013135
Angle Connection Typ 26-56-52



TE Part # K1008783
Relay 26-56-01



TE Part # K1012081
Relay 26-70-07




TE Part # K1013579
Relay 26-56-75

Also in the Series | KISSLING Series 26



Automotive Relays(106)



General Purpose Power Relays(98)



Switch Seals & Accessories(1)

Customers Also Bought


TE Part #131250-000
222K132-25/225-0



TE Part #K1162562
Relay 29-111-12-A-961



TE Part #K2001883
Toggle Switch 08-2-2-13 F



TE Part #ZPF000000000020174
FMJ 12E 22-06




TE Part #K1012918
Relay 26-70-04

TE Part #ZPF000000000002057
200-1140-20

TE Part #ZPF000000000002088
200-1436-18

TE Part #RSC35E-TACS
CONNECT OPTIQUE

TE Part #ZPF000000000002093
200-1442-22



TE Part #ZPF000000000100448
054-8017-03

Documents

Product Drawings

Relay 26-63-02

English

Relay 26-63-02

German

CAD Files

3D PDF

3D

Customer View Model

ENG_CVM_CVM_26-63-02_1.2d_dxf.zip

English

Customer View Model

ENG_CVM_CVM_26-63-02_1.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_26-63-02_1.3d_stp.zip

English

By downloading the CAD file I accept and agree to the Terms and Conditions of use.

Datasheets & Catalog Pages

KISSLING HIGH PERFORMANCE RELAYS Series 26 / 50A

English

Solutions for Defense Applications Certified to VG Standards

English