



Switches > Switch Knobs



Primary Product Material: **Aluminum 56S**
Knob Design: **Serrated Diamond Trim Cut**
Shaft Size: **3.17 mm** [.125 in]
Product Diameter: **9.5 mm** [.374 in]
Primary Product Color: **Black**

Features

Configuration Features

Spinner	Without
Skirt	With
Spin Plate	Without
Knob Design	Serrated Diamond Trim Cut

Body Features

Primary Product Material	Aluminum 56S
Primary Product Color	Black

Dimensions

Shaft Size	3.17 mm[.125 in]
Product Diameter	9.5 mm[.374 in]

Identification Marking

Indicator Style	Dot
Indicator Location	On Skirt



Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Out of Scope
China RoHS 2 Directive MIIT Order No 32, 2016	有害物质含量符合标准要求 No Restricted Substance(s) Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2025 (250) Candidate List Declared Against: JUNE 2025 (250) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Not applicable for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

Compatible Parts



Also in the Series | ALCOSWITCH KU



Switch Knobs(2)


Customers Also Bought



TE Part #1SNK705011R0000
ZK2.5-3P



TE Part #60619-5
CMNL SOK AUBR L/P



TE Part #87666-2
MOD IV RECP PLTD 30 SEL




TE Part #1-104257-5
16 MTE RCPT HSG SR LATCH .100



TE Part #170364-1
MINI UNIVERSAL M-N-L PIN LP




TE Part #172165-1
2 CIR UNIV M-N-L PLUG NATL



TE Part #207467-1
CABLE CLAMP KIT,SZ 1



TE Part #1-480303-0
03P CMNL PLUG HSG F/H NATL



TE Part #3-643814-7
07P MTA100 CONN ASSY POL RIB



TE Part #103957-1
10X2 MTE RCPT SR LATCH .100CL

Documents

CAD Files

3D PDF

3D

Customer View Model

ENG_CVM_CVM_2-1437623-2_99_c-2-1437623-2-99.2d_dxf.zip

English

Customer View Model

ENG_CVM_CVM_2-1437623-2_99_c-2-1437623-2-99.3d_igs.zip

KU402B1/8

Aluminum 56S, Serrated Diamond Trim Cut Knob Design, 3.17 mm [.125 in] Shaft, 9.5 mm [.374 in] Diameter, Black, ALCOSWITCH KU, Switch Knobs



English

Customer View Model

[ENG_CVM_CVM_2-1437623-2_99_c-2-1437623-2-99.3d_stp.zip](#)

English

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

Datasheets & Catalog Pages

[SWITCHES_CORE_PROGRAM_CATALOG](#)

English

[8-1773450-9_SECTION_J_KEYLOCK_SWITCHES_SECTION_K_KNOBS](#)

English