
This document is the property of Amphenol Corporation and is delivered on the express condition that it is not to be disclosed, reproduced or used, in whole or in part, for manufacture or sale by anyone other than Amphenol Corporation without its prior concert, & that no right is granted to disclose or to use any information in this document.


Customer Drawing


REVISIONS				
SYM	ECN	DESCRIPTION	DATE	APPROVED
A	HK4729	Release new drawing	10/19/07	IP
1	HK--	Update the drawing	04/14/09	IP
2	HK--	Update the drawing	05/08/17	IP
3	HK--	Update notes	05/27'24	Tony.Tang
4	HK--	Update the drawing	07/03'24	Tony.Tang



D-SUB TECHNICAL DATA

Material and finish:
Hood: Polyamid, Grilon PA6, UL94-HB ,color black,Maximum OD: 8.5mm
Jackscrew: UNC 4-40 (Standard), Steel,Zinc plated,5µm min., plastic knob:ABS
Plastic insert:ABS
Cable clamp: Steel,Zinc plated 5µm min.
Screws: Steel,Zinc plated,5µm min. ,Philips head
Temperature range: -40°C to +105°C





Jackscrew

PRODUCT CODE

L 17DPPK XX JS

- RoHS Compliance
- Series: 17DPPK
- Position: 09,15,25,37

Commercial Part Number	Internal Part Number
L17DPPK09JS	R172090C

UNLESS OTHERWISE SPECIFIED TOLERANCES

	U.S.	METRIC
.X +/-		0.50
.XX +/-		0.30
.XXX +/-		0.20
FRACTIONS +/-		
ANGLES +/-		5°

FOR MATERIALS AND FINISHES SEE NOTES
REMOVE SHARP EDGES
DIMENSIONS
U.S. INCHES
METRIC MM

APPROVAL		DATE
DRAWN	Bella.Wu	07/03'24
CHECKED	Tony.Tang	07/03'24
CHECKED		

DRAWING FILE : Drawing\Dsub\L17DPPKXXJS

ANGLE OF PROJECTION

Amphenol
Amphenol East Asia Limited


TITLE
Hood, DPPK Series


SIZE	DRAWING NO.	REV.
A4	L17DPPKXXJS	4


SCALE NONE SHEET 1 OF 4

This document is the property of Amphenol Corporation and is delivered on the express condition that it is not to be disclosed, reproduced or used, in whole or in part, for manufacture or sale by anyone other than Amphenol Corporation without its prior concert, & that no right is granted to disclose or to use any information in this document.

Customer Drawing







Commercial Part Number	Internal Part Number
L17DPPK15JS	R172017

REVISIONS				
SYM	ECN	DESCRIPTION	DATE	APPROVED
A	HK4729	Release new drawing	10/19/07	IP
1	HK--	Update the drawing	04/14/09	IP
2	HK--	Update the drawing	05/08/17	IP
3	HK--	Update notes	05/27'24	Tony.Tang
4	HK--	Update the drawing	07/03'24	Tony.Tang

D-SUB TECHNICAL DATA

Material and finish:
Hood: Polyamid, Grilon PA6, UL94-HB ,Color black,Maximum OD: 11.6mm
Jackscrew: UNC 4-40 (Standard), Steel,Zinc plated,5µm min., plastic knob:ABS
Plastic insert:ABS
Cable clamp: Steel,Zinc plated 5µm min.
Screws: Steel,Zinc plated,5µm min. ,Philips head
Temperature range: -40°C to +105°C

PRODUCT CODE

L 17DPPK XX JS

- RoHS Compliance
- Series: 17DPPK
- Position: 09,15,25,37

UNLESS OTHERWISE SPECIFIED TOLERANCES	U.S.	METRIC
.X +/-		0.50
.XX +/-		0.30
.XXX +/-		0.20
FRACTIONS +/-		
ANGLES +/-		5°

FOR MATERIALS AND FINISHES SEE NOTES
REMOVE SHARP EDGES
DIMENSIONS
U.S. INCHES
METRIC MM

APPROVAL		DATE
DRAWN	Bella.Wu	07/03'24
CHECKED	Tony.Tang	07/03'24
CHECKED		

DRAWING FILE : Drawing\Dsub\L17DPPKXXJS
ANGLE OF PROJECTION

Amphenol
Amphenol East Asia Limited


TITLE
Hood, DPPK Series

SIZE	DRAWING NO.	REV.
A4	L17DPPKXXJS	4

SCALE NONE SHEET 2 OF 4

This document is the property of Amphenol Corporation and is delivered on the express condition that it is not to be disclosed, reproduced or used, in whole or in part, for manufacture or sale by anyone other than Amphenol Corporation without its prior concert, & that no right is granted to disclose or to use any information in this document.


Customer Drawing




REVISIONS				
SYM	ECN	DESCRIPTION	DATE	APPROVED
A	HK4729	Release new drawing	10/19/07	IP
1	HK--	Update the drawing	04/14/09	IP
2	HK--	Update the drawing	05/08/17	IP
3	HK--	Update notes	05/27'24	Tony.Tang
4	HK--	Update the drawing	07/03'24	Tony.Tang

D-SUB TECHNICAL DATA

Material and finish:
Hood: Polyamid, Grilon PA6, UL94-HB ,Color black,Maximum OD: 11.6mm
Jackscrew: UNC 4-40 (Standard), Steel,Zinc plated,5µm min., plastic knob:ABS
Plastic insert:ABS
Cable clamp: Steel,Zinc plated 5µm min.
Screws: Steel,Zinc plated,5µm min. ,Philips head
Temperature range: -40°C to +105°C





Commercial Part Number	Internal Part Number
L17DPPK25JS	R172027

PRODUCT CODE

L 17DPPK XX JS

- RoHS Compliance
- Series: 17DPPK
- Position: 09,15,25,37

UNLESS OTHERWISE SPECIFIED TOLERANCES	U.S.	METRIC
.X +/-		0.50
.XX +/-		0.30
.XXX +/-		0.20
FRACTIONS +/-		
ANGLES +/-		5°

	APPROVAL	DATE
DRAWN	Bella.Wu	07/03'24
CHECKED	Tony.Tang	07/03'24
CHECKED		

FOR MATERIALS AND FINISHES SEE NOTES
REMOVE SHARP EDGES
DIMENSIONS U.S. INCHES / METRIC MM
DRAWING FILE : Drawing\Dsub\L17DPPKXXJS
ANGLE OF PROJECTION

Amphenol
Amphenol East Asia Limited

TITLE
Hood, DPPK Series


SIZE	DRAWING NO.	REV.
A4	L17DPPKXXJS	4

SCALE NONE SHEET 3 OF 4

This document is the property of Amphenol Corporation and is delivered on the express condition that it is not to be disclosed, reproduced or used, in whole or in part, for manufacture or sale by anyone other than Amphenol Corporation without its prior concert, & that no right is granted to disclose or to use any information in this document.


Customer Drawing


REVISIONS				
SYM	ECN	DESCRIPTION	DATE	APPROVED
A	HK4729	Release new drawing	10/19/07	IP
1	HK--	Update the drawing	04/14/09	IP
2	HK--	Update the drawing	05/08/17	IP
3	HK--	Update notes	05/27'24	Tony.Tang
4	HK--	Update the drawing	07/03'24	Tony.Tang



D-SUB TECHNICAL DATA

Material and finish:
Hood: Polyamid, Grilon PA6, UL94-HB ,Color black,Maximum OD: 11.6mm
Jackscrew: UNC 4-40 (Standard), Steel,Zinc plated,5µm min., plastic knob:ABS
Plastic insert:ABS
Cable clamp: Steel,Zinc plated 5µm min.
Screws: Steel,Zinc plated,5µm min. ,Philips head
Temperature range: -40°C to +105°C





Jackscrew

Commercial Part Number	Internal Part Number
L17DPPK37JS	R172039

PRODUCT CODE

L 17DPPK XX JS

- RoHS Compliance
- Series: 17DPPK
- Position: 09,15,25,37

UNLESS OTHERWISE SPECIFIED TOLERANCES	U.S.	METRIC
.X +/-		0.50
.XX +/-		0.30
.XXX +/-		0.20
FRACTIONS +/-		
ANGLES +/-		5°

FOR MATERIALS AND FINISHES SEE NOTES
REMOVE SHARP EDGES
DIMENSIONS U.S. INCHES / METRIC MM

APPROVAL		DATE
DRAWN	Bella.Wu	07/03'24
CHECKED	Tony.Tang	07/03'24
CHECKED		

DRAWING FILE : Drawing\Dsub\L17DPPKXXJS

ANGLE OF PROJECTION

Amphenol
Amphenol East Asia Limited

TITLE
Hood, DPPK Series

SIZE	DRAWING NO.	REV.
A4	L17DPPKXXJS	4

SCALE NONE SHEET 4 OF 4