




Connectors > D-Shaped Connectors



Number of Positions: 51

Connector & Housing Type: **Receptacle**

Connector System: **Wire-to-Panel**

Connector Mounting Type: **Panel Mount**

Centerline (Pitch): 1.27 mm [.05 in]

Features

Product Type Features

Connector & Housing Type	Receptacle
Connector System	Wire-to-Panel
Connector & Contact Terminates To	Wire & Cable

Configuration Features

Number of Positions	51
---------------------	----

Body Features

Insulation Color	Black
------------------	-------

Contact Features

	50 µin
Contact Mating Area Plating Material	Gold (Au)
Contact Type	Socket
Contact Base Material	Copper Alloy
Contact Current Rating (Max)	3 A
Contact Options	Installed

Termination Features

Termination Method to Wire & Cable	Solder Pot
------------------------------------	------------

Mechanical Attachment

Connector Mounting Type	Panel Mount
-------------------------	-------------



Mounting Hardware

No Hardware

Housing Features

Housing Material	Polyphenylene Sulfide (PPS)
Centerline (Pitch)	1.27 mm[.05 in]

Usage Conditions

Operating Temperature Range	-55 – 125 °C[-67 – 257 °F]
-----------------------------	----------------------------

Operation/Application

Circuit Application	Signal
---------------------	--------

Product Compliance


For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant with Exemptions
EU ELV Directive 2000/53/EC	Compliant with Exemptions
China RoHS 2 Directive MIIT Order No 32, 2016	有害物质含量超出标准 Restricted Substance(s) Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2025 (250) Candidate List Declared Against: JAN 2025 (247) SVHC > Threshold: Pb (3.7% in Component) Article Safe Usage Statements: Do not eat, drink or smoke when using this product. Wash thoroughly after handling. Recycle if possible and dispose of the article by following all applicable governmental regulations relevant to your geographic location.
Halogen Content	BFR/CFR/PVC Free, but Br/Cl >900 ppm in other sources.
Solder Process Capability	Reflow solder capable to 260°C


Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>


Customers Also Bought




TE Part #282532-003
81044/12-18-6




TE Part #828093-000
TXR54AB45-1206AI




TE Part #ZPF000000000004854
901-20 RT 2-37-0 PN



TE Part #351833-000
TXR18AB00-2210AI



TE Part #ZPF0000000000099828
901-21 RT 2-37-0 SN



TE Part #422643-000
TXR18AB00-2812AI




TE Part #359539-000
D-108-10CS948



TE Part #YDIV43E23-55PNC001
RECP ASSY



TE Part #306040-001
44AM1121-20-0/2-9



TE Part #4-1589946-9
STM025PC0DM012Q = Wdualobe

Documents

Product Drawings
095-0616-2030=MCDR3-B-51SS

English

Datasheets & Catalog Pages
MICRODOT Microminiature D Connectors

English