



Switches > Slide Switches



Contact Current Rating: **.1 A**

Configuration (Pole-Throw): **Single Pole - Double Throw**

Product Orientation: **Right Angle**

Contact Base Material: **Copper Alloy**

Number of Actuators: **Single**

Features

Configuration Features

Terminals Connected	2-1
Configuration (Pole-Throw)	Single Pole - Double Throw
Number of Actuators	Single
Number of Positions	2
Operating Function	On On

Electrical Characteristics

Contact Current Rating	.1 A
Operating Voltage	12 VDC

Body Features

Actuator Orientation	Side
Actuator Travel	2 mm[.079 in]
Product Orientation	Right Angle
Actuator Profile	Extended
Actuator Material	Nylon
Actuator Color	Black

Contact Features

Contact Base Material	Copper Alloy
Switch Contact Plating Material	Silver



Termination Features

Termination Post & Tail Length	3 mm[.118 in]
Termination Method to PCB	Through Hole - Solder

Dimensions

Product Width	4.3 mm[.169 in]
Product Length	10.2 mm[.402 in]
Actuator Length	2.5 mm[.098 in]

Industry Standards

UL Flammability Rating	UL 94V-0
------------------------	----------

Packaging Features

Packaging Method	Tray
------------------	------

Other

Grade	Instrumentation
-------	-----------------

Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Out of Scope
China RoHS 2 Directive MIIT Order No 32, 2016	有害物质含量符合标准要求 No Restricted Substance(s) Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2025 (250) Candidate List Declared Against: JUNE 2025 (250) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Wave solder capable to 265°C

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides



on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) ‘Guidance on requirements for substances in articles’ posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

Compatible Parts



TE Part # 1825280-1
SSJ1204 LOW P SLIDE SWITCH SPDT

Customers Also Bought




TE Part #CONBNC004
BNC Jack 50 Ohm Panel Mount



TE Part #213729-9
CPC RECPT ASSEMBLY SIZE 17-14



TE Part #1-770872-0
02P MINI UMNL HDR ASSY SN



TE Part #796634-2
2 POS 5.08MM R/A PLUG,TRM BLK




TE Part #2-826925-0
MOD 2 PIN HDR.1X20P




TE Part #1462041-3
IMB06CGR=IM RELAY 140mW 12V HDV



TE Part #9-1879352-6
RR02 5% 3K0 AMMO



TE Part #2485264-7
DIP IC SOCKET 28P,GOLD FLASH



TE Part #2834082-1
5.0MM SIDE ENTRY MSC 2P_GY



TE Part #2-5747707-0
15 RCPT SP/FMS BRDLK

Documents

Product Drawings
SSJ12R04/SSJ91431F04=SPDT SLIDE SWITCH
English



CAD Files

Customer View Model

[ENG_CVM_CVM_1825282-1_B.3d_stp.zip](#)

English

Customer View Model

[ENG_CVM_CVM_1825282-1_B.2d_dxf.zip](#)

English

Customer View Model

[ENG_CVM_CVM_1825282-1_B.3d_igs.zip](#)

English

3D PDF

3D

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

Datasheets & Catalog Pages

[8-1773450-9_SWITCHES_CATALOG_SECTION_B_SLIDE_SWITCHES](#)

English