# ZHD-SCE-1K-9.5-50-4 ✔ ACTIVE

ZHD-SCE

TE Internal #: EC9856-000

Yellow, Fluid Resistant & Low Fire Hazard, Ladder, Recovered ID 4.7 mm [.187 in], 2:1, 1 Markers per Sleeve, 50 mm [2 in] Length, ZHD-SCE

View on TE.com >

Identification & Labeling > Printable Tubing > Fluid Resistant Sleeves, ZHD-SCE



Printable Tubing Type: **Ladder**

Printable Tubing Grade: **Fluid Resistant & Low Fire Hazard**

Shrink Ratio: **2:1**

Primary Product Color: **Yellow**

Markers per Sleeve: **1**

All Fluid Resistant Sleeves, ZHD-SCE (59)

## Features

### Product Type Features

| | |
|---|---|
| Printable Tubing Type | Ladder |
| Printable Tubing Grade | Fluid Resistant & Low Fire Hazard |

### Body Features

| | |
|---|---|
| Shrink Ratio | 2:1 |
| Primary Product Color | Yellow |
| Markers per Sleeve | 1 |

### Dimensions

| | |
|---|---|
| Product Length | 50 mm[2 in] |
| Expanded Inside Diameter (Min) | 9.5 mm[.375 in] |
| Recovered Inside Diameter (Max) | 4.7 mm[.187 in] |
| Compatible Cable Diameter Range | 5.5 – 8.1 mm[.22 – .32 in] |

### Usage Conditions

| | |
|---|---|
| Operating Temperature Range | -55 – 135 °C[-67 – 275 °F] |

### Printer/Label Features

| | |
|---|---|
| Printer Technology | Thermal Transfer |

### Packaging Features

| | |
|---|---|
| Packaging Quantity | 1000 |

## Product Compliance

For compliance documentation, visit the product page on TE.com>

| | |
|---|---|
| EU RoHS Directive 2011/65/EU | Compliant |
| EU ELV Directive 2000/53/EC | Compliant |
| China RoHS 2 Directive MIIT Order No 32, 2016 | 有害物质含量符合标准要求 No Restricted Substance(s) Above Threshold |
| EU REACH Regulation (EC) No. 1907/2006 | Current ECHA Candidate List: JUNE 2025 (250)<br>Candidate List Declared Against: JUNE 2025 (250)<br>Does not contain REACH SVHC |
| Halogen Content | Low Halogen - Br, Cl, F < 900 ppm per homogenous material. Also BFR/CFR/PVC Free |
| Solder Process Capability | Not applicable for solder process capability |

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

## Compatible Parts



TE Part # 1-2186502-1
T3224-PRINTER



TE Part # 1-2186500-1
T3212-PRINTER




TE Part # 1-2186503-1
T3224-SWARE-PRINTER



TE Part # 1-2186501-1
T3212-SWARE-PRINTER

## Also in the Series | ZHD-SCE



Printable Tubing(59)


## Customers Also Bought




TE Part #EC9894-000
ZHD-SCE-1K-3.2-50-9




TE Part #34130
SPLICE,SOLIS PARA 22-16



TE Part #6-160432-0
250 FASTON REC 20-16 AWG TPBZ



TE Part #163082-2
062 PIN ASS. TYP3+




TE Part #163084-2
062 SOC.ASS. TYP3+




TE Part #165171
P.G. WIRE PIN 16-14



TE Part #180464-5
250 FASTON,FLAG,REC.,14-17AWG, LATON



TE Part #182663-1
13 SIZE CPC STD CLAMP



TE Part #1123343-2
025 REC CONTACT GOLD FORMING



TE Part #2-1104000-3
HVT.8.STI.C

## Documents

### Datasheets & Catalog Pages

IDENTIFICATION SELECTION GUIDE

English

TTDS for ZHD-SCE, LOW FIRE HAZARD, DIESEL RESISTANT

English

Cable Identification Product Shelf Life

English

## Product Specifications

### Product Specification

English

### IDENTIFCATION PRINTER PRODUCT RIBBON MATRIX

English

## Instruction Sheets

### Instruction Sheet (non U.S.)

English