1-1337443-0 ✔ ACTIVE


BNC

TE Internal #: 1-1337443-0

BNC Connector, Jack, 75 ohm, Bayonet, 2 GHz, Cable-to-Cable, 1 Position, Wire & Cable, -65 – 165 °C [-85 – 329 °F], Crimp, Straight, Brass, BNC

View on TE.com >

Connectors > RF Connectors > Coax Connectors







RF Interface: **BNC**

RF Connector Style: **Jack**

RF Connector Mated Outer Diameter (Approximate): **14.53 mm [.572 in]**

Impedance: **75 Ω**

RF Connector Coupling Mechanism: **Bayonet**

Features

Product Type Features

RF Interface	BNC
RF Connector Style	Jack
Connector System	Cable-to-Cable
Sealable	No
Connector & Contact Terminates To	Wire & Cable

Configuration Features

Number of Positions	1
Number of Coaxial Contacts	1

Electrical Characteristics

Impedance	75 Ω

Body Features

Body Material	Brass
Body Plating Material	Nickel

Contact Features

Crimp Type	Hexagonal Crimping
RF Connector Center Contact Plating Material	Gold (Au)
RF Connector Center Contact Material	Brass

Termination Features

Termination Method to Wire & Cable	Crimp

Mechanical Attachment

RF Connector Coupling Mechanism	Bayonet
RF Contact Captivation Method	Mechanical
Detent	Without

Housing Features

Body Orientation	Straight

Dimensions

RF Connector Mated Outer Diameter (Approximate)	14.53 mm[.572 in]

Usage Conditions

Insulation Option	Uninsulated
Operating Temperature Range	-65 – 165 °C[-85 – 329 °F]

Operation/Application

Operating Frequency Range	2 GHz

Packaging Features

Packaging Quantity	50
Packaging Method	Bag

Other

Grade	Professional
Dielectric Material	Polytetrafluoroethylene (PTFE)

Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant with Exemptions
EU ELV Directive 2000/53/EC	Compliant with Exemptions
China RoHS 2 Directive MIIT Order No 32, 2016	Restricted Materials Above Threshold

EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2025 (250) Candidate List Declared Against: JUNE 2024 (241) SVHC > Threshold: Pb (4.75% in Component Part) **Article Safe Usage Statements:** Do not eat, drink or smoke when using this product. Wash thoroughly after handling. Recycle if possible and dispose of the article by following all applicable governmental regulations relevant to your geographic location.
Halogen Content	Low Bromine/Chlorine - Br and Cl < 900 ppm per homogenous material. Also BFR /CFR/PVC Free
Solder Process Capability	Not applicable for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach


Compatible Parts



TE Part # 1-1337438-0
BNC R/A Plg Hex 75Ohm Silver Pltd RG59B/




TE Part # 1-1337429-0
BNC Str Plg Hex 75Ohm Silver Pltd RG59B/



TE Part # 9-1478242-0
PRO-C HEX DIE RG58-RG59-URM70



TE Part # 2455005-1
BNC PLUG ST FOR CABLE BELDEN 8218




TE Part # 1-1337525-0
BNC R/A Plg Hex 75Ohm Nickel Pltd RG59B/

Also in the Series | BNC



Coax Connectors(163)



RF Cable Assemblies(25)



RF Terminators(1)

Customers Also Bought



TE Part #DT04-08PA-E003
REC, 8P, GRY, N, CAP, A

TE Part #3742609910
Speed sen DSD 1820.19 Q6HW



TE Part #1393280-6
V23086C1001A403

Documents

Product Drawings

BNC Str Jk Hex 75Ohm Nickel Pltd RG59B/U

English

CAD Files

3D PDF

3D

Customer View Model

ENG_CVM_CVM_1-1337443-0_C.2d_dxf.zip

English

Customer View Model

ENG_CVM_CVM_1-1337443-0_C.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_1-1337443-0_C.3d_stp.zip

English

By downloading the CAD file I accept and agree to the Terms and Conditions of use.

Product Specifications

Product Specification

English