1-1932258-2 ✔ ACTIVE

TE Internal #: 1-1932258-2

A, Standard USB, 3.0, Receptacle, 4 Position, Top Mount, 1 Port, Right Angle, Box & Tray / Tray, Flush, Through Hole - Solder, Cable-to-Board

View on TE.com >

Connectors > Audio & Video Connectors > USB Connectors



USB Type: **A**

USB Version: **3.0**

Connector Profile: **Standard**

Connector & Housing Type: **Receptacle**

Number of Ports: **1**

Features

Product Type Features

USB Type	A
USB Version	3.0
Connector & Housing Type	Receptacle
Connector System	Cable-to-Board
Connector & Contact Terminates To	Printed Circuit Board

Configuration Features

Number of Mounting Legs	2
Number of Ports	1
Number of Positions	4

Body Features

Shell Plating Finish	Bright
Shell Plating Material	Tin
Connector Profile	Standard

Contact Features

Contact Mating Area Plating Material Thickness	.76 µm[30 µin]
Contact Mating Area Plating Material	Gold (Au)
Contact Current Rating (Max)	1.8 A

Termination Features

Termination Post & Tail Length	2.3 mm[.091 in]
Termination Method to PCB	Through Hole - Solder

Mechanical Attachment

Locking Feature	Without
PCB Mount Location	Top Mount
PCB Connector Seating	Flush
PCB Mount Retention Type	Kinked Legs
Panel Mount Feature Type	Flange
Connector Mounting Type	Board Mount

Housing Features

Housing Material	Thermoplastic
Housing Color	Blue
Body Orientation	Right Angle
Centerline (Pitch)	2 mm, 2.5 mm[.078 in][.098 in]

Dimensions

PCB Thickness (Recommended)	1.6 mm[.063 in]

Usage Conditions

Soldering Temperature (Max)	260 °C[500 °F]
Mating Cycles (Max)	5000
Operating Temperature Range	-55 – 105 °C[-67 – 221 °F]

Operation/Application

Halogen Free	Yes
Circuit Application	Power & Signal

Industry Standards

Moisture Sensitivity Level	5A
UL Flammability Rating	UL 94V-0

Packaging Features

Packaging Quantity	144
Packaging Method	Box & Tray, Tray

Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	有害物质含量符合标准要求 No Restricted Substance(s) Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2025 (250) Candidate List Declared Against: JUNE 2025 (250) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Not reviewed for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

Compatible Parts



TE Part # 1-2117155-0
C/A, USB3.0 A TYPE TO MICRO B,


Customers Also Bought




TE Part #171825-3
POST HEADER ASSY EI SRS 3POS



TE Part #171825-6
POST HDR ASSY VERT AMP EI CONN



TE Part #215875-1
4/4 PCB MOD.JACK SE



TE Part #292251-7
CT P/HDR BOX V 7P POL NAT



TE Part #9-1318125-2
DYNAMIC D2100 HDR V ASSY 8P Y NATURAL




TE Part #1-1337445-0
BNC Str PCB Skt 50Ohm Silver P



TE Part #2007198-1
SFP+ 1x1 Cage Assembly, Press-



TE Part #2-2326092-2
DYNAMIC D-5 V-HDR ASSY 6P AU0.38 YY



TE Part #2354751-1
CAGE ASSEMBLY, QSFP-DD 1X1, SPRING, TB



TE Part #5787082-7
68 50SR R/A RCPT ASSY,RDSN L/F

Documents

Product Drawings

Std USB 3,0, Type A, R/A, T/H

English

CAD Files

3D PDF

3D

Customer View Model

ENG_CVM_CVM_1-1932258-2_C.2d_dxf.zip

English

Customer View Model

ENG_CVM_CVM_1-1932258-2_C.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_1-1932258-2_C.3d_stp.zip

English

By downloading the CAD file I accept and agree to the Terms and Conditions of use.

Product Specifications

Product Specification

English