



UMCC1

TE Internal #: 1-2118651-0
UMCC1 to UMCC1 Cable Assembly, .06 m [.196 ft], Black Cable, 9 GHz, 50 ohm, FEP Jacket, 30 AWG, 1.37 mm [.044 in] Diameter, UMCC GEN 1 Plug End A

[View on TE.com >](#)

Cable Assemblies > RF Cable Assemblies



Cable Assembly Type: **UMCC1 to UMCC1**
Cable Assembly (End A): **UMCC GEN 1 Plug**
Cable Assembly (End B): **UMCC GEN 1 Plug**
Cable Assembly Length: **.06 m [.196 ft]**
Coax Cable Type: **1.13mm Coax**

Features

Product Type Features

Cable Assembly Type	UMCC1 to UMCC1
Cable Assembly (End A)	UMCC GEN 1 Plug
Cable Assembly (End B)	UMCC GEN 1 Plug
Coax Cable Type	1.13mm Coax

Configuration Features

Number of Connectorized Ends	2
------------------------------	---

Electrical Characteristics

Insulation Resistance	50 MΩ
Operating Voltage	200 V
Impedance	50 Ω

Signal Characteristics

Velocity of Propagation	70 %
-------------------------	------

Body Features

--	--



Body Plating Material	Nickel
Conductor Material	Copper
Strain Relief Type	Heat Shrink Tubing
Conductor Plating Material	Gold
Jacket Material	FEP
Cable Color	Black

Contact Features

Ferrule Material	Brass
------------------	-------

Dimensions

Outside Cable Diameter	1.37 mm[.044 in]
Wire Size	30 AWG

Usage Conditions

Operating Temperature Range	-40 – 90 °C[-40 – 194 °F]
-----------------------------	---------------------------

Operation/Application

Operating Frequency Range	9 GHz
---------------------------	-------

Other

Cable Assembly Length	.06 m[.196 ft]
-----------------------	----------------

Product Compliance

For compliance documentation, visit the product page on [TE.com](#)>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Out of Scope
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2025 (250) Candidate List Declared Against: JUNE 2025 (250) Does not contain REACH SVHC
Halogen Content	Low Bromine/Chlorine - Br and Cl < 900 ppm per homogenous material. Also BFR /CFR/PVC Free
Solder Process Capability	Not reviewed for solder process capability

Product Compliance Disclaimer



This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

Compatible Parts

TE Part # 1909763-1
UMCC MICRO-COAX RECPT GEN 1
HIGHER LEVEL

TE Part # CONMHF1-SMD-T
U.FL/MHF1 Jack 50 Ohm PCB Surface
Mount

TE Part # CONMHF1-SMD-G-T
U.FL/MHF1 Jack 50 Ohm PCB Surface
Mount

TE Part # 2337019-1
UMCC Micro-Coax receptacle, Gen 1

Also in the Series | UMCC1

Coax Connectors(6)

RF Cable Assemblies(103)

Customers Also Bought

TE Part #816559-SF
RN214-4-02-1M5

TE Part #1-1470107-0
2.0MM PITCH CRIMP HOUSING 10P

TE Part #9-1676480-3
CRG0402 1% 8K2

TE Part #1971567-1
MINIATURE HERMAPHRODITIC (2P)





TE Part #2118651-1

RF CA,UMCC GEN1-GEN1,1.13MM CABLE,L140MM



TE Part #2118651-2

RF CA,UMCC GEN1-GEN1,1.13MM CABLE,L30MM



TE Part #8-2176412-5

5W XSM M/OX 5% 16K



TE Part #9-2176415-3

8W STD M/OX 5% 200K



TE Part #5176837-4

10 AMPMODU 2MM, H, AU, LF



TE Part #5650473-5

ASSY,PIN,EUROCARD,TYPE C,LEAD-

Documents

Product Drawings

RF CA,UMCC GEN1-GEN1,1.13MM CABLE,L60MM

English

CAD Files

3D PDF

3D

Customer View Model

ENG_CVM_CVM_1-2118651-0_A.2d_dxf.zip

English

Customer View Model

ENG_CVM_CVM_1-2118651-0_A.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_1-2118651-0_A.3d_stp.zip

English

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

Product Specifications

Product Specification

English