1-2333149-5 ✔ ACTIVE

Dynamic Series | Dynamic 1000 Series

TE Internal #: 1-2333149-5

10 Position, Receptacle, Housing, Wire-to-Board, 2 mm [.079 in] Centerline, 2 Row, Wire & Cable, Power & Signal, Dynamic 1000 Series

View on TE.com >

Connectors > Rectangular Connectors > Standard Rectangular Connectors



Connector Product Type: **Housing**

Connector & Housing Type: **Receptacle**

Connector System: **Wire-to-Board**

Number of Positions: **10**

Centerline (Pitch): **2 mm [.079 in]**

Features

Product Type Features

Connector Product Type	Housing
Connector & Housing Type	Receptacle
Connector System	Wire-to-Board
Sealable	No
Connector & Contact Terminates To	Wire & Cable

Configuration Features

Number of Positions	10
Number of Rows	2

Contact Features

Contact Type	Receptacle

Mechanical Attachment

Connector Mounting Type	Cable Mount (Free-Hanging)

Housing Features

Centerline (Pitch)	2 mm[.079 in]
Housing Material	Polyamide GF

Dimensions

Row-to-Row Spacing	3.3 mm[.13 in]

Usage Conditions

Operating Temperature Range	-55 – 105 °C[-67 – 221 °F]

Operation/Application

Circuit Application	Power & Signal

Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2025 (250) Candidate List Declared Against: JUNE 2025 (250) Does not contain REACH SVHC
Halogen Content	Not Low Halogen - contains Br or Cl > 900 ppm.
Solder Process Capability	Not reviewed for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) ‘Guidance on requirements for substances in articles’ posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

Compatible Parts



TE Part # 1-2379284-5
D1100 HDR ASSY H 10P XBLACK PRE-TIN




TE Part # 1-1827873-5
DYNAMIC 1100D HDR ASSY H 10PX BLACK GOLD

Also in the Series | Dynamic 1000 Series




Connector Contacts(40)



Connector Hardware(3)



Insertion & Extraction Tools(2)




PCB Headers & Receptacles(171)



Power Contacts(9)



Rectangular Power Connectors(130)



Wire-to-Board Headers & Receptacles (171)

Customers Also Bought



TE Part #BGC878N0000152A000
917 RECEPTACLE, ANGLED, ROTATABLE



TE Part #AGC874N0000151A000
617 RECEPTACLE ANGLED ROTATABLE



TE Part #BFC106N00000207000
923 RECEPTACLE, ANGLED



TE Part #61-0193-011-P00
CONTACT PIN 2 MM



TE Part #5-1393243-6
RT424F24



TE Part #1393260-7
SR6B4024 - V23050-A1024-A542




TE Part #1649329-6
RTE24024



TE Part #1-1649329-5
RT424024



TE Part #1827571-2
DYNAMIC D1000 REC CONT L AU 0.38 um FORM



TE Part #1-1903129-2
DYNAMIC 1200S TAB HSG 2P F/H

Documents

Product Drawings

DYNAMIC 1100D REC HSG 10P X BLACK 33%GF

Japanese

CAD Files

3D PDF

3D

Customer View Model

ENG_CVM_CVM_1-2333149-5_B.2d_dxf.zip

English

Customer View Model

ENG_CVM_CVM_1-2333149-5_B.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_1-2333149-5_B.3d_stp.zip

English

By downloading the CAD file I accept and agree to the Terms and Conditions of use.

Product Specifications

Application Specification

English