



AMP | AMP Type III+, Circular Plastic Connectors Series 1

TE Internal #: 1-66101-8

Gold (Au), Socket Contact, 18 – 16 AWG, .8 – 1.4 mm² Wire, Size 16, Crimp, Brass, Power & Signal, -55 – 90 °C [-67 – 194 °F], AMP Type III+

[View on TE.com >](#)

Connectors > Contacts > Connector Contacts



Contact Type: **Socket**

Contact Mating Area Plating Material: **Gold (Au)**

Wire Contact Termination Area Plating Material: **Tin**

Contact Size: **Size 16**

Wire Size: **18 – 16 AWG**

Features


Contact Features

Contact Type	Socket
Contact Mating Area Plating Material	Gold (Au)
Wire Contact Termination Area Plating Material	Tin
Contact Size	Size 16
Contact Base Material	Brass
Contact Current Rating (Max)	13 A
Mating Pin Diameter	1.57 mm[.062 in]
Contact Mating Area Plating Material Thickness	.76 µm[30 µin]
Wire Contact Termination Area Plating Thickness	1.27 µm[50 µin]
Wire Contact Termination Area Plating Material Finish	Bright
Contact Orientation	Straight
Contact Underplating Material	Nickel
Contact Underplating Material Thickness	.76 µm[30 µin]

Termination Features

Termination Method to Wire & Cable	Crimp
Product Terminates To	Wire & Cable

Mechanical Attachment





Wire Insulation Support	With
-------------------------	------

Dimensions

Wire Size	.8 – 1.4 mm²
Compatible Insulation Diameter Range	2.03 – 2.54 mm[.08 – .1 in]

Usage Conditions

Operating Temperature Range	-55 – 90 °C[-67 – 194 °F]
-----------------------------	---------------------------

Operation/Application

Circuit Application	Power & Signal
---------------------	----------------

Packaging Features

Packaging Quantity	100
Packaging Method	Box, Loose Piece

Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2025 (250) Candidate List Declared Against: JUNE 2025 (250) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Not applicable for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) ‘Guidance on requirements for substances in articles’ posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>



Compatible Parts

TE Part # 58495-1 PRO CRIMPER ASSY MULTIMATE	TE Part # 91505-1 CCII TYPE III+ 24-16 ASSY	TE Part # 169400 CERTI-LOK FRAME W/O DIES	TE Part # 305183 EXTRACT TOOL TYPE 2 20-16
TE Part # 58495-2 PROCRIMPER DIE ASSY MULTIMATE	TE Part # 539972-1 EXTRACTION TOOL	TE Part # 200893-2 INSERTION TOOL CONT	

Also in the Series | AMP Type III+

Connector Contacts(260)	Insertion & Extraction Tools(4)	Power Contacts(260)
--------------------------------	--	----------------------------

Also in the Series | Circular Plastic Connectors Series 1

Circular Power Connectors(211)	Connector Contacts(260)	Power Contacts(260)
---------------------------------------	--------------------------------	----------------------------

Customers Also Bought



TE Part #66682-4
PIN CONTACT, 20 DF



TE Part #205841-2
CPC RECPT ASSEMBLY SIZE 11-8



TE Part #207496-7
SKT HDR ASSY,4P,MMATE LF



TE Part #327043
PG SPD 22-16 COMM 22-18 MIL 6




TE Part #2-353047-3
DYNAMIC D-5200S TAB HSG 3P K/Y



TE Part #5554434-1
EMI RCPT ASSY,24 POSN,SHLD



TE Part #5745854-3
CABLE CLAMP KIT,SZ 1



TE Part #5747099-3
CABLE CLAMP KIT,SZ 2



TE Part #6609018-7
10EBF1=F7628 S0



TE Part #2-6609028-0
30VK6=F7358 S0

Documents

Product Drawings

III+ SKT,18-16,30AU/FL,SMPACK

English

CAD Files

Customer View Model

ENG_CVM_CVM_1-66101-8_Z.2d_dxf.zip

English

3D PDF

3D

Customer View Model

ENG_CVM_CVM_1-66101-8_Z.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_1-66101-8_Z.3d_stp.zip

English

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

Instruction Sheets

1-66101-8

Gold (Au), Socket Contact, 18 – 16 AWG, .8 – 1.4 mm² Wire, Size 16, Crimp, Brass, Power & Signal, -55 – 90 °C [-67 – 194 °F], AMP Type III+



[Instruction Sheet \(U.S.\)](#)

Japanese

[Instruction Sheet \(U.S.\)](#)

English