**Part Number :** 1110150301
**Product Description :** HSAutoLink Cable Assembly, USCAR/USB TYPE A Receptacle-to-MINI-B Plug, 1.50m Length, Polarization B
**Series Number :** 111015
**Status :** Active
**Product Category :** Power and Signal Cable Assemblies



## Documents & Resources

### Drawings

1110150301_sd.pdf

STEP AP242

SOLIDWORKS

Creo

### Specifications

PS-68800-001-001.pdf

## Product Environment Compliance

### Compliance

| | |
|---|---|
| GADSL/IMDS | Not Relevant |
| China RoHS | per SJ/T 11365-2006 |
| EU ELV | Not Relevant |
| Low-Halogen Status | Not Low-Halogen per IEC 61249-2-21 |
| REACH SVHC | Not Contained per D(2024)4144-DC (27 June 2024) |
| EU RoHS | Compliant per EU 2015/863 |

Compliance Statements

- EU RoHS
- REACH SVHC
- Low-Halogen

Industry Documents

- IPC 1752A Class C
- IPC 1752A Class D
- Molex Product Compliance Declaration
- IEC-62474
- chemSHERPA (xml)

Substances of Interest

- PFAS

EU RoHS Certificate of Compliance

Additional Product Compliance Information

---

## Part Details

### General

| | |
|---|---|
| Status | Active |
| Category | Power and Signal Cable Assemblies |
| Series | 111015 |
| Description | HSAutoLink Cable Assembly, USCAR/USB TYPE A Receptacle-to-MINI-B Plug, 1.50m Length, Polarization B |
| Application | Automotive |
| Assembly Configuration | Dual Ended Connectors |
| Comments | USCAR-30 Compliant |
| Connector to Connector | USB Type A-to-Mini-B |
| Product Name | HSAutoLink USCAR/USB |
| UPC | 883906510114 |

### Physical

| | |
|---|---|
| Cable Length | 1.50m |
| Circuits (Loaded) | N/A |
| Gender | Male-Female |
| Lock to Mating Part | Yes |
| Net Weight | 75.400/g |
| Number of Rows | 1 |
| Single Ended | No |
| Wire/Cable Type | Round |

---

## Mates With / Use With

### Mates with Part(s)

| Description | Part Number |
| --- | --- |
| HSAutoLink Right-Angle Headers | 49616 |