1217126-4 × OBSOLETE

FASTON | FASTON 250

TE Internal #: 1217126-4

TE Internal Description: 250 FASTON,PCB TAB,TPBR

View on TE.com >

Terminals & Splices > PCB Terminals







PCB Terminal Type: **Tab**

PCB Thickness (Recommended): **1.57 mm [.062 in]**

Mating Tab Width: **6.35 mm [.25 in]**

Mating Tab Thickness: **.81 mm [.032 in]**

PCB Hole Diameter: **1.4 mm [.055 in]**

Features

Contact Features

PCB Contact Termination Area Plating Material Thickness	3.81 µm[150 µin]
Contact Underplating Material Thickness	1.27 µm, 2.54 µm[50 µin][100 µin]
Contact Mating Area Plating Material Thickness	3.81 µm[150 µin]
PCB Terminal Type	Tab
Mating Tab Width	6.35 mm[.25 in]
Mating Tab Thickness	.81 mm[.032 in]
Terminal Plating Material	Tin
Contact Underplating Material	None
Terminal Size	6.35
Terminal Orientation	Straight

Termination Features

Termination Method to PCB	Through Hole - Solder
Product Terminates To	Printed Circuit Board

Dimensions

PCB Thickness (Recommended)	1.57 mm[.062 in]

PCB Hole Diameter	1.4 mm[.055 in]
Profile Height from PCB	12.7 mm[.506 in]

Usage Conditions

Insulation Option	Uninsulated

Packaging Features

Packaging Quantity	10000
Packaging Method	Reel

Other

Line	FASTON .250

Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2025 (250) Candidate List Declared Against: JUNE 2022 (224) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Not reviewed for solder process capability


Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

Also in the Series | FASTON 250



Compression Connectors(4)




Crimp Terminal Housings(115)



Insertion & Extraction Tools(6)



Insulation Boots & Sleeves(16)



Magnet Wire Terminals(1)



PCB Terminals(133)



Quick Disconnects(417)



Splices(4)

Customers Also Bought



TE Part #2-1393203-8
V23148-A1007-A101



TE Part #1614352-1
RN 0603 20K 0.1% 10PPM 5K RL



TE Part #1614353-4
RN 0603 2K37 0.1% 10PPM CUT LENGTH



TE Part #1614353-9
RN 0603 2K67 0.1% 10PPM CUT LENGTH



TE Part #1623722-4
SBCH 11 33R 5%




TE Part #1775284-3
HPI, 2.5MM, EMIX, A'SSY, V/T, 3P, IVORY



TE Part #1-1542001-2
HTS264NF-D=HS ASSY PPA CLIP



TE Part #5415633-1
RTANG BNC PCB JACK - 75 OHM



TE Part #1-284511-6
16 POS TERMI-BLOK PLUG C. VITI



TE Part #1825013-6
MRD10CSTR04=7MM ROT DIP, BCD COMP

Documents

CAD Files

3D PDF

3D

Customer View Model

ENG_CVM_CVM_1217126-4_F.2d_dxf.zip

English

Customer View Model

ENG_CVM_CVM_1217126-4_F.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_1217126-4_F.3d_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.

Product Specifications

Application Specification

English