



**Part Number :** [1300950177](#)

**Product Description :** Medium Duty Wire Mesh Pulling Grip, Single/Double Weave, Bale Eye, Short Mesh Length 0.61m (24.00"), Approximate Break Strength 8391.46kg (18500 lbs)

**Series Number :** 130095

**Status :** Active

**Product Category :** Cable Grips

**Engineering Part Number :** 35945



---

## Documents and Resources

### Drawings

[1300950177\\_sd.pdf](#)

---

## Product Environment Compliance

### Compliance

|                    |                                               |
|--------------------|-----------------------------------------------|
| GADSL/IMDS         | Not Relevant                                  |
| China RoHS         | Not Reviewed per SJ/T 11365-2006              |
| EU ELV             | Not Relevant                                  |
| Low-Halogen Status | Not Reviewed per IEC 61249-2-21               |
| REACH SVHC         | Not Reviewed per D(2025)7771-DC (04 Feb 2026) |
| EU RoHS            | Not Reviewed per EU 2015/863                  |

### Compliance Statements

- EU RoHS
- REACH SVHC
- Low-Halogen

### Industry Documents

- IPC 1752A Class C
- IPC 1752A Class D
- Molex Product Compliance Declaration
- IEC-62474
- chemSHERPA (xml)

## Substances of Interest

- PFAS

## EU RoHS Certificate of Compliance

## Additional Product Compliance Information

---

### Part Details

#### General

|              |                                                                                                                                                       |
|--------------|-------------------------------------------------------------------------------------------------------------------------------------------------------|
| Status       | Active                                                                                                                                                |
| Category     | Cable Grips                                                                                                                                           |
| Series       | 130095                                                                                                                                                |
| Description  | Medium Duty Wire Mesh Pulling Grip, Single/Double Weave, Bale Eye, Short Mesh Length 0.61m (24.00"), Approximate Break Strength 8391.46kg (18500 lbs) |
| Comments     | Cable Eye Thickness 7/16"                                                                                                                             |
| Product Name | Medium Duty                                                                                                                                           |
| Type         | Pulling Grip                                                                                                                                          |
| UPC          | 78678835945                                                                                                                                           |

#### Agency

|     |         |
|-----|---------|
| CSA | LR32159 |
|-----|---------|

#### Physical

|                            |                              |
|----------------------------|------------------------------|
| Approximate Break Strength | 8391.46kg (18500 lbs)        |
| Bale Length                | N/A                          |
| Body Style                 | Straight                     |
| Cable Diameter             | 50.80-63.25mm (2.000-2.490") |
| Color - Grommet            | N/A                          |
| Eye Type                   | Flexible                     |
| Gender                     | N/A                          |
| Material - Body            | N/A                          |
| Material - Grip            | Galvanized Steel             |
| Mesh Length                | 0.61m (24.00")               |
| Number of Holes            | N/A                          |
| O-Ring                     | N/A                          |

|             |     |
|-------------|-----|
| Thread Size | N/A |
|-------------|-----|

---

This document was generated on Jun 01, 2026