Part Number : 1301050066
Product Description : Watertite Wet Location 60W Flood Light with In-line Transformer, Screw Release Guard, 14/2 SOOW, Overall Length 7.62m (50.0')
Series Number : 130105
Status : Active
Product Category : Lamps and Lights
Engineering Part Number : 1692-12B



Documents and Resources

Product Environment Compliance

Compliance

China RoHS	Not Reviewed
EU ELV	Not Reviewed
Low-Halogen Status	Not Reviewed
REACH SVHC	Not Reviewed
EU RoHS	Not Reviewed

Compliance Statements
- EU RoHS
- REACH SVHC
- Low-Halogen

Industry Documents
- IPC 1752A Class C
- IPC 1752A Class D
- Molex Product Compliance Declaration
- IEC-62474
- chemSHERPA (xml)

Substances of Interest
- PFAS

EU RoHS Certificate of Compliance

Additional Product Compliance Information

Part Details

General

Status	Active
Category	Lamps and Lights
Series	130105
Description	Watertite Wet Location 60W Flood Light with In-line Transformer, Screw Release Guard, 14/2 SOOW, Overall Length 7.62m (50.0')
NEMA Configuration	NEMA 5-15
NEMA Rating	NEMA 4X
Product Name	Watertite
Type	Hand Lamps, Specialty Light
UPC	78678861574

Agency

CSA	LR85374

Electrical

Lamp Wattage - Maximum	60W
Lumens	600
On/Off Switch	No
Voltage (Fixture) - Maximum	120VAC 60 HZ
Voltage (Secondary) - Maximum	12V AC

Physical

Bulb Type	Quartz Halogen
Cord Length - Primary	3.04m (10.0')
Cord Length - Secondary	15.24m (50.0')
Cord Type - Primary	16/3 SOOW
Cord Type - Secondary	14/2 SOOW
Depth	N/A
Duty	Wet Location
Guard Included	Yes
Guard Type	Screw Release

Height	127.00mm (5.000")
Lamp Type	PAR36
Length	228.60mm (9.000")
Material - Guard	#10 Gauge Vinyl Coated Steel
Mounting Style	Hand Held
Outlet	None
Packaging Type	Carton