1393454-1 ✔ ACTIVE


AMP | Timer Connector System

TE Internal #: 1393454-1

28 Position, Black, Cover - Cable Exit, PBT GF, -40 – 140 °C [-40 – 284 °F], Timer Connector System

View on TE.com >

Automotive Parts > Automotive Connector Accessories > Automotive Connector Caps & Covers



Number of Positions: **28**

Primary Product Color: **Black**

Protection & Strain Relief Accessory Type: **Cover - Cable Exit**

Primary Product Material: **PBT GF**

Strain Relief: **Without**

Features

Product Type Features

Protection & Strain Relief Accessory Type	Cover - Cable Exit

Configuration Features

Number of Positions	28

Body Features

Primary Product Color	Black
Primary Product Material	PBT GF

Mechanical Attachment

Strain Relief	Without

Dimensions

Compatible Cable Bundle Diameter Range	10.75 mm[.423 in]

Usage Conditions

Operating Temperature (Max)	140 °C[284 °F]
Operating Temperature Range	-40 – 140 °C[-40 – 284 °F]

Industry Standards

UL Flammability Rating	UL 94HB

Packaging Features

Packaging Method	Box
Packaging Quantity	1440

Other

Serviceable	Yes

Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2025 (250) Candidate List Declared Against: JUNE 2025 (250) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Not applicable for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

Compatible Parts




TE Part # 1411065-1
ERSATZT-PACK F28P



TE Part # 1393436-2
V23542C1028B102=28P KABELBAUMS

Also in the Series | Timer Connector System




Automotive Connector Locks & Position Assurance(15)



Automotive Housings(186)



Automotive Seals & Cavity Plugs(32)




Other Automotive Connector Accessories(1)

Customers Also Bought



TE Part #928927-2
RINGZUNGE MIF



TE Part #1-969489-4
6POS MQS REC COD A



TE Part #1393436-2
V23542C1028B102=28P KABELBAUMS



TE Part #2112669-1
23POS MIXED MQS REC



TE Part #CAT-T4827-T273
TIMER, RECEPTACLE AND TAB



TE Part #1-2177909-1
MCON 0.5 CB, CONTACT



TE Part #1-2177909-2
MCON 0.5 CB, CONTACT



TE Part #346103-2
DIN. RING TONGUE

Documents

Product Drawings

V23542C1028Z100=28P ABDECKKAPP

English

V23542C1028Z100=28P ABDECKKAPP

English

CAD Files

3D PDF

English

Customer View Model

ENG_CVM_1393454-1_A1.2d_dxf.zip

English

Customer View Model

ENG_CVM_1393454-1_A1.3d_igs.zip

English

Customer View Model

ENG_CVM_1393454-1_A1.3d_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.

Datasheets & Catalog Pages

product-1393454-1_datasheet

English