1393454-6 ✔ ACTIVE


AMP | Timer Connector System

TE Internal #: 1393454-6

52 Position, Black, Cover, PBT GF20, 180° Cable Exit, -40 – 140 °C [-40 – 284 °F], Timer Connector System

View on TE.com >

Automotive Parts > Automotive Connector Accessories > Automotive Connector Caps & Covers



Number of Positions: **52**

Primary Product Color: **Black**

Protection & Strain Relief Accessory Type: **Cover**

Primary Product Material: **PBT GF20**

Cable Exit Angle: **180°**

Features

Product Type Features

Protection & Strain Relief Accessory Type	Cover

Configuration Features

Number of Positions	52

Body Features

Primary Product Color	Black
Primary Product Material	PBT GF20
Cable Exit Angle	180°

Mechanical Attachment

Strain Relief	Without

Dimensions

Compatible Cable Bundle Diameter Range	11.25 mm[.443 in]

Usage Conditions

Operating Temperature (Max)	140 °C[284 °F]
Operating Temperature Range	-40 – 140 °C[-40 – 284 °F]

Packaging Features

Packaging Method	Box
Packaging Quantity	660

Other

Serviceable	Yes

Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2025 (250) Candidate List Declared Against: JUNE 2025 (250) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Not applicable for solder process capability


Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

Also in the Series | Timer Connector System



Automotive Connector Caps & Covers (12)




Automotive Connector Locks & Position Assurance(15)



Automotive Housings(186)



Automotive Signal & Power Headers(6)



Automotive Terminals(110)



Quick Disconnects(4)

Customers Also Bought




TE Part #ASL106-05SB-HE
RECEPT.ASSY. IN-LINE.AS MICRO MK3




TE Part #880627-2
RING TONGUE 1.0-2.5 MM2 0.60 X 14.60 BR




TE Part #CAT-T4827-T273
TIMER, RECEPTACLE AND TAB



TE Part #1123371-1
040-3 MLC PLUG HSG ASSY 16P



TE Part #1376039-1
040 NK TAB CONT PRE TIN



TE Part #1393454-1
V23542C1028Z100=28P ABDECKKAPP



TE Part #2151050-1
OCEAN_2.0_APPLICATOR-S-062F090O-RSM



TE Part #2208277-3
60POS MQS REC SEALED

TE Part #2325593-2
REC CONN CVR,2POS,MINI MIC

Documents

Product Drawings

V23542C1052Z100=52P COVER

English

V23542C1052Z100=52P COVER

English

CAD Files

3D PDF

English

Customer View Model

ENG_CVM_1393454-6_A1.2d_dxf.zip

English

Customer View Model

ENG_CVM_1393454-6_A1.3d_igs.zip

English

Customer View Model

ENG_CVM_1393454-6_A1.3d_stp.zip

English

By downloading the CAD file I accept and agree to the Terms and Conditions of use.

Datasheets & Catalog Pages

product-1393454-6_datasheet

English