
140635 ✔ ACTIVE

TE Internal #: 140635

Closed Ring Tongue Terminal, 20 – 16 AWG, #8 / M4 Stud, 4.3 mm [.169 in] Stud Diameter, Open Barrel, Straight, Unplated Plating, Uninsulated

View on TE.com >

Terminals & Splices > Ring Terminals



Ring Terminal Product Type: **Closed Ring Tongue Terminal**

Wire Size: **1022 – 2583 CMA**

Stud Size: **#8, M4**

Features

Product Type Features

Shape Description	Circular/Oval
Ring Terminal Product Type	Closed Ring Tongue Terminal
Stud Size	#8, M4
Sealable	No
Compatible With Discrete Wire Type	Stranded
Wire Insulation Support Retention Type	Non-Insulation Support

Configuration Features

Number of Holes	1

Body Features

Product Weight	.25 g

Contact Features

Contact Base Material	Brass
Barrel Type	Open
Terminal Orientation	Straight
Terminal Plating Material	Unplated
Contact Underplating Material	None

Mechanical Attachment

Wire Insulation Support	Without

Dimensions

Wire Size	1022 – 2583 CMA
Stud Diameter	4.3 mm[.169 in]
Tongue Thickness	.76 mm[.03 in]
Product Length	10.41 mm[.41 in]
Barrel Inside Diameter	1.14 mm[.045 in]

Usage Conditions

Insulation Option	Uninsulated
Operating Temperature Range	-40 – 110 °C[-40 – 230 °F]

Operation/Application

Compatible With Wire Base Material	Copper

Industry Standards

Government Qualified Terminal	No

Packaging Features

Packaging Quantity	10000
Packaging Method	Strip/Reel

Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2025 (250) Candidate List Declared Against: JUNE 2025 (250) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Not applicable for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

Compatible Parts



TE Part # 150070-5
RING



TE Part # 61463-1
RING EXTRUDED 24-20 0126BR

Customers Also Bought



TE Part #BGA442N0000101B000
912 receptacle angled, rotatable



TE Part #AGC113N00001215000
623 RECEPTACLE ANGLED ROTATABLE



TE Part #AGC052N00001215000
623 RECEPTACLE ANGLED ROTATABLE



TE Part #61-0193-011-P00
CONTACT PIN 2 MM



TE Part #BGC110N00001216000
923 RECEPTACLE, ANGLED, ROTATABLE

TE Part #BFC106N00000205000
923 RECEPTACLE, ANGLED

TE Part #21-0136-000-000
623/923 housing angled



TE Part #BFC110N00000120000
923 RECEPTACLE, ANGLED

TE Part #AEN135N00000037000
623 RECEPTACLE

TE Part #BEA116N00000207000
923 RECEPTACLE, SPEEDTEC-READY

Documents

Product Drawings

RING TONGUE .157 (4.0 MM) TERMINAL BR

English

CAD Files

Customer View Model

ENG_CVM_CVM_140635_S.2d_dxf.zip

English

3D PDF

3D

Customer View Model

ENG_CVM_CVM_140635_S.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_140635_S.3d_stp.zip

English

By downloading the CAD file I accept and agree to the Terms and Conditions of use.

Product Specifications

Product Specification

English

Product Specification

English

Product Specification

English

Agency Approvals

Agency Approval Document

English