170366-1 ✔ ACTIVE

MATE-N-LOK | Mini-Universal MATE-N-LOK

TE Internal #: 170366-1

Tin (Sn), Socket Contact, 22 – 18 AWG, 600 VAC, 600 VDC, .3 – .89 mm² Wire, Crimp, Brass, Power, -20 – 105 °C [-4 – 221 °F], Mini-Universal MATE-N-LOK

View on TE.com >

Connectors > Contacts > Connector Contacts







Contact Type: **Socket**

Contact Mating Area Plating Material: **Tin (Sn)**

Wire Contact Termination Area Plating Material: **Pre-Tin**

Operating Voltage: **600 VDC**

Features

Product Type Features

Discrete Wire Type	Stranded

Electrical Characteristics

Operating Voltage	600 VDC

Contact Features

Barrel Type	Open
Contact Type	Socket
Contact Mating Area Plating Material	Tin (Sn)
Wire Contact Termination Area Plating Material	Pre-Tin
Contact Retention Within Housing	With
Contact Base Material	Brass
Contact Current Rating (Max)	7 A
Mating Pin Diameter	1 mm[.039 in]
Contact Mating Area Plating Material Thickness	.8 µm[31.49 µin]
Wire Contact Termination Area Plating Material Thickness	.8 µm[31.49 µin]
Wire Contact Termination Area Plating Material Finish	Matte

Contact Orientation	Straight

Termination Features

Termination Method to Wire & Cable	Crimp
Product Terminates To	Wire & Cable

Mechanical Attachment

Wire Insulation Support	Without

Dimensions

Wire Size	.3 – .89 mm²
Compatible Insulation Diameter Range	3.4 mm[.134 in]

Usage Conditions

Operating Temperature Range	-20 – 105 °C[-4 – 221 °F]

Operation/Application

Circuit Application	Power

Industry Standards

Compatible With Agency/Standards Products	CSA, UL

Packaging Features

Packaging Quantity	300
Packaging Method	Bag

Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2025 (250) Candidate List Declared Against: JUNE 2025 (250) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Not applicable for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

Compatible Parts



TE Part # 1-172328-5
2 POS SR MINI UNIV



TE Part # 1-172163-2
15 POS TR MINI UNIV



TE Part # 1-172337-4
MINI U-M-N-L PLUG 3P YELLOW



TE Part # 1-172233-9
2P MINI UNIV FREE HANG BLACK



TE Part # 1-172165-2
2CIR MINI U-M-N-L PLUG RED



TE Part # 172342-1
MINI UMNL PLUG HOUSING 15P



TE Part # 172331-1
MINI UNIVERSAL MATE-N-LOK CAP HOUSING 6P




TE Part # 172330-1
MINI UNIVERSAL MATE-N-LOK CAP HOUSING 4P



TE Part # 172156-1
1 CIR UNIV M-N-L CAP




TE Part # 172169-1
9 CIR UNIV M-N-L PLUG



TE Part # 1-172161-9
MINI UNIVERSAL M-N-L CAP 9P




TE Part # 1-172160-9
MINI UNIVERSAL M-N-L CAP 6P



TE Part # 1-172160-2
MINI UNIVERSAL M-N-L CAP 6P



TE Part # 1-172168-9
MINI UNIVERSAL M-N-L PLUG 6P



TE Part # 1-172162-2
12 POS TR MINI UNIV



TE Part # 172339-1
MINI UMNL PLUG HOUSING 6P



TE Part # 172160-1
6 CIR UNIV M-N-L CAP



TE Part # 455830-1
INSERTION TOOL



TE Part # 91522-1
CCII MINI UNML PIN SKT 22-18 ASSY



TE Part # 1-172338-4
MINI U-M-N-L PLUG 4P YELLOW

Also in the Series | Mini-Universal MATE-N-LOK



Connector Caps & Covers(2)



Connector Contacts(89)




Connector Seals & Cavity Plugs(17)



Connector Strain Relief(2)



Insertion & Extraction Tools(1)




PCB Headers & Receptacles(93)



Power Contacts(89)



Rectangular Power Connectors(196)



Wire-to-Board Headers & Receptacles (93)

Customers Also Bought



TE Part #171638-1
MINI U-M-N-L PIN CONT. L.P



TE Part #172157-1
2CIR MINI U-M-N-L CAP NATL



TE Part #172158-1
3 CIR UNIV M-N-L CAP



TE Part #172160-1
6 CIR UNIV M-N-L CAP



TE Part #172161-1
9 CIR UNIV M-N-L CAP



TE Part #172166-1
3 CIR UNIV M-N-L PLUG



TE Part #172168-1
6 CIR UNIV M-N-L PLUG



TE Part #172169-1
9 CIR UNIV M-N-L PLUG

TE Part #ES2283-000
55/4122-16-2/6-9CS3519

TE Part #ES2257-000
55/0124-26-2/6CS3519

Documents

Product Drawings

MINI UNIVERSAL M-N-L SOCKET LP

English

CAD Files

3D PDF

3D

Customer View Model

ENG_CVM_CVM_170366-1_1_c-170366-1-1.2d_dxf.zip

English

Customer View Model

ENG_CVM_CVM_170366-1_1_c-170366-1-1.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_170366-1_1_c-170366-1-1.3d_stp.zip

English

By downloading the CAD file I accept and agree to the Terms and Conditions of use.

Product Specifications

Application Specification

English

Crimping of Mini-Universal MATE-N-LOK Contact

Japanese

Application Specification

Japanese

Instruction Sheets

Instruction Sheet (non U.S.)

Japanese

Mini-Universal MATE-N-LOK Connector

Japanese