



Part Number : [1731121747](#)
Product Description : FCT Removal Tool for Size 8
Contacts
Series Number : 173112
Status : Active
Product Category : Crimp Presses and Crimp Hand
Tools
Engineering Part Number : 1731121747-FCT



Documents and Resources

Drawings
[1731121747 sd.pdf](#)

Product Environment Compliance

Compliance

GADSL/IMDS	Not Relevant
China RoHS	Not Reviewed per SJ/T 11365-2006
EU ELV	Not Relevant
Low-Halogen Status	Not Reviewed per IEC 61249-2-21
REACH SVHC	Not Contained per D(2025)7771-DC (04 Feb 2026)
EU RoHS	Not Reviewed per EU 2015/863

Compliance Statements

- EU RoHS
- REACH SVHC
- Low-Halogen

Industry Documents

- IPC 1752A Class C
- IPC 1752A Class D
- Molex Product Compliance Declaration
- IEC-62474
- chemSHERPA (xml)

Substances of Interest

- PFAS

EU RoHS Certificate of Compliance

Additional Product Compliance Information

Part Details

General

Status	Active
Category	Crimp Presses and Crimp Hand Tools
Series	173112
Description	FCT Removal Tool for Size 8 Contacts
Function	Insertion/Extraction
Geographic Area	Global
Level of Automation	Manual
Product Name	FCT Products
Tool Type	Extraction Hand Tool, Insertion Hand Tool
UPC	193264163137
Warranty Disclaimer	CAUTION: Molex tooling crimp specifications are valid only when used with Molex terminals and tooling manufactured by Molex and sold by Molex or authorized distributors ("Molex Tooling"). When using tooling other than Molex Tooling with Molex specific connector systems listed in our ATS documents, the Molex tooling qualification does not apply and the responsibility for full qualification of the connector system is that of the customer. Molex accepts no liability for connector performance or tooling support where tooling other than Molex Tooling is used or where Molex Tooling is modified.

Physical

Net Weight	73.000/g
------------	----------

Applicable Parts

Description	Part Number
FCT Coaxial Contact, Male, Straight, Crimp, 75 Ohms, 1.30µm Gold Plating, for RG-179BU or RG-187AU Cable	<u>1727040128</u>
FCT Coaxial Contact, 3 Pins, Male, Right-Angle, PCB Through Hole, 50 Ohms, 1.30µm Gold Plating	<u>1727040129</u>
FCT Coaxial Contact, Male, Straight, Solder Cable Termination, 50 Ohms, 1.30µm Gold Plating, without Inspection Hole, for RG-174U, RG-188AU, or RG-316U Cable	<u>1727040130</u>
FCT Coaxial Contact, Female, Straight, Crimp, 75 Ohms, 1.30µm Gold Plating, for RG-179BU or RG-187AU Cable	<u>1727040131</u>
FCT Coaxial Contact, 3 Pins, Female, Right-Angle, PCB Through Hole, 50 Ohms, 1.30µm Gold Plating	<u>1727040132</u>
FCT Coaxial Contact, Female, Straight, Solder Cable Termination, 50 Ohms, 1.30µm Gold Plating, without Inspection Hole, for RG-174U, RG-188AU, or RG-316U Cable	<u>1727040133</u>
FCT High Voltage Contact, Male, Straight, Solder Cup, 1.30µm Gold Mating Plating, with Plastic Retention Clip, 2.0A, 20 AWG or smaller	<u>1727040134</u>
FCT High Voltage Contact, Female, Straight, Solder Cup, 1.30µm Gold Mating Plating, with Plastic	<u>1727040135</u>

Retention Clip, 2.0A, 20 AWG or smaller	
FCT High Power Contact, Male, Straight, Crimp, 0.80µm Gold Mating Plating, 0.20µm Gold Termination Plating, 10.0A, 20-16 AWG	<u>1727040142</u>
FCT High Power Contact, Male, Straight, Crimp, 0.80µm Gold Mating Plating, 0.20µm Gold Termination Plating, 20.0A, 14-12 AWG,	<u>1727040143</u>
FCT High Power Contact, Male, Straight, Crimp, 0.20µm Gold Plating, 20.0A, 14-12 AWG,	<u>1727040144</u>
FCT High Power Contact, Male, Straight, Crimp, 0.80µm Gold Mating Plating, 0.20µm Gold Termination Plating, 40.0A, 10-8 AWG	<u>1727040145</u>
FCT High Power Contact, Male, Straight, Solder Cup, 0.80µm Gold Mating Plating, 0.20µm Gold Termination Plating, 10.0A, 20-16 AWG	<u>1727040146</u>
FCT High Power Contact, Male, Straight, Solder Cup, 0.80µm Gold Mating Plating, 0.20µm Gold Termination Plating, 20.0A, 16-12 AWG	<u>1727040147</u>
FCT High Power Contact, Male, Straight, Solder Cup, 0.80µm Gold Mating Plating, 0.20µm Gold Termination Plating, 40.0A, 18-2 AWG	<u>1727040148</u>
FCT High Power Contact, Male, Straight, Crimp, 0.80µm Gold Mating Plating, 0.20µm Gold Termination Plating, 30.0A, 12-10 AWG	<u>1727040149</u>
FCT High Power Contact, Female, Straight, Crimp, 0.80µm Gold Mating Plating, 0.20µm Gold	<u>1727040150</u>

Termination Plating, Split Tine, 10.0A, 20-16 AWG	
FCT High Power Contact, Female, Straight, Crimp, 0.80µm Gold Mating Plating, 0.20µm Gold Termination Plating, Split Tine, 20.0A, 14-12 AWG,	<u>1727040151</u>
FCT High Power Contact, Female, Straight, Crimp, 0.20µm Gold Plating, Split Tine, 20.0A, 14-12 AWG,	<u>1727040152</u>
FCT High Power Contact, Female, Straight, Crimp, 0.80µm Gold Mating Plating, 0.20µm Gold Termination Plating, Split Tine, 40.0A, 10-8 AWG	<u>1727040153</u>
FCT High Power Contact, Female, Straight, Solder Cup, 0.80µm Gold Mating Plating, 0.20µm Gold Termination Plating, Split Tine, 10.0A, 20-16 AWG	<u>1727040154</u>
FCT High Power Contact, Female, Straight, Solder Cup, 0.80µm Gold Mating Plating, 0.20µm Gold Termination Plating, Split Tine, 20.0A, 16-12 AWG	<u>1727040155</u>
FCT High Power Contact, Female, Straight, Solder Cup, 0.80µm Gold Mating Plating, 0.20µm Gold Termination Plating, Split Tine, 40.0A, 18-2 AWG	<u>1727040156</u>
FCT High Power Contact, Female, Straight, Crimp, 0.80µm Gold Mating Plating, 0.20µm Gold Termination Plating, Split Tine, 30.0A, 12-10 AWG	<u>1727040157</u>
FCT High Power Contact, Male, Straight, Solder Cup, 0.20µm Gold Mating Plating, 5.00µm Tin Termination Plating, 40.0A, 18-2 AWG	<u>1727040187</u>
FCT High Power Contact, Female, Straight, Solder Cup, 0.20µm Gold	<u>1727040188</u>

Mating Plating, 5.00µm Tin Termination Plating, Split Tine, 40.0A, 18-2 AWG	
FCT High Power Contact, Male, Right-Angle, PCB Through Hole, 0.80µm Gold Mating Plating, 5.00µm Tin Termination Plating, 40.0A, 5.08mm Four Pronged Footprint	<u>1727040189</u>
FCT High Power Contact, Female, Right-Angle, PCB Through Hole, 0.80µm Gold Mating Plating, 5.00µm Tin Termination Plating, Split Tine, 40.0A, 5.08mm Four Pronged Footprint	<u>1727040190</u>
FCT High Power Contact, Female, Straight, Crimp, 0.80µm Gold Mating Plating, 0.20µm Gold Termination Plating, Split Tine, with O-Ring, 30.0A, 12-10 AWG	<u>1731100403</u>
FCT High Power Contact, Male, Straight, Crimp, 0.80µm Gold Mating Plating, 0.20µm Gold Termination Plating, with O-Ring, 30.0A, 12-10 AWG	<u>1731100404</u>
FCT High Power Contact, Female, Straight, Crimp, 0.20µm Gold Plating, Split Tine, 10.0A, 20-16 AWG	<u>1731120029</u>
FCT High Voltage Contact, Male, Right-Angle, Solder Cup, 1.30µm Gold Mating Plating, with Plastic Retention Clip, 2.0A, 20 AWG or smaller	<u>1731120030</u>
FCT High Voltage Contact, Female, Right-Angle, Solder Cup, 1.30µm Gold Mating Plating, with Plastic Retention Clip, 2.0A, 20 AWG or smaller	<u>1731120031</u>
FCT High Power Contact, Male, Straight, Crimp, 0.10µm Gold over Nickel Phosphorus Mating Plating, 0.20µm Gold over Nickel	<u>1731120032</u>

Termination Plating, 10.0A, 20-16 AWG	
FCT High Power Contact, Female, Straight, Crimp, 0.10µm Gold over Nickel Phosphorus Mating Plating, 0.20µm Gold over Nickel Termination Plating, Split Tine, 10.0A, 20-16 AWG	<u>1731120033</u>
FCT High Power Contact, Male, Straight, Crimp, 0.10µm Gold over Nickel Phosphorus Mating Plating, 0.20µm Gold over Nickel Termination Plating, 20.0A, 14-12 AWG,	<u>1731120034</u>
FCT High Power Contact, Female, Straight, Crimp, 0.10µm Gold over Nickel Phosphorus Mating Plating, 0.20µm Gold over Nickel Termination Plating, Split Tine, 20.0A, 14-12 AWG,	<u>1731120035</u>
FCT High Power Contact, Male, Straight, Crimp, 0.10µm Gold over Nickel Phosphorus Mating Plating, 0.20µm Gold over Nickel Termination Plating, 40.0A, 10-8 AWG	<u>1731120036</u>
FCT High Power Contact, Female, Straight, Crimp, 0.10µm Gold over Nickel Phosphorus Mating Plating, 0.20µm Gold over Nickel Termination Plating, Split Tine, 40.0A, 10-8 AWG	<u>1731120037</u>
FCT High Power Contact, Male, Straight, Solder Cup, 0.10µm Gold over Nickel Phosphorus Mating Plating, 5.00µm Tin Termination Plating, 10.0A, 20-16 AWG	<u>1731120038</u>
FCT High Power Contact, Female, Straight, Solder Cup, 0.10µm Gold over Nickel Phosphorus Mating Plating, 5.00µm Tin Termination Plating, Split Tine, 10.0A, 20-16 AWG	<u>1731120039</u>

FCT High Power Contact, Male, Straight, Solder Cup, 0.10µm Gold over Nickel Phosphorus Mating Plating, 5.00µm Tin Termination Plating, 20.0A, 16-12 AWG	<u>1731120040</u>
FCT High Power Contact, Female, Straight, Solder Cup, 0.10µm Gold over Nickel Phosphorus Mating Plating, 5.00µm Tin Termination Plating, Split Tine, 20.0A, 16-12 AWG	<u>1731120041</u>
FCT High Power Contact, Male, Straight, Solder Cup, 0.10µm Gold over Nickel Phosphorus Mating Plating, 5.00µm Tin Termination Plating, 40.0A, 18-2 AWG	<u>1731120042</u>
FCT High Power Contact, Female, Straight, Solder Cup, 0.10µm Gold over Nickel Phosphorus Mating Plating, 5.00µm Tin Termination Plating, Split Tine, 40.0A, 18-2 AWG	<u>1731120043</u>
FCT High Power Contact, Early Mate/Late Break, Male, Straight, Solder Cup, 0.80µm Gold Mating Plating, 0.20µm Gold Termination Plating, Split Tine, 10.0A, 20-16 AWG	<u>1731120044</u>
FCT High Power Contact, Early Mate/Late Break, Female, Straight, Solder Cup, 0.80µm Gold Mating Plating, 0.20µm Gold Termination Plating, Split Tine, 10.0A, 20-16 AWG	<u>1731120045</u>
FCT Coaxial Contact, Male, Straight, Solder Cable Termination, 50 Ohms, 1.30µm Gold Plating, for RG-178BU, RG-196AU, or RG-404U Cable	<u>1731120046</u>
FCT Coaxial Contact, Female, Straight, Solder Cable Termination, 50 Ohms, 1.30µm Gold Plating, for RG-178BU, RG-196AU, or RG-404U Cable	<u>1731120047</u>

FCT Coaxial Contact, 3 Pins, Male, Straight, PCB Through Hole, 50 Ohms, 1.30µm Gold Plating	<u>1731120048</u>
FCT Coaxial Contact, 3 Pins, Female, Straight, PCB Through Hole, 50 Ohms, 1.30µm Gold Plating	<u>1731120049</u>
FCT Coaxial Contact, Male, Straight, Crimp, 50 Ohms, 1.30µm Gold Plating, for RG-174U, RG-188AU, or RG-316U Cable	<u>1731120050</u>
FCT Coaxial Contact, Female, Straight, Crimp, 50 Ohms, 1.30µm Gold Plating, for RG-174U, RG-188AU, or RG-316U Cable	<u>1731120051</u>
FCT Coaxial Contact, Male, Straight, Crimp, 50 Ohms, 1.30µm Gold Plating, for RG-316U Double Braided Cable	<u>1731120052</u>
FCT Coaxial Contact, Female, Straight, Crimp, 50 Ohms, 1.30µm Gold Plating, for RG-316U Double Braided Cable	<u>1731120053</u>
FCT Coaxial Contact, Male, Straight, Solder Cable Termination, 75 Ohms, 1.30µm Gold Plating, without Inspection Hole, for RG-179BU or RG-187AU Cable	<u>1731120054</u>
FCT Coaxial Contact, Female, Straight, Solder Cable Termination, 75 Ohms, 1.30µm Gold Plating, without Inspection Hole, for RG-179BU or RG-187AU Cable	<u>1731120055</u>
FCT High Power Contact, Male, Right-Angle, PCB Through Hole, 0.80µm Gold Mating Plating, 5.00µm Tin Termination Plating, 20.0A, 3.15mm PCB Drilling Diameter	<u>1731120079</u>
FCT High Power Contact, Female, Right-Angle, PCB Through Hole,	<u>1731120080</u>

0.80µm Gold Mating Plating, 5.00µm Tin Termination Plating, Split Tine, 20.0A, 3.15mm PCB Drilling Diameter	
FCT High Power Contact, Male, Right-Angle, PCB Through Hole, 0.80µm Gold Mating Plating, 5.00µm Tin Termination Plating, 40.0A, 4.05mm PCB Drilling Diameter	<u>1731120081</u>
FCT High Power Contact, Female, Right-Angle, PCB Through Hole, 0.80µm Gold Mating Plating, 5.00µm Tin Termination Plating, Split Tine, 40.0A, 4.05mm PCB Drilling Diameter	<u>1731120082</u>
FCT High Power Contact, Male, Straight, PCB Through Hole, 0.80µm Gold Mating Plating, 5.00µm Tin Termination Plating, 20.0A, 3.15mm PCB Drilling Diameter	<u>1731120083</u>
FCT High Power Contact, Female, Straight, PCB Through Hole, 0.80µm Gold Mating Plating, 5.00µm Tin Termination Plating, Split Tine, 20.0A, 3.15mm PCB Drilling Diameter	<u>1731120084</u>
FCT High Power Contact, Male, Straight, PCB Through Hole, 0.80µm Gold Mating Plating, 5.00µm Tin Termination Plating, 40.0A, 4.05mm PCB Drilling Diameter	<u>1731120085</u>
FCT High Power Contact, Female, Straight, PCB Through Hole, 0.80µm Gold Mating Plating, 5.00µm Tin Termination Plating, Split Tine, 40.0A, 4.05mm PCB Drilling Diameter	<u>1731120086</u>
FCT High Power Contact, Male, Straight, Crimp, 0.20µm Gold Plating, 10.0A, 20-16 AWG	<u>1731120091</u>

FCT Pneumatic Contact, Male, Straight, Silver Plating, 2.60mm Tube Inner Diameter, with Plastic Retention Clip and Knurl	<u>1731120133</u>
FCT Pneumatic Contact, Male, Straight, Silver Plating, 2.00mm Tube Inner Diameter, with Plastic Retention Clip and Knurl	<u>1731120134</u>
FCT Pneumatic Contact, Male, Straight, Silver Plating, 3.00mm Tube Inner Diameter, with Plastic Retention Clip and Knurl	<u>1731120135</u>
FCT Pneumatic Contact, Male, Straight, Silver Plating, 4.00mm Tube Inner Diameter, with Plastic Retention Clip and Knurl	<u>1731120136</u>
FCT Pneumatic Contact, Female, Straight, Silver Plating, 2.60mm Tube Inner Diameter, with Plastic Retention Clip and Knurl	<u>1731120137</u>
FCT Pneumatic Contact, Female, Straight, Silver Plating, 2.00mm Tube Inner Diameter, with Plastic Retention Clip and Knurl	<u>1731120138</u>
FCT Pneumatic Contact, Female, Straight, Silver Plating, 3.00mm Tube Inner Diameter, with Plastic Retention Clip and Knurl	<u>1731120139</u>
FCT Pneumatic Contact, Female, Straight, Silver Plating, 4.00mm Tube Inner Diameter, with Plastic Retention Clip and Knurl	<u>1731120140</u>
FCT Pneumatic Contact, Male, Right-Angle, Silver Plating, 2.00mm Tube Inner Diameter, with Plastic Retention Clip and Knurl	<u>1731120141</u>
FCT Pneumatic Contact, Male, Right-Angle, Silver Plating, 3.00mm Tube Inner Diameter, with Plastic Retention Clip and Knurl	<u>1731120142</u>
FCT Pneumatic Contact, Female,	<u>1731120144</u>

Right-Angle, Silver Plating, 3.00mm Tube Inner Diameter, with Plastic Retention Clip and Knurl	
FCT High Voltage Contact, Male, Straight, PCB Through Hole, 1.30µm Gold Mating Plating, 1.3µm Gold Termination Plating, with Plastic Retention Clip, 2.0A	<u>1731120145</u>
FCT High Voltage Contact, Female, Straight, PCB Through Hole, 1.30µm Gold Mating Plating, 1.3µm Gold Termination Plating, with Plastic Retention Clip, 2.0A	<u>1731120146</u>
FCT High Voltage Contact, Female, Straight, Crimp, 1.30µm Gold Mating Plating, 1.3µm Gold Termination Plating, with Plastic Retention Clip, 2.0A, 30-24 AWG	<u>1731120147</u>
FCT High Power Contact, Female, Straight, Solder Cup, 0.10µm Gold over Nickel Phosphorus Mating Plating, 0.20µm Gold over Nickel Termination Plating, Split Tine, 20.0A, 16-12 AWG	<u>1731120152</u>
FCT High Power Contact, Male, Straight, PCB Through Hole, 0.10µm Gold over Nickel Phosphorus Mating Plating, 5.00µm Tin Termination Plating, 20.0A, 3.15mm PCB Drilling Diameter	<u>1731120154</u>
FCT High Power Contact, Male, Straight, PCB Through Hole, 0.10µm Gold over Nickel Phosphorus Mating Plating, 5.00µm Tin Termination Plating, 40.0A, 4.05mm PCB Drilling Diameter	<u>1731120156</u>
FCT High Power Contact, Female, Straight, PCB Through Hole, 0.10µm Gold over Nickel Phosphorus Mating Plating,	<u>1731120157</u>

5.00µm Tin Termination Plating, Split Tine, 20.0A, 3.15mm PCB Drilling Diameter	
FCT High Power Contact, Female, Straight, PCB Through Hole, 0.10µm Gold over Nickel Phosphorus Mating Plating, 5.00µm Tin Termination Plating, Split Tine, 40.0A, 4.05mm PCB Drilling Diameter	<u>1731120159</u>
FCT High Power Contact, Male, Right-Angle, PCB Through Hole, 0.10µm Gold over Nickel Phosphorus Mating Plating, 5.00µm Tin Termination Plating, 20.0A, 3.15mm PCB Drilling Diameter	<u>1731120160</u>
FCT High Power Contact, Male, Right-Angle, PCB Through Hole, 0.10µm Gold over Nickel Phosphorus Mating Plating, 5.00µm Tin Termination Plating, 40.0A, 4.05mm PCB Drilling Diameter	<u>1731120161</u>
FCT High Power Contact, Female, Right-Angle, PCB Through Hole, 0.10µm Gold over Nickel Phosphorus Mating Plating, 5.00µm Tin Termination Plating, Split Tine, 20.0A, 3.15mm PCB Drilling Diameter	<u>1731120162</u>
FCT High Power Contact, Female, Right-Angle, PCB Through Hole, 0.10µm Gold over Nickel Phosphorus Mating Plating, 5.00µm Tin Termination Plating, Split Tine, 40.0A, 4.05mm PCB Drilling Diameter	<u>1731120163</u>
FCT Coaxial Contact, Male, Straight, Solder Cable Termination, 50 Ohms, 1.30µm Gold Plating, without Inspection Hole, for RG-180BU Cable	<u>1731120164</u>

FCT Coaxial Contact, Male, Straight, Solder Cable Termination, 50 Ohms, 1.30µm Gold Plating, for RG-58CU or RG-141AU Cable	<u>1731120165</u>
FCT Coaxial Contact, Male, Straight, Solder Cable Termination, 50 Ohms, 1.30µm Gold Plating, for RG-316U Double Braided Cable	<u>1731120166</u>
FCT Coaxial Contact, Female, Straight, Solder Cable Termination, 50 Ohms, 1.30µm Gold Plating, without Inspection Hole, for RG-180BU Cable	<u>1731120167</u>
FCT Coaxial Contact, Female, Straight, Solder Cable Termination, 50 Ohms, 1.30µm Gold Plating, for RG-58CU or RG-141AU Cable	<u>1731120168</u>
FCT Coaxial Contact, Female, Straight, Solder Cable Termination, 50 Ohms, 1.30µm Gold Plating, for RG-316U Double Braided Cable	<u>1731120169</u>
FCT Coaxial Contact, Male, Straight, Solder Cable Termination, 75 Ohms, 1.30µm Gold Plating, Short Version, for RG-179BU or RG-187AU Cable	<u>1731120170</u>
FCT Coaxial Contact, Female, Straight, Solder Cable Termination, 75 Ohms, 1.30µm Gold Plating, Short Version, for RG-179BU or RG-187AU Cable	<u>1731120171</u>
FCT Coaxial Contact, Male, Right- Angle, Solder Cable Termination, 50 Ohms, 1.30µm Gold Plating, without Inspection Hole, for RG-174U, RG-188AU, or RG-316U Cable	<u>1731120172</u>
FCT Coaxial Contact, Female, Right-Angle, Solder Cable	<u>1731120175</u>

Termination, 50 Ohms, 1.30µm Gold Plating, without Inspection Hole, for RG-174U, RG-188AU, or RG-316U Cable	
FCT Coaxial Contact, Female, Right-Angle, Solder Cable Termination, 50 Ohms, 1.30µm Gold Plating, for RG-178BU, RG-196AU, or RG-404U Cable	<u>1731120176</u>
FCT Coaxial Contact, Female, Right-Angle, Solder Cable Termination, 50 Ohms, 1.30µm Gold Plating, for RG-316U Double Braided Cable	<u>1731120177</u>
FCT Coaxial Contact, Male, Straight, Crimp, 50 Ohms, 1.30µm Gold Plating, for RG-58CU or RG-141AU Cable	<u>1731120178</u>
FCT Coaxial Contact, Female, Straight, Crimp, 50 Ohms, 1.30µm Gold Plating, for RG-58CU or RG-141AU Cable	<u>1731120179</u>
FCT Coaxial Contact, Male, Straight, Crimp, 75 Ohms, 1.30µm Gold Plating, for RG-180BU Cable	<u>1731120180</u>
FCT Coaxial Contact, Female, Straight, Crimp, 75 Ohms, 1.30µm Gold Plating, for RG-180BU Cable	<u>1731120181</u>
FCT Coaxial Contact, Male, Right-Angle, Crimp, 50 Ohms, 1.30µm Gold Plating, for RG-174U, RG-188AU, or RG-316U Cable	<u>1731120182</u>
FCT Coaxial Contact, Female, Right-Angle, Crimp, 50 Ohms, 1.30µm Gold Plating, for RG-174U, RG-188AU, or RG-316U Cable	<u>1731120184</u>
FCT Coaxial Contact, Female, Right-Angle, Crimp, 50 Ohms, 1.30µm Gold Plating, for RG-58 C/U Cable	<u>1731120185</u>
FCT Coaxial Contact, Male, Right-Angle, Crimp, 75 Ohms, 1.30µm	<u>1731120186</u>

Gold Plating, for RG-179BU or RG-187AU Cable	
FCT Coaxial Contact, Female, Right-Angle, Crimp, 75 Ohms, 1.30µm Gold Plating, for RG-179BU or RG-187AU Cable	<u>1731120187</u>
FCT Coaxial Contact, 3 Pins, Male, Straight, PCB Through Hole, 75 Ohms, 1.30µm Gold Plating	<u>1731120188</u>
FCT Coaxial Contact, 3 Pins, Female, Straight, PCB Through Hole, 75 Ohms, 1.30µm Gold Plating	<u>1731120189</u>
FCT Coaxial Contact, 3 Pins, Male, Right-Angle, PCB Through Hole, 50 Ohms, 1.30µm Gold Plating, for D-sub Shell Size 5 Only	<u>1731120190</u>
FCT Coaxial Contact, 3 Pins, Female, Right-Angle, PCB Through Hole, 50 Ohms, 1.30µm Gold Plating, for D-sub Shell Size 5 Only	<u>1731120191</u>
FCT Coaxial Contact, 3 Pins, Male, Right-Angle, PCB Through Hole, 75 Ohms, 1.30µm Gold Plating	<u>1731120192</u>
FCT Coaxial Contact, 3 Pins, Male, Right-Angle, PCB Through Hole, 75 Ohms, 1.30µm Gold Plating, for D-sub Shell Size 5 Only	<u>1731120193</u>
FCT Coaxial Contact, 3 Pins, Female, Right-Angle, PCB Through Hole, 75 Ohms, 1.30µm Gold Plating	<u>1731120194</u>
FCT Coaxial Contact, 5 Pins, Male, Right-Angle, PCB Through Hole, 50 Ohms, 1.30µm Gold Plating	<u>1731120196</u>
FCT Coaxial Contact, 5 Pins, Female, Right-Angle, PCB Through Hole, 50 Ohms, 1.30µm Gold Plating	<u>1731120197</u>
FCT High Power Contact, Female, Right-Angle, PCB Through Hole,	<u>1731120231</u>

0.20µm Gold Mating Plating, 5.00µm Tin Termination Plating, Split Tine, 20.0A, 3.15mm PCB Drilling Diameter	
FCT DIN Coaxial Contact, Female, Straight, Solder Cable Termination, 75 Ohms, 1.30µm Gold Plating, for RG-179BU or RG-187AU Cable	<u>1731120268</u>
FCT High Power Contact, Male, Straight, Solder Cup, 0.20µm Gold Mating Plating, 5.00µm Tin Termination Plating, 10.0A, 20-16 AWG	<u>1731120269</u>
FCT High Power Contact, Male, Straight, PCB Through Hole, 0.80µm Gold Mating Plating, 5.00µm Tin Termination Plating, 20.0A, 2.90mm PCB Drilling Diameter	<u>1731120270</u>
FCT High Power Contact, Female, Straight, PCB Through Hole, 0.80µm Gold Mating Plating, 5.00µm Tin Termination Plating, Split Tine, 20.0A, 2.90mm PCB Drilling Diameter	<u>1731120271</u>
FCT High Power Contact, Male, Straight, Solder Cup, 0.20µm Gold Mating Plating, 5.00µm Tin Termination Plating, 20.0A, 16-12 AWG	<u>1731120280</u>
FCT High Power Contact, Male, Straight, Solder Cup, 0.80µm Gold Mating Plating, 0.20µm Gold Termination Plating, 30.0A, 12-10 AWG	<u>1731120281</u>
FCT High Power Contact, Male, Straight, Solder Cup, 0.20µm Gold Mating Plating, 5.00µm Tin Termination Plating, 30.0A, 12-10 AWG	<u>1731120282</u>
FCT High Power Contact, Male, Right-Angle, PCB Through Hole,	<u>1731120290</u>

0.20µm Gold Mating Plating, 5.00µm Tin Termination Plating, 20.0A, 3.15mm PCB Drilling Diameter	
FCT High Power Contact, Female, Straight, Solder Cup, 0.80µm Gold Mating Plating, 0.20µm Gold Termination Plating, Split Tine, 30.0A, 12-10 AWG	<u>1731120293</u>
FCT High Power Contact, Male, Straight, Solder Cup, 0.80µm Gold Mating Plating, 0.20µm Gold Termination Plating, 40.0A, 18-2 AWG	<u>1731120303</u>
FCT High Power Contact, Male, Straight, PCB Through Hole, 0.80µm Gold Mating Plating, 5.00µm Tin Termination Plating, 20.0A, 12-10 AWG	<u>1731120305</u>
FCT High Power Contact, Female, Straight, Solder Cup, 0.20µm Gold Mating Plating, 5.00µm Tin Termination Plating, Split Tine, 10.0A, 20-16 AWG	<u>1731120308</u>
FCT High Power Contact, Female, Straight, Solder Cup, 0.20µm Gold Mating Plating, 5.00µm Tin Termination Plating, Split Tine, 20.0A, 16-12 AWG	<u>1731120309</u>
FCT High Power Contact, Female, Straight, PCB Through Hole, 0.80µm Gold Mating Plating, 5.00µm Tin Termination Plating, Split Tine, 20.0A, 12-10 AWG	<u>1731120318</u>
FCT High Power Contact, Male, Right-Angle, PCB Press-Fit, 0.80µm Gold Mating Plating, 0.20µm Gold Termination Plating, 40.0A, 12-10 AWG	<u>1731120321</u>
FCT High Power Contact, Female, Straight, Crimp, 0.10µm Gold over Nickel Phosphorus Mating Plating, 0.20µm Gold over Nickel	<u>1731120322</u>

Termination Plating, Split Tine, 40.0A, 10-8 AWG	
FCT High Power Contact, Male, Straight, PCB Through Hole, 0.20µm Gold Mating Plating, 5.00µm Tin Termination Plating, 20.0A, 2.90mm PCB Drilling Diameter	<u>1731120323</u>
FCT High Power Contact, Female, Straight, Crimp, 0.80µm Gold Mating Plating, 0.20µm Gold Termination Plating, Split Tine, 20.0A, 14-12 AWG,	<u>1731120326</u>
FCT High Power Contact, Male, Straight, Crimp, 0.80µm Gold Mating Plating, 0.20µm Gold Termination Plating, 20.0A, 14-12 AWG,	<u>1731120327</u>
FCT High Power Contact, Male, Straight, Crimp, 0.20µm Gold Mating Plating, 3.00-5.00µm Nickel Termination Plating, 10.0A, 20-16 AWG	<u>1731120328</u>
FCT High Power Contact, Male, Straight, Crimp, 0.20µm Gold Mating Plating, 3.00-5.00µm Nickel Termination Plating, 40.0A, 10-8 AWG	<u>1731120329</u>
FCT High Power Contact, Male, Right-Angle, PCB Through Hole, 0.80µm Gold Mating Plating, 5.00µm Tin Termination Plating, 30.0A, 3.50mm PCB Drilling Diameter	<u>1731120340</u>
FCT High Power Contact, Female, Straight, Crimp, 0.80µm Gold Mating Plating, 0.20µm Gold Termination Plating, Split Tine, 10.0A, 20-16 AWG	<u>1731120347</u>
FCT High Voltage Contact, Female, Straight, Crimp, 1.30µm Gold Mating Plating, 1.3µm Gold Termination Plating, with Plastic	<u>1731120348</u>

Retention Clip, 2.0A, 16 AWG or smaller	
FCT High Power Contact, Female, Straight, PCB Through Hole, 0.20µm Gold Mating Plating, 5.00µm Tin Termination Plating, Split Tine, 20.0A, 2.90mm PCB Drilling Diameter	<u>1731120350</u>
FCT High Power Contact, Female, Straight, Crimp, 0.20µm Gold Plating, Split Tine, 40.0A, 10-8 AWG	<u>1731120384</u>
FCT High Power Contact, Male, Straight, Solder Cup, 1.30µm Gold Mating Plating, 0.20µm Gold Termination Plating, 20.0A, 16-12 AWG	<u>1731120385</u>
FCT High Power Contact, Female, Straight, Solder Cup, 1.30µm Gold Mating Plating, 0.20µm Gold Termination Plating, Split Tine, 20.0A, 16-12 AWG	<u>1731120386</u>
FCT High Power Contact, Male, Right-Angle, PCB Through Hole, 0.50µm Gold Mating Plating, 5.00µm Tin Termination Plating, 40.0A, 5.08mm Four Pronged Footprint	<u>1731120387</u>
FCT High Power Contact, Male, Right-Angle, PCB Through Hole, 0.80µm Gold Mating Plating, 5.00µm Tin Termination Plating, 20.0A	<u>1731120389</u>
FCT High Power Contact, Female, Straight, Solder Cup, 0.80µm Gold Mating Plating, 0.20µm Gold Termination Plating, Split Tine, 40.0A, 18-2 AWG	<u>1731120390</u>
FCT High Power Contact, Female, Straight, Solder Cup, 1.30µm Gold Mating Plating, 0.20µm Gold Termination Plating, Split Tine, 40.0A, 18-2 AWG	<u>1731120391</u>

FCT High Power Contact, Male, Right-Angle, PCB Through Hole, 0.80µm Gold Mating Plating, 5.00µm Tin Termination Plating, 20.0A, 12-10 AWG	<u>1731120392</u>
FCT High Power Contact, Male, Right-Angle, PCB Through Hole, 0.50µm Gold Mating Plating, 5.00µm Tin Termination Plating, 40.0A, 12-10 AWG	<u>1731120393</u>
FCT High Power Contact, Female, Straight, PCB Through Hole, 0.80µm Gold Mating Plating, 5.00µm Tin Termination Plating, Split Tine, 40.0A, 12-10 AWG	<u>1731120396</u>
FCT High Power Contact, Female, Straight, PCB Through Hole, 0.50µm Gold Mating Plating, 5.00µm Tin Termination Plating, Split Tine, 40.0A, 12-10 AWG	<u>1731120397</u>
FCT High Power Contact, Female, Straight, Crimp, 0.80µm Gold Mating Plating, 0.20µm Gold Termination Plating, Split Tine, 40.0A, 10-8 AWG	<u>1731120411</u>
FCT DIN Coaxial Contact, Female, Straight, Crimp, 50 Ohms, 1.30µm Gold Plating, for RG-58CU or RG-141AU Cable	<u>1731120419</u>
FCT DIN Coaxial Contact, 5 Pins, Female, Right-Angle, PCB Through Hole, 50 Ohms, 1.30µm Gold Plating	<u>1731120451</u>
FCT DIN Coaxial Contact, Female, Straight, Solder Cable Termination, 75 Ohms, 1.30µm Gold Plating, for RG-179BU or RG-187AU Cable	<u>1731120455</u>
FCT High Voltage Contact, Female, Straight, PCB Press-Fit, 0.50µm Gold Mating Plating, 5.00µm Tin Termination Plating, Split Tine, with Plastic Retention Clip, 30.0A,	<u>1731120461</u>

12-10 AWG	
FCT Coaxial Contact, Female, Straight, Crimp, 50 Ohms, 0.20µm Gold Plating, for RG-174U, RG-188AU, or RG-316U Cable	<u>1731120465</u>
FCT Coaxial Contact, Female, Straight, Crimp, 75 Ohms, 0.20µm Gold Plating, for RG-179BU or RG-187AU Cable	<u>1731120466</u>
FCT Coaxial Contact, Male, Straight, Crimp, 75 Ohms, 1.30µm Gold Plating, without Inspection Hole, for RG-179BU or RG-187AU Cable	<u>1731120474</u>
FCT Coaxial Contact, Male, Straight, Crimp, 50 Ohms, 1.30µm Gold Plating, for RG-142BU or RG-400U Cable	<u>1731120479</u>
FCT Coaxial Contact, Male, Straight, Crimp, 75 Ohms, 1.30µm Gold Plating, without Inspection Hole	<u>1731120482</u>
FCT Coaxial Contact, Female, Straight, Crimp, 75 Ohms, 1.30µm Gold Plating, without Inspection Hole	<u>1731120483</u>
FCT High Power Contact, Female, Right-Angle, PCB Through Hole, 0.80µm Gold Mating Plating, 5.00µm Tin Termination Plating, Split Tine, 40.0A, 12-10 AWG	<u>1731120568</u>
FCT Coaxial Contact, Male, Straight, Crimp, 75 Ohms, 0.20µm Gold Plating, for RG-179BU or RG-187AU Cable	<u>1731120576</u>
FCT High Power Contact, Female, Straight, Crimp, 0.80µm Gold Mating Plating, 0.20µm Gold Termination Plating, Split Tine, 40.0A, 10-8 AWG	<u>1731120589</u>
FCT High Power Contact, Male, Straight, Crimp, 0.20µm Gold Plating, 40.0A, 10-8 AWG	<u>1731120596</u>

FCT DIN Coaxial Contact, 5 Pins, Female, Straight, PCB Through Hole, 50 Ohms, 0.50µm Gold Plating	<u>1731120603</u>
FCT High Power Contact, Female, Straight, PCB Through Hole, 0.20µm Gold Mating Plating, 5.00µm Tin Termination Plating, Split Tine, 40.0A, 4.05mm PCB Drilling Diameter	<u>1731120607</u>
FCT DIN Coaxial Contact, Female, Straight, Solder Cable Termination, 50 Ohms, 1.30µm Gold Plating, for RG-316U Double Shielded Cable	<u>1731120611</u>
FCT DIN Coaxial Contact, Female, Straight, Crimp, 50 Ohms, 1.30µm Gold Plating, for RG-316U Double Shielded Cable	<u>1731120618</u>
FCT DIN Coaxial Contact, Female, Straight, Solder Cable Termination, 50 Ohms, 1.30µm Gold Plating, for RG-174U, RG-188AU, or RG-316U Cable	<u>1731120619</u>
FCT DIN Coaxial Contact, Male, Straight, Solder Cable Termination, 75 Ohms, 0.50µm Gold Plating, for RG-179BU or RG-187AU Cable	<u>1731120620</u>
FCT DIN Coaxial Contact, Female, Straight, Solder Cable Termination, 75 Ohms, 0.50µm Gold Plating, for RG-179BU or RG-187AU Cable	<u>1731120621</u>
FCT DIN Coaxial Contact, Male, Straight, Solder Cable Termination, 50 Ohms, 0.50µm Gold Plating, for RG-58CU or RG-141AU Cable	<u>1731120622</u>
FCT DIN Coaxial Contact, Female, Straight, Solder Cable Termination, 50 Ohms, 0.50µm Gold Plating, for RG-58CU or	<u>1731120623</u>

RG-141AU Cable	
FCT High Power Contact, Male, Straight, Solder Cup, 0.80µm Gold Mating Plating, 0.20µm Gold Termination Plating, 20.0A, 16-12 AWG	<u>1731120624</u>
FCT High Power Contact, Female, Straight, Solder Cup, 0.80µm Gold Mating Plating, 0.20µm Gold Termination Plating, Split Tine, 20.0A, 16-12 AWG	<u>1731120625</u>
FCT High Power Contact, Female, Straight, PCB Through Hole, 0.20µm Gold Mating Plating, 5.00µm Tin Termination Plating, Split Tine, 20.0A, 3.15mm PCB Drilling Diameter	<u>1731120626</u>
FCT High Power Contact, Male, Straight, Solder Cup, 0.20µm Gold Mating Plating, 5.00µm Tin Termination Plating, 40.0A, 18-2 AWG	<u>1731120627</u>
FCT Coaxial Contact, Female, Straight, Solder Cable Termination, 50 Ohms, 0.20µm Gold Plating, without Inspection Hole, for RG-174U, RG-188AU, or RG-316U Cable	<u>1731120630</u>
FCT DIN Coaxial Contact, 5 Pins, Male, Right-Angle, PCB Through Hole, 50 Ohms, 1.30µm Gold Plating	<u>1731120662</u>
FCT DIN Coaxial Contact, 5 Pins, Male, Right-Angle, PCB Through Hole, 50 Ohms, 0.50µm Gold Plating	<u>1731120663</u>
FCT DIN Coaxial Contact, 5 Pins, Female, Right-Angle, PCB Through Hole, 75 Ohms, 1.30µm Gold Plating	<u>1731120664</u>
FCT DIN Coaxial Contact, Female, Right-Angle, Solder Cable Termination, 50 Ohms, 1.30µm	<u>1731120666</u>

Gold Plating, for RG-316U Double Shielded Cable	
FCT High Power Contact, Female, Straight, Crimp, 1.30µm Gold Mating Plating, 0.20µm Gold Termination Plating, Split Tine, 20.0A, 14-12 AWG,	<u>1731120669</u>
FCT High Power Contact, Male, Right-Angle, PCB Through Hole, 0.20µm Gold Mating Plating, 5.00µm Tin Termination Plating, 40.0A, 4.05mm PCB Drilling Diameter	<u>1731120670</u>
FCT High Power Contact, Female, Right-Angle, PCB Through Hole, 0.20µm Gold Mating Plating, 5.00µm Tin Termination Plating, Split Tine, 40.0A, 4.05mm PCB Drilling Diameter	<u>1731120671</u>
FCT High Power Contact, Female, Right-Angle, PCB Through Hole, 0.50µm Gold Mating Plating, 5.00µm Tin Termination Plating, Split Tine, 40.0A, 5.08mm Four Pronged Footprint	<u>1731120672</u>
FCT High Power Contact, Male, Straight, Crimp, 0.80µm Gold Mating Plating, 0.20µm Gold Termination Plating, 10.0A, 20-16 AWG	<u>1731120673</u>
FCT High Power Contact, Female, Straight, Crimp, 0.20µm Gold Plating, Split Tine, 40.0A, 10-8 AWG	<u>1731120674</u>
FCT High Power Contact, Male, Right-Angle, PCB Through Hole, 0.80µm Gold Mating Plating, 0.20µm Gold Termination Plating, 40.0A, 12-10 AWG	<u>1731120676</u>
FCT High Power Contact, Male, Right-Angle, PCB Through Hole, 0.20µm Gold Mating Plating, 5.00µm Tin Termination Plating,	<u>1731120677</u>

40.0A, 12-10 AWG	
FCT Coaxial Contact, Male, Straight, Crimp, 50 Ohms, 0.20µm Gold Plating, for RG-174U, RG-188AU, or RG-316U Cable	<u>1731120678</u>
FCT Coaxial Contact, Female, Straight, Solder Cable Termination, 50 Ohms, 0.20µm Gold Plating, for RG-178BU, RG-196AU, or RG-404U Cable	<u>1731120679</u>
FCT Coaxial Contact, Male, Straight, Crimp, 50 Ohms, 0.20µm Gold Plating, for RG-58CU or RG-141AU Cable	<u>1731120680</u>
FCT High Power Contact, Female, Right-Angle, PCB Through Hole, 0.80µm Gold Mating Plating, 5.00µm Tin Termination Plating, Split Tine, 20.0A, 12-10 AWG	<u>1731120758</u>
FCT DIN Coaxial Contact, 5 Pins, Male, Straight, PCB Through Hole, 50 Ohms, 1.30µm Gold Plating	<u>1731120764</u>
FCT DIN Coaxial Contact, 5 Pins, Female, Straight, PCB Through Hole, 50 Ohms, 1.30µm Gold Plating	<u>1731120766</u>
FCT DIN Coaxial Contact, 5 Pins, Male, Right-Angle, PCB Through Hole, 75 Ohms, 0.20µm Gold Plating	<u>1731120768</u>
FCT DIN Coaxial Contact, 5 Pins, Male, Right-Angle, PCB Through Hole, 75 Ohms, 1.30µm Gold Plating	<u>1731120769</u>
FCT DIN Coaxial Contact, 5 Pins, Female, Straight, PCB Through Hole, 50 Ohms, 1.30µm Gold Plating	<u>1731120777</u>
FCT DIN Coaxial Contact, Male, Straight, Solder Cable Termination, 50 Ohms, 1.30µm Gold Plating, for RG-174U, RG-188AU, or RG-316U Cable	<u>1731120790</u>

FCT DIN Coaxial Contact, Male, Straight, Solder Cable Termination, 50 Ohms, 0.50µm Gold Plating, for RG-174U, RG-188AU, or RG-316U Cable	<u>1731120791</u>
FCT DIN Coaxial Contact, Female, Straight, Solder Cable Termination, 50 Ohms, 0.50µm Gold Plating, for RG-174U, RG-188AU, or RG-316U Cable	<u>1731120793</u>
FCT DIN Coaxial Contact, Male, Straight, Solder Cable Termination, 50 Ohms, 1.30µm Gold Plating, for RG-316U Double Shielded Cable	<u>1731120795</u>
FCT DIN Coaxial Contact, Male, Straight, Solder Cable Termination, 75 Ohms, 1.30µm Gold Plating, for RG-179BU or RG-187AU Cable	<u>1731120798</u>
FCT DIN Coaxial Contact, Male, Straight, Solder Cable Termination, 50 Ohms, 1.30µm Gold Plating, for RG-58CU or RG-141AU Cable	<u>1731120801</u>
FCT DIN Coaxial Contact, Male, Right-Angle, Solder Cable Termination, 75 Ohms, 1.30µm Gold Plating, for RG-179BU or RG-187AU Cable	<u>1731120806</u>
FCT Coaxial Contact, 3 Pins, Male, Right-Angle, PCB Through Hole, 75 Ohms, 0.20µm Gold Plating	<u>1731120816</u>
FCT Coaxial Contact, 3 Pins, Male, Straight, PCB Through Hole, 75 Ohms, 0.20µm Gold Plating	<u>1731120819</u>
FCT Coaxial Contact, 3 Pins, Female, Straight, PCB Through Hole, 75 Ohms, 0.20µm Gold Plating	<u>1731120821</u>
FCT Coaxial Contact, 3 Pins, Male, Right-Angle, PCB Through Hole, 50 Ohms, 0.20µm Gold Plating	<u>1731120823</u>

FCT Coaxial Contact, 3 Pins, Female, Right-Angle, PCB Through Hole, 50 Ohms, 0.20µm Gold Plating	<u>1731120824</u>
FCT Coaxial Contact, 3 Pins, Male, Straight, PCB Through Hole, 50 Ohms, 0.20µm Gold Plating	<u>1731120827</u>
FCT Coaxial Contact, 3 Pins, Female, Straight, PCB Through Hole, 50 Ohms, 0.20µm Gold Plating	<u>1731120829</u>
FCT High Power Contact, Male, Straight, Solder Cup, 0.20µm Gold Mating Plating, 5.00µm Tin Termination Plating, 20.0A, 16-12 AWG	<u>1731120831</u>
FCT High Power Contact, Female, Straight, Solder Cup, 0.20µm Gold Mating Plating, 5.00µm Tin Termination Plating, Split Tine, 20.0A, 16-12 AWG	<u>1731120833</u>
FCT High Power Contact, Male, Straight, Solder Cup, 0.20µm Gold Plating, 20.0A, 16-12 AWG	<u>1731120839</u>
FCT High Power Contact, Female, Straight, Solder Cup, 0.20µm Gold Plating, Split Tine, 20.0A, 16-12 AWG	<u>1731120840</u>
FCT High Power Contact, Male, Straight, Solder Cup, 1.30µm Gold Mating Plating, 0.20µm Gold Termination Plating, 40.0A, 18-2 AWG	<u>1731120841</u>
FCT High Power Contact, Male, Straight, PCB Through Hole, 0.20µm Gold Mating Plating, 5.00µm Tin Termination Plating, 20.0A, 3.15mm PCB Drilling Diameter	<u>1731120843</u>
FCT High Power Contact, Male, Straight, Solder Cup, 0.80µm Gold Mating Plating, 0.20µm Gold Termination Plating, 10.0A, 20-16	<u>1731120859</u>

AWG	
FCT High Power Contact, Male, Straight, Solder Cup, 0.80µm Gold Mating Plating, 0.20µm Gold Termination Plating, 20.0A, 16-12 AWG	<u>1731120861</u>
FCT High Power Contact, Male, Straight, Solder Cup, 0.80µm Gold Mating Plating, 0.20µm Gold Termination Plating, 40.0A, 18-2 AWG	<u>1731120863</u>
FCT High Power Contact, Female, Straight, Crimp, 0.80µm Gold Mating Plating, 0.20µm Gold Termination Plating, Split Tine, 20.0A, 14-12 AWG,	<u>1731120873</u>
FCT High Power Contact, Male, Straight, Solder Cup, 0.80µm Gold Mating Plating, 0.20µm Gold Termination Plating, 10.0A, 20-16 AWG	<u>1731120887</u>
FCT High Power Contact, Female, Straight, Solder Cup, 0.80µm Gold Mating Plating, 0.20µm Gold Termination Plating, Split Tine, 10.0A, 20-16 AWG	<u>1731120890</u>
FCT High Power Contact, Male, Straight, Solder Cup, 0.20µm Gold Mating Plating, 5.00µm Tin Termination Plating, 40.0A, 18-2 AWG	<u>1731120893</u>
FCT High Power Contact, Female, Straight, Solder Cup, 0.20µm Gold Mating Plating, 5.00µm Tin Termination Plating, Split Tine, 40.0A, 18-2 AWG	<u>1731120895</u>
FCT High Power Contact, Male, Right-Angle, PCB Through Hole, 0.80µm Gold Mating Plating, 5.00µm Tin Termination Plating, 10.0A, 12-10 AWG	<u>1731120901</u>
FCT High Power Contact, Male, Right-Angle, PCB Through Hole,	<u>1731120908</u>

0.50µm Gold Mating Plating, 5.00µm Tin Termination Plating, 40.0A, 12-10 AWG, 5.08mm Four Pronged Footprint	
FCT High Power Contact, Male, Right-Angle, PCB Through Hole, 0.80µm Gold Mating Plating, 5.00µm Tin Termination Plating, 40.0A, 12-10 AWG	<u>1731120909</u>
FCT High Power Contact, Male, Straight, PCB Press-Fit, 0.80µm Gold Mating Plating, 1.00-1.50µm Tin Termination Plating, 30.0A, 30.0A, 12-10 AWG	<u>1731120912</u>
FCT High Power Contact, Female, Straight, Solder Cup, 0.20µm Gold Mating Plating, 5.00µm Tin Termination Plating, Split Tine, 30.0A, 12-10 AWG	<u>1731120914</u>
FCT Coaxial Contact, Female, Straight, Crimp, 75 Ohms, 0.20µm Gold Plating, for RG-180BU Cable	<u>1731120921</u>
FCT Coaxial Contact, Male, Straight, Solder Cable Termination, 75 Ohms, 0.20µm Gold Plating, Short Version, for RG-179BU or RG-187AU Cable	<u>1731120931</u>
FCT Coaxial Contact, Female, Straight, Solder Cable Termination, 75 Ohms, 0.20µm Gold Plating, Short Version, for RG-179BU or RG-187AU Cable	<u>1731120932</u>
FCT Coaxial Contact, Male, Straight, Solder Cable Termination, 50 Ohms, 0.20µm Gold Plating, for RG-178BU, RG-196AU, or RG-404U Cable	<u>1731120934</u>
FCT Coaxial Contact, Male, Straight, Solder Cable Termination, 50 Ohms, 0.20µm Gold Plating, without Inspection Hole, for RG-174U, RG-188AU, or RG-316U Cable	<u>1731120935</u>

FCT High Power Contact, Female, Straight, Solder Cup, 0.80µm Gold Mating Plating, 0.20µm Gold Termination Plating, Split Tine, 20.0A, 12-10 AWG	<u>1731120996</u>
FCT High Power Contact, Female, Straight, Solder Cup, 0.20µm Gold Plating, Split Tine, 40.0A, 18-2 AWG	<u>1731120998</u>
FCT High Power Contact, Female, Straight, Crimp, 0.20µm Gold Plating, Split Tine, 30.0A, 12-10 AWG	<u>1731120999</u>
FCT High Power Contact, Male, Straight, PCB Through Hole, 0.80µm Gold Mating Plating, 5.00µm Tin Termination Plating, 40.0A, 12-10 AWG	<u>1731121000</u>
FCT Coaxial Contact, Male, Straight, Crimp, 50 Ohms, 1.30µm Gold Plating	<u>1731121001</u>
FCT Coaxial Contact, Female, Straight, Crimp, 50 Ohms, 1.30µm Gold Plating	<u>1731121002</u>
FCT High Power Contact, Male, Straight, Crimp, 0.10µm Gold over Nickel Phosphorus Mating Plating, 0.20µm Gold over Nickel Termination Plating, 40.0A, 10-8 AWG	<u>1731121008</u>
FCT DIN Coaxial Contact, Female, Straight, Solder Cable Termination, 50 Ohms, 1.30µm Gold Plating, for RG-178BU, RG-196AU, or RG-404U Cable	<u>1731121014</u>
FCT High Voltage Contact, Male, Straight, Crimp, 1.30µm Gold Mating Plating, 1.3µm Gold Termination Plating, with Plastic Retention Clip, 2.0A, 30-24 AWG	<u>1731121044</u>
FCT High Power Contact, Male, Straight, Crimp, 0.20µm Gold Plating, 30.0A, 12-10 AWG	<u>1731121053</u>

FCT High Power Contact, Early Mate/Late Break, Female, Right-Angle, Through Hole, 0.80µm Gold Mating Plating, 5.00µm Tin Termination Plating, Split Tine, 40.0A	<u>1731121058</u>
FCT Coaxial Contact, Male, Straight, Solder Cable Termination, 50 Ohms, 0.10µm Gold over Nickel Phosphorus Plating, for RG-178BU, RG-196AU, or RG-404U Cable	<u>1731121061</u>
FCT Coaxial Contact, Male, Straight, Solder Cable Termination, 75 Ohms, 0.10µm Gold over Nickel Phosphorus Plating, Short Version, for RG-179BU or RG-187AU Cable	<u>1731121062</u>
FCT Coaxial Contact, Female, Straight, Solder Cable Termination, 75 Ohms, 0.10µm Gold over Nickel Phosphorus Plating, Short Version, for RG-179BU or RG-187AU Cable	<u>1731121063</u>
FCT Coaxial Contact, Male, Straight, Crimp, 50 Ohms, 0.10µm Gold over Nickel Phosphorus Plating, for RG-174U, RG-188AU, or RG-316U Cable	<u>1731121064</u>
FCT Coaxial Contact, Female, Straight, Crimp, 50 Ohms, 0.10µm Gold over Nickel Phosphorus Plating, for RG-174U, RG-188AU, or RG-316U Cable	<u>1731121065</u>
FCT Coaxial Contact, Male, Straight, Crimp, 75 Ohms, 0.10µm Gold over Nickel Phosphorus Plating, for RG-179BU or RG-187AU Cable	<u>1731121066</u>
FCT Coaxial Contact, Female, Straight, Crimp, 75 Ohms, 0.10µm Gold over Nickel Phosphorus Plating, for RG-179BU or RG-187AU Cable	<u>1731121067</u>

FCT Coaxial Contact, 3 Pins, Male, Straight, PCB Through Hole, 50 Ohms, 0.10µm Gold over Nickel Phosphorus Plating	<u>1731121068</u>
FCT Coaxial Contact, 3 Pins, Female, Straight, PCB Through Hole, 50 Ohms, 0.10µm Gold over Nickel Phosphorus Plating	<u>1731121069</u>
FCT Coaxial Contact, 3 Pins, Male, Straight, PCB Through Hole, 75 Ohms, 0.10µm Gold over Nickel Phosphorus Plating	<u>1731121070</u>
FCT Coaxial Contact, 3 Pins, Female, Straight, PCB Through Hole, 75 Ohms, 0.10µm Gold over Nickel Phosphorus Plating	<u>1731121071</u>
FCT Coaxial Contact, 3 Pins, Male, Right-Angle, PCB Through Hole, 50 Ohms, 0.10µm Gold over Nickel Phosphorus Plating	<u>1731121072</u>
FCT Coaxial Contact, 3 Pins, Female, Right-Angle, PCB Through Hole, 50 Ohms, 0.10µm Gold over Nickel Phosphorus Plating	<u>1731121073</u>
FCT Coaxial Contact, 3 Pins, Male, Right-Angle, PCB Through Hole, 75 Ohms, 0.10µm Gold over Nickel Phosphorus Plating	<u>1731121074</u>
FCT Coaxial Contact, 3 Pins, Female, Right-Angle, PCB Through Hole, 75 Ohms, 0.10µm Gold over Nickel Phosphorus Plating	<u>1731121075</u>
FCT High Power Contact, Male, Straight, Crimp, 0.10µm Gold over Nickel Phosphorus Mating Plating, 0.20µm Gold over Nickel Termination Plating, 30.0A, 12-10 AWG	<u>1731121083</u>
FCT High Power Contact, Female, Straight, Crimp, 0.10µm Gold over Nickel Phosphorus Mating Plating, 0.20µm Gold over Nickel Termination Plating, Split Tine,	<u>1731121084</u>

30.0A, 12-10 AWG	
FCT High Power Contact, Male, Straight, Solder Cup, 0.10µm Gold over Nickel Phosphorus Mating Plating, 5.00µm Tin Termination Plating, 30.0A, 12-10 AWG	<u>1731121085</u>
FCT High Power Contact, Female, Straight, Solder Cup, 0.10µm Gold over Nickel Phosphorus Mating Plating, 5.00µm Tin Termination Plating, Split Tine, 30.0A, 12-10 AWG	<u>1731121086</u>
FCT Coaxial Contact, Female, Straight, Solder Cable Termination, 50 Ohms, 0.10µm Gold over Nickel Phosphorus Plating, for RG-178BU, RG-196AU, or RG-404U Cable	<u>1731121087</u>
FCT Coaxial Contact, Male, Straight, Solder Cable Termination, 50 Ohms, 0.10µm Gold over Nickel Phosphorus Plating, without Inspection Hole, for RG-174U, RG-188AU, or RG-316U Cable	<u>1731121088</u>
FCT High Power Contact, Female, Straight, PCB Through Hole, 0.80µm Gold Mating Plating, 5.00µm Tin Termination Plating, Split Tine, 20.0A, 12-10 AWG	<u>1731121093</u>
FCT Coaxial Contact, 3 Pins, Female, Right-Angle, PCB Through Hole, 75 Ohms, 0.20µm Gold Plating	<u>1731121103</u>
FCT High Power Contact, Male, Straight, PCB Through Hole, 0.20µm Gold Mating Plating, 5.00µm Tin Termination Plating, 40.0A, 4.05mm PCB Drilling Diameter	<u>1731121104</u>
FCT Coaxial Contact, 3 Pins, Female, Right-Angle, PCB Through Hole, 50 Ohms, 0.20µm Gold	<u>1731121106</u>

Plating, with Knurl	
FCT High Power Contact, Female, Straight, PCB Through Hole, 0.50µm Gold Mating Plating, 5.00µm Tin Termination Plating, Split Tine, 20.0A, 12-10 AWG	<u>1731121120</u>
FCT DIN Coaxial Contact, Female, Straight, Crimp, 50 Ohms, 0.50µm Gold Plating, for RG-316U Double Shielded Cable	<u>1731121153</u>
FCT DIN Coaxial Contact, Male, Straight, Crimp, 50 Ohms, 1.30µm Gold Plating, for Enritoflex 178 Cable	<u>1731121154</u>
FCT DIN Coaxial Contact, Male, Straight, Solder Cable Termination, 50 Ohms, 1.30µm Gold Plating, for RG-178BU, RG-196AU, or RG-404U Cable	<u>1731121155</u>
FCT High Power Contact, Early Mate/Late Break, Female, Straight, Solder Cup, 0.20µm Gold Mating Plating, 5.00µm Tin Termination Plating, Split Tine, 20.0A, 16-12 AWG	<u>1731121193</u>
FCT Coaxial Contact, 5 Pins, Male, Right-Angle, PCB Through Hole, 50 Ohms, 1.30µm Gold Plating	<u>1731121197</u>
FCT Pneumatic Contact, Male, Straight, Silver Plating, 2.60mm Tube Inner Diameter, with Plastic Retention Clip and Knurl	<u>1731121199</u>
FCT Pneumatic Contact, Male, Straight, Silver Plating, 4.00mm Tube Inner Diameter, with Plastic Retention Clip and Knurl	<u>1731121200</u>
FCT High Power Contact, Male, Straight, Crimp, 1.30µm Gold Mating Plating, 0.20µm Gold Termination Plating, 10.0A, 20-16 AWG	<u>1731121201</u>
FCT High Power Contact, Female, Straight, Solder Cup, 0.20µm Gold	<u>1731121204</u>

Mating Plating, 5.00µm Tin Termination Plating, 4-Split Tine, 20.0A, 16-12 AWG	
FCT High Power Contact, Male, Straight, Solder Cup, 0.20µm Gold Plating, 40.0A, 18-2 AWG	<u>1731121205</u>
FCT High Power Contact, Male, Straight, PCB Through Hole, 0.80µm Gold Mating Plating, 5.00µm Tin Termination Plating, 20.0A	<u>1731121210</u>
FCT High Power Contact, Male, Right-Angle, PCB Through Hole, 0.20µm Gold Mating Plating, 5.00µm Tin Termination Plating, 40.0A	<u>1731121214</u>
FCT High Power Contact, Male, Straight, Solder Cup, 0.80µm Gold Mating Plating, 0.20µm Gold Termination Plating, 20.0A, 16-12 AWG	<u>1731121220</u>
FCT High Power Contact, Male, Straight, Solder Cup, 0.20µm Gold Mating Plating, 5.00µm Tin Termination Plating, 20.0A, 16-10 AWG	<u>1731121221</u>
FCT High Power Contact, Female, Straight, Solder Cup, 0.80µm Gold Mating Plating, 0.20µm Gold Termination Plating, Split Tine, 30.0A, 12-10 AWG	<u>1731121225</u>
FCT High Power Contact, Female, Straight, PCB Through Hole, 0.80µm Gold Mating Plating, 5.00µm Tin Termination Plating, Split Tine, 40.0A	<u>1731121226</u>
FCT High Power Contact, Male, Straight, Crimp, 0.80µm Gold Mating Plating, 0.20µm Gold Termination Plating, with O-Ring, 20.0A, 14-12 AWG,	<u>1731121228</u>
FCT High Power Contact, Female, Straight, Crimp, 0.80µm Gold	<u>1731121229</u>

Mating Plating, 0.20µm Gold Termination Plating, Split Tine, with O-Ring, 20.0A, 14-12 AWG,	
FCT High Power Contact, Male, Straight, Solder Cup, 0.80µm Gold Mating Plating, 5.00µm Tin Termination Plating, 10.0A, 20-16 AWG	<u>1731121234</u>
FCT High Power Contact, Female, Straight, Solder Cup, 0.80µm Gold Mating Plating, 0.20µm Gold Termination Plating, Split Tine, 40.0A, 18-2 AWG	<u>1731121235</u>
FCT High Power Contact, Male, Right-Angle, PCB Through Hole, 0.80µm Gold Mating Plating, 5.00µm Tin Termination Plating, 40.0A, 12-10 AWG	<u>1731121236</u>
FCT High Power Contact, Female, Right-Angle, PCB Through Hole, 0.80µm Gold Mating Plating, 5.00µm Tin Termination Plating, Split Tine, 40.0A, 12-10 AWG	<u>1731121237</u>
FCT High Power Contact, Female, Straight, PCB Press-Fit, 1.30µm Gold Mating Plating, 0.20µm Gold Termination Plating, Split Tine, 40.0A, 12-10 AWG	<u>1731121238</u>
FCT High Power Contact, Male, Straight, Edge, 0.80µm Gold Mating Plating, 5.00µm Tin Termination Plating, 40.0A	<u>1731121240</u>
FCT High Power Contact, Male, Straight, PCB Through Hole, 0.80µm Gold Mating Plating, 5.00µm Tin Termination Plating, 20.0A, 12-10 AWG	<u>1731121241</u>
FCT High Power Contact, Male, Straight, Edge, 0.80µm Gold Mating Plating, 5.00µm Tin Termination Plating, 40.0A	<u>1731121243</u>
FCT Coaxial Contact, Male, Straight, Crimp, 50 Ohms, 1.30µm	<u>1731121247</u>

Gold Plating, 30-22 AWG	
FCT Coaxial Contact, Female, Straight, Crimp, 50 Ohms, 1.30µm Gold Plating	<u>1731121248</u>
FCT Coaxial Contact, Male, Straight, Crimp, 75 Ohms, 1.30µm Gold Plating, 30-24 AWG	<u>1731121249</u>
FCT High Voltage Contact, Male, Straight, Solder Cup, 1.30µm Gold Mating Plating, with Copper Alloy Retention Clip, 2.0A, 20 AWG or smaller	<u>1731121250</u>
FCT High Voltage Contact, Female, Straight, Solder Cup, 1.30µm Gold Mating Plating, with Copper Alloy Retention Clip, 2.0A, 20 AWG or smaller	<u>1731121251</u>
FCT Coaxial Contact, Female, 4-Split Tine, Straight, Crimp, 50 Ohms, 1.30µm Gold Plating, without Inspection Hole, for RG-174U, RG-188AU, or RG-316U Cable	<u>1731121253</u>
FCT Coaxial Contact, Female, 4-Split Tine, Straight, Crimp, 50 Ohms, 1.30µm Gold Plating, for RG-316U Double Braided Cable	<u>1731121254</u>
FCT Coaxial Contact, Male, Straight, Crimp, 75 Ohms, 1.30µm Gold Plating, without Inspection Hole	<u>1731121256</u>
FCT High Power Contact, Female, Straight, PCB Through Hole, 0.10µm Gold over Nickel Phosphorus Mating Plating, 5.00µm Tin Termination Plating, Split Tine, 40.0A, 12-10 AWG	<u>1731121291</u>
FCT High Power Contact, Male, Right-Angle, PCB Through Hole, 0.10µm Gold over Nickel Phosphorus Mating Plating, 5.00µm Tin Termination Plating, 40.0A, 5.08mm Four Pronged	<u>1731121292</u>

Footprint	
FCT Coaxial Contact, Female, Straight, Solder Cable Termination, 50 Ohms, 0.10µm Gold over Nickel Phosphorus Plating, without Inspection Hole, for RG-174U, RG-188AU, or RG-316U Cable	<u>1731121743</u>
FCT Coaxial Contact, Male, Straight, Crimp, 50 Ohms, 5.00µm Gold over Copper Plating, for RG-174U, RG-188AU, or RG-316U Cable	<u>1731140032</u>
FCT Coaxial Contact, Female, Straight, Crimp, 50 Ohms, 5.00µm Gold over Copper Plating, for RG-174U, RG-188AU, or RG-316U Cable	<u>1731140033</u>
FCT Coaxial Contact, Male, Straight, Crimp, 50 Ohms, 5.00µm Gold over Copper Plating, for RG-178BU, RG-196AU, or RG-404U Cable	<u>1731140038</u>
FCT Coaxial Contact, 3 Pins, Male, Right-Angle, PCB Through Hole, 50 Ohms, 5.00µm Gold Plating	<u>1731140044</u>
FCT Coaxial Contact, Female, 4-Split Tine, Straight, Crimp, 50 Ohms, 5.00µm Gold over Copper Plating, for RG-178BU, RG-196AU, or RG-404U Cable	<u>1731140045</u>
FCT High Power Contact, Male, Straight, Solder Cup, 5.00µm Gold Mating Plating, 5.00µm Tin over Silver/Copper Termination Plating, 20.0A, 16-12 AWG	<u>1731140196</u>
FCT Coaxial Contact, Male, Straight, Crimp, 50 Ohms, 1.30µm Gold over Copper Plating	<u>1731140197</u>
FCT Coaxial Contact, Female, 4-Split Tine, Straight, Crimp, 50 Ohms, 1.30µm Gold Plating, for RG-174U, RG-188AU, or RG-316U	<u>1731140199</u>

Cable	
FCT Coaxial Contact, Female, Straight, Crimp, 50 Ohms, 5.00µm Gold over Copper Plating, for RG-178BU, RG-196AU, or RG-404U Cable	<u>1731140203</u>
FCT Coaxial Contact, Female, 4-Split Tine, Straight, Crimp, 50 Ohms, 5.00µm Gold over Copper Plating, for RG-58CU or RG-141AU Cable	<u>1731140278</u>
FCT Coaxial Contact, Female, 4-Split Tine, Straight, Crimp, 50 Ohms, 5.00µm Gold over Copper Plating, for RG-174U, RG-188AU, or RG-316U Cable	<u>1731140298</u>
FCT High Power Contact, Female, Straight, Solder Cup, 5.00µm Gold Mating Plating, 5.00µm Tin over Silver/Copper Termination Plating, Split Tine, 20.0A, 16-12 AWG	<u>1731140625</u>
FCT Coaxial Contact, Female, Right-Angle, Crimp, 50 Ohms, 5.00µm Gold over Copper Plating, for RG-178BU, RG-196AU, or RG-404U Cable	<u>1731140626</u>