180984-5 ✔ ACTIVE

FASTON | FASTON 250

TE Internal #: 180984-5

Insulation Boot, Flag, PA 66, Black, Bag, -25 – 105 °C [-13 – 221 °F], FASTON 250, Insulation Boots & Sleeves

View on TE.com >

Terminals & Splices > Terminal Housings, Insulation Sleeves & Blocks > Insulation Boots & Sleeves







Insulation Boot & Sleeve Product Type: **Insulation Boot**

Terminal Orientation: **Flag**

Primary Product Material: **PA 66**

Primary Product Color: **Black**

Packaging Method: **Bag**

Features

Product Type Features

Insulation Boot & Sleeve Product Type	Insulation Boot

Body Features

Primary Product Material	PA 66
Primary Product Color	Black

Contact Features

Terminal Orientation	Flag

Usage Conditions

Operating Temperature Range	-25 – 105 °C[-13 – 221 °F]

Industry Standards

UL Flammability Rating	UL 94V-2

Packaging Features

Packaging Quantity	1000
Packaging Method	Bag

Product Compliance


For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	有害物质含量符合标准要求 No Restricted Substance(s) Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2025 (250) Candidate List Declared Against: JUNE 2025 (250) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Not applicable for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

Compatible Parts



TE Part # 180464-1
250 FASTON,FLAG,REC.,14-17AWG, LATON




TE Part # 8-180984-2
250 FASTON BOOT FLAG REC. 1P NATURAL

Also in the Series | FASTON 250




Compression Connectors(4)



Crimp Terminal Housings(117)



Insulation Boots & Sleeves(16)



Magnet Wire Terminals(1)



PCB Terminals(133)



Quick Disconnects(412)



Splices(4)

Customers Also Bought




TE Part #DTP04-4P-C015
REC, 4P, GRY, E



TE Part #ZPF000000000008202
983-6KE 10-05 SN



TE Part #800102-SF
FN332-10A-05




TE Part #5-87165-2
LOCKING CLIP ASSY .025 SQ LP



TE Part #1-180907-6
FF 250 REC HSG 2P NYLON NAT



TE Part #9-188431-0
M-MATCH FEM. BOTTOM ENTRY SMD INB.CONN.




TE Part #360050-1
090 DIA CLSTR BLK



TE Part #1217264-1
RCPT 090 CLSTR PIN 22-14



TE Part #1-1418640-5
3POS MQS REC COD A



TE Part #7-1437139-7
FSN-21A-15=NOMEX FS STD

Documents

CAD Files

3D PDF

3D

Customer View Model

ENG_CVM_CVM_180984-5_AY.2d_dxf.zip

English

Customer View Model

ENG_CVM_CVM_180984-5_AY.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_180984-5_AY.3d_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.

Product Specifications

Blocchetto di protezione per capicorda lamellari femmina a bandiera serie .250

Product Specification