



Wire & Cable > Power Cable



Cable Type: **Solar**  
Operating Voltage: **600 VAC**  
Cable Color: **Black**  
Wire Size: **2.5 mm²**

Features

Configuration Features

|                      |   |
|----------------------|---|
| Number of Conductors | 1 |
|----------------------|---|

Electrical Characteristics

|                   |         |
|-------------------|---------|
| Operating Voltage | 600 VAC |
|-------------------|---------|

Body Features

|                    |                   |
|--------------------|-------------------|
| Wire Color (Base)  | Black             |
| Cable Color        | Black             |
| Conductor Material | Tin-Plated Copper |

Dimensions

|           |         |
|-----------|---------|
|           | .17 in  |
| Wire Size | 2.5 mm² |

Usage Conditions

|            |       |
|------------|-------|
| Cable Type | Solar |
|------------|-------|

Packaging Features

|                  |      |
|------------------|------|
| Packaging Method | Reel |
|------------------|------|

Product Compliance

[For compliance documentation, visit the product page on TE.com>](#)

|                                               |                                        |
|-----------------------------------------------|----------------------------------------|
| EU RoHS Directive 2011/65/EU                  | Not Yet Reviewed                       |
| EU ELV Directive 2000/53/EC                   | Not Yet Reviewed                       |
| China RoHS 2 Directive MIIT Order No 32, 2016 | Not reviewed for China RoHS compliance |



|                                        |                                                                                                                                         |
|----------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------|
| EU REACH Regulation (EC) No. 1907/2006 | Current ECHA Candidate List: JUNE 2025 (250)<br>Candidate List Declared Against: JUN 2012 (84)<br>SVHC > Threshold:<br>Not Yet Reviewed |
| Halogen Content                        | Not Low Halogen - contains Br or Cl > 900 ppm.                                                                                          |
| Solder Process Capability              | Not applicable for solder process capability                                                                                            |

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulations, TE’s information on SVHC in articles for this part number is still based on the European Chemical Agency (ECHA) ‘Guidance on requirements for substances in articles’(Version: 2, April 2011), applying the 0.1% weight on weight concentration threshold at the finished product level. TE is aware of the European Court of Justice ruling of September 10th, 2015 also known as O5A (Once An Article Always An Article) stating that, in case of ‘complex object’, the threshold for a SVHC must be applied to both the product as a whole and simultaneously to each of the articles forming part of its composition. TE has evaluated this ruling based on the new ECHA “Guidance on requirements for substances in articles” (June 2017, version 4.0) and will be updating its statements accordingly.

Customers Also Bought

TE Part #46753-2  
HYP8 AMPPOWER 350MCM DIE SET

TE Part #69082  
HYP8 4/0-1000MCM 26T HEAD

TE Part #326805  
TERMINAL,AMPOWER 300MCM 3/8


TE Part #CD26913001  
100G1131-0.75-F974CK0042

TE Part #1107903001  
100G0111-4.00-0CK0042/1

TE Part #E003743001  
ZHPCG-36-95.0-0CK0226

TE Part #9124733001  
100G0111-1.00-0CK0042

TE Part #CD34883001  
100G1131-1.20-F978CK0042



Documents

CAD Files

Customer View Model

ENG\_CVM\_1986166-3\_C2.3d\_igs.zip

English

Customer View Model

ENG\_CVM\_1986166-3\_C2.3d\_stp.zip

English

Customer View Model

ENG\_CVM\_1986166-3\_C2.2d\_dxf.zip

English

3D PDF

3D

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

Datasheets & Catalog Pages

SOLARLOK\_CONNECTIVITY\_SYSTEMS\_FOR\_PV\_MANUFACTURERS\_3-1773458-7

English

AMERICAS\_VERSION\_SOLARLOK\_INSTALLATION\_MANUAL\_2-1773458-2

English