



Part Number : [2018410130](#)
Product Description : MultiCat High-Power Inline
Receptacle Housing with CPA, 3 Circuits, Black, Key A
Series Number : 201841
Status : Active
Product Category : Connector Housings
Engineering Number : 2018410130-FCT



Documents & Resources

Drawings

- [2018410130_sd.pdf](#)
- [2018410000-PK-000.pdf](#)

3D Models and Design Files

- [STEP AP242](#)
- [SOLIDWORKS](#)
- [Creo](#)

Specifications

- [2018400000-AS-000.pdf](#)
- [2018400000-PS-000.pdf](#)
- [2018400000-TS-000.pdf](#)

Product Environment Compliance

Compliance

GADSL/IMDS	Not Relevant
China RoHS	 per SJ/T 11365-2006
EU ELV	Not Relevant
Low-Halogen Status	Low-Halogen per IEC 61249-2-21
REACH SVHC	Not Contained per D(2025)4165-DC (25 June 2025)
EU RoHS	Compliant per EU 2015/863

[Compliance Statements](#)

- EU RoHS
- REACH SVHC
- Low-Halogen

Industry Documents

- IPC 1752A Class C
- IPC 1752A Class D
- Molex Product Compliance Declaration
- IEC-62474
- chemSHERPA (xml)

Substances of Interest

- PFAS

EU RoHS Certificate of Compliance

Additional Product Compliance Information

Part Details

General

Status	Active
Category	Connector Housings
Series	201841
Description	MultiCat High-Power Inline Receptacle Housing with CPA, 3 Circuits, Black, Key A
Application	Power, Wire-to-Board, Wire-to-Wire
Product Name	MultiCat
UPC	889056747509

Agency

UL	E29179
----	--------

Physical

Circuits (maximum)	3
Color - Resin	Black
Flammability	94V-0
Gender	Receptacle
Glow-Wire Capable	No
Keying to Mating Part	Yes
Lock to Mating Part	Yes

Material - Resin	PEI
Net Weight	6.160/g
Number of Rows	1
Packaging Type	Partitioned Carton
Panel Mount	No
Pitch - Mating Interface	7.40mm
Polarized to Mating Part	Yes
Temperature Range - Operating	-40° to +150°C

Mates With / Use With

Mates with Part(s)

Description	Part Number
MultiCat-to-MultiCat High-Power Off-the-Shelf (OTS) Cable Assembly, Male, Single Row, 300.00mm Length, 8 AWG, 3 Circuits, Key A, Black	<u>451420301</u>
MultiCat-to-MultiCat High-Power Off-the-Shelf (OTS) Cable Assembly, Male, Single Row, 1.0m Length, 8 AWG, 3 Circuits, Key A, Black	<u>451420310</u>
MultiCat High-Power Inline Plug Housings	<u>201840</u>
MultiCat High-Power Vertical Headers	<u>201842</u>
MultiCat High-Power Right-Angle Headers	<u>201843</u>

Use with Part(s)

Description	Part Number
MultiCat High-Power Receptacle Terminals	<u>201846</u>