213652-1 ✔ ACTIVE

AMP

| AMP Circular Plastic Connectors, Mil-C-5015 Circular Plastic Connectors

TE Internal #: 213652-1

14 Position Circular Power Connector, Housing, 250 VDC, 14 – 24 AWG, .2 – 2 mm² Wire, Wire-to-Wire, Wire & Cable, AMP Circular Plastic Connectors

View on TE.com >

Connectors > Power Connectors > Circular Power > Circular Power Connectors







Connector Product Type: **Housing**

Operating Voltage: **250 VDC**

Wire Size: **.2 – 2 mm²**

Connector System: **Wire-to-Wire**

Features

Product Type Features

Connector Product Type	Housing
Connector System	Wire-to-Wire
Sealable	No
Connector & Contact Terminates To	Wire & Cable
Connector & Housing Type	Plug
Circular Connector Shell Type	All Plastic

Configuration Features

Reverse Numbering	Without
Number of Positions	14
Number of Power Positions	0
Number of Signal Positions	14

Electrical Characteristics

Operating Voltage	250 VAC

Contact Features

Reverse Gender	No
Contact Type	Socket
Contact Current Rating (Max)	13 A
Contact Protection	With

Termination Features

Termination Method to Wire & Cable	Crimp

Mechanical Attachment

Mating Alignment Type	Keyed
Mating Retention Type	Threaded Coupling
Mating Alignment	With
Thread Size	15/16-20 UNEF – 2A
Connector Mounting Type	Cable Mount (Free-Hanging)
Mating Retention	With
Panel Mount Feature	Without

Housing Features

Body Orientation	Straight
Housing Color	Black
Housing Material	Polyamide
Circular Connector Shell Size	20

Dimensions

Wire Size	.2 – 2 mm²
Assembly Length	41.66 mm[1.64 in]

Usage Conditions

Operating Temperature Range	-55 – 105 °C[-67 – 221 °F]
Fluid Resistance	None

Operation/Application

Circuit Application	Signal
Shielded	No

Industry Standards

UL Flammability Rating	UL 94V-0

Packaging Features

Packaging Quantity	1
Packaging Method	Package

Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2025 (250) Candidate List Declared Against: JUNE 2025 (250) Does not contain REACH SVHC
Halogen Content	BFR/CFR/PVC Free, but Br/Cl >900 ppm in other sources.
Solder Process Capability	Not applicable for solder process capability

Product Compliance Disclaimer


This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

Compatible Parts



TE Part # 213651-1
CPC RCPT 20-14 STD SEX

Also in the Series | AMP Circular Plastic Connectors



Circular Power Connectors(8)



Connector Backshells(1)



Connector Caps & Covers(16)



Connector Seals & Cavity Plugs(35)




Connector Strain Relief(60)



Insertion & Extraction Tools(1)


Also in the Series | Mil-C-5015 Circular Plastic Connectors




Circular Power Connectors(8)

Customers Also Bought


TE Part #213570-1
CPC RECPT 20-14 SPECIAL




TE Part #2213767-7
AV19 SPM 3A MOVE RING LED RED 24V




TE Part #1-2213767-5
AV19 SPM 3A MOVE RING LED GREEN 24V




TE Part #2213772-7
AV22 SPM 3A MOVE RING LED RED 24V




TE Part #1-2213772-5
AV22 SPM 3A MOVE RING LED GREEN 24V




TE Part #1-2213772-9
AV22 SPM 3A MOVE RING LED BLUE 24V




TE Part #4-2213772-7
AV22 DPM 3A MOVE RING LED RED 24V



TE Part #5-2213772-1
AV22 DPM 3A MOVE RING LED YELLOW 24V



TE Part #5-2213772-5
AV22 DPM 3A MOVE RING LED GREEN 24V



TE Part #5-2213772-9
AV22 DPM 3A MOVE RING LED BLUE 24V

Documents

Product Drawings

CPC PLUG KIT 20-14,STD SEX

English

CAD Files

3D PDF

3D

Customer View Model

ENG_CVM_CVM_213652-1_O.2d_dxf.zip

English

Customer View Model

ENG_CVM_CVM_213652-1_O.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_213652-1_O.3d_stp.zip

English

3D PDF

English

Customer View Model

ENG_CVM_213652-1_D.2d_dxf.zip

English

Customer View Model

ENG_CVM_213652-1_D.3d_igs.zip

English

Customer View Model

ENG_CVM_213652-1_D.3d_stp.zip

English

By downloading the CAD file I accept and agree to the Terms and Conditions of use.

Agency Approvals

CSA Certificate

English

CSA Certificate

English