2205066-2 ✔ ACTIVE


Micro-MaTch | Micro-MaTch Industrial

TE Internal #: 2205066-2

MICRO-MATCH MOW to MICRO-MATCH MOW Cable Assembly, 16 Positions, .15 m [.492 ft], Gray Cable, Equalized, 28 AWG, 159.8 – 159.88 mm² Wire

View on TE.com >

Cable Assemblies > Copper Cable Assemblies > Pluggable I/O Cable Assemblies > MICRO-MATCH STD MOW TO MOW CABLE ASSY



Cable Assembly Type: **MICRO-MATCH MOW to MICRO-MATCH MOW**

Cable Assembly (End A): **MICRO-MATCH MOW Plug**

Cable Assembly (End B): **MICRO-MATCH MOW Plug**

Wire Size: **159.8 – 159.88 mm²**

All MICRO-MATCH STD MOW TO MOW CABLE ASSY (26)

Features

Product Type Features

Cable Assembly Category	Industry Standard
Cable Assembly Type	MICRO-MATCH MOW to MICRO-MATCH MOW
Cable Assembly (End A)	MICRO-MATCH MOW Plug
Cable Assembly (End B)	MICRO-MATCH MOW Plug
Cable Style	Ribbon Cable

Configuration Features

Keyed Position	1
Number of Positions	16
Number of Signal Positions	16

Body Features

Cable Color	Gray
Cable Flammability Rating	UL 2651
Equalized	Yes

Mechanical Attachment

Mating Alignment	With

Dimensions

Wire Size	159.8 – 159.88 mm²

Operation/Application

Shielded	No
Halogen Free	No

Other

Cable Assembly Configuration	Double Ended
Cable Assembly Length	.15 m[.492 ft]

Product Compliance


For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2025 (250) Candidate List Declared Against: JUNE 2025 (250) Does not contain REACH SVHC
Halogen Content	Not Low Halogen - contains Br or Cl > 900 ppm.
Solder Process Capability	Not reviewed for solder process capability

Product Compliance Disclaimer


This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

Compatible Parts



TE Part # CAT-M5833-F3492A
Female-on-Board Connector, Top Entry

Also in the Series | Micro-MaTch Industrial



Board-In Connectors(19)



Connector Contacts(4)



Insertion & Extraction Tools(1)



Pluggable I/O Cable Assemblies(45)



Ribbon Cable Connectors(160)

Customers Also Bought



TE Part #440060-011
5024A1311-0



TE Part #ANT-W63-CW-RCS-RPS
Antenna 1/4 Wave R-Angle Wifi6/6E RPS



TE Part #NB16012001
RT-375-1/8-X-STK



TE Part #4-794678-6
16P MICRO MNL ASSY,R/A,THRU,LF



TE Part #1487588-1
USB, A-B, 28/24, WHITE, 2.0M




TE Part #1-1879417-0
CPF 0603 430K 0.1% 25PPM 1K RL



TE Part #1-2308265-6
QL SET FOR VARIANT B 6



TE Part #5650118-3
CONN SEC II 6 POS 100C/L R/A



TE Part #5748270-2
FEMALE SCREWLOCK,ZN PLTD



TE Part #5-160447-6
FF 250 REC 1-2.5MM2 BR SILVER PLATED LP

Documents

Product Drawings

CA MICRO-MATCH MOW-MOW 16POS

English

Product Specifications

Application Specification

English

micro match miniature connector system

English