2213464-1 ✔ ACTIVE

NECTOR | NECTOR M Series

TE Internal #: 2213464-1

Standard Circular Connectors, Wire-to-Wire, 3 Position, Wire & Cable, Power & Signal, Panel Mount, PBT, A Polarization Code, PBT GF, NECTOR M Series

View on TE.com >

Connectors > Circular Connectors > Standard Circular Connectors







Connector System: **Wire-to-Wire**

Connector Mounting Type: **Panel Mount**

Number of Positions: **3**

Sealable: **No**

Connector & Contact Terminates To: **Wire & Cable**

Features

Product Type Features

Prewired	No
Connector Product Type	Connector Assembly
Connector System	Wire-to-Wire
Sealable	No
Connector & Contact Terminates To	Wire & Cable
Circular Connector Type	Circular Connector Plug
Shell Type	Plastic

Configuration Features

Number of Positions	3
Number of Power Positions	3
Contacts Preloaded	No

Electrical Characteristics

Operating Voltage	400 VAC

Body Features

Product Weight	5.9 g[.208 oz]
Shell Base Material	PBT
Circular Connector Insulation Material Type	PBT GF
Hermetically Sealed	No

Contact Features

Contact Current Rating (Max)	20 A
Reverse Gender	No
Circular Connector Contact Type	Pin

Termination Features

Termination Method to Wire & Cable	Crimp

Mechanical Attachment

Connector Mounting Type	Panel Mount
Polarization Code	A
Mating Alignment Type	Keyed
Mating Retention	Without

Housing Features

Alignment Keyed	Clocking

Dimensions

Wire Size	18 – 14 AWG

Usage Conditions

Operating Temperature Range	-40 – 85 °C[-40 – 185 °F]

Operation/Application

Circuit Application	Power & Signal
Shielded	No

Packaging Features

Packaging Quantity	500

Product Compliance

For compliance documentation, visit the product page on TE.com>


EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant

China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2025 (250) Candidate List Declared Against: JUNE 2025 (250) Does not contain REACH SVHC
Halogen Content	Not Low Halogen - contains Br or Cl > 900 ppm.
Solder Process Capability	Not reviewed for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

Compatible Parts



TE Part # 2213466-1
NECTOR M 3P SCREW NUT, PNL MNT


Also in the Series | NECTOR M Series



Connector Caps & Covers(1)



Connector Contacts(2)



Connector Hardware(6)



Power Contacts(2)



Standard Circular Connectors(39)

Customers Also Bought



TE Part #299139-1
NECTOR M PANEL GASKET, 3P



TE Part #2213587-1
NECTOR M SKT CAP SEALED



TE Part #1-2213266-2
NECTOR M PIN, CRIMP, 16-18 AWG

Documents

Product Drawings

NECTOR M 3P PIN HSG, PNL MNT, CODE A

English

CAD Files

3D PDF

3D

Customer View Model

ENG_CVM_CVM_2213464-1_B.2d_dxf.zip

English

Customer View Model

ENG_CVM_CVM_2213464-1_B.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_2213464-1_B.3d_stp.zip

English

By downloading the CAD file I accept and agree to the Terms and Conditions of use.

Agency Approvals

UL Report

English