



BNC

TE Internal #: 222006-1
BNC Connector, Jack, 50 ohm, Bayonet, 0 – 4 GHz, Cable-to-Board, 1 Position, Printed Circuit Board, Board Mount, -65 – 125 °C [-85 – 257 °F], BNC

[View on TE.com >](#)

Connectors > RF Connectors > Coax Connectors > BNC Vertical Jack RF Connector, 50 Ohm, Bayonet Coupling Mechanism



RF Interface: **BNC**
RF Connector Style: **Jack**
RF Connector Mated Outer Diameter (Approximate): **14.53 mm [.572 in]**
Impedance: **50 Ω**
RF Connector Coupling Mechanism: **Bayonet**

[All BNC Vertical Jack RF Connector, 50 Ohm, Bayonet Coupling Mechanism \(25\)](#)

Features

Product Type Features

Connector Shape	Circular
RF Interface	BNC
RF Connector Style	Jack
Connector System	Cable-to-Board
Sealable	No
Connector & Contact Terminates To	Printed Circuit Board

Configuration Features

PCB Mount Orientation	Vertical
Number of Positions	1
Number of Coaxial Contacts	1

Electrical Characteristics

Impedance	50 Ω
-----------	------



Body Features

Body Material	Zinc
Body Plating Material	Nickel

Contact Features

	1080 µin
RF Connector Center Contact Underplating Material	Nickel
RF Connector Center Contact Plating Material	Gold (Au)
RF Connector Center Contact Material	Beryllium Copper

Termination Features

Termination Method to PCB	Through Hole - Press-Fit
Termination Post & Tail Length	4.19 mm[.165 in]

Mechanical Attachment

PCB Mount Retention	With
RF Connector Coupling Mechanism	Bayonet
Connector Mounting Type	Board Mount
RF Contact Captivation Method	Mechanical
Detent	Without

Dimensions

Profile Height from PCB	20.57 mm[.81 in]
RF Connector Mated Outer Diameter (Approximate)	14.53 mm[.572 in]

Usage Conditions

Insulation Option	Uninsulated
Operating Temperature Range	-65 – 125 °C[-85 – 257 °F]

Operation/Application

Operating Frequency Range	0 – 4 GHz
---------------------------	-----------

Packaging Features

Packaging Quantity	50
Packaging Method	Tray

Other

Grade	Commercial
Dielectric Material	Polytetrafluoroethylene (PTFE)



Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant with Exemptions
EU ELV Directive 2000/53/EC	Not Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	有害物质含量超出标准 Restricted Substance(s) Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2025 (250) Candidate List Declared Against: JUNE 2025 (250) SVHC > Threshold: Pb (3.8% in Component Part) Article Safe Usage Statements: Do not eat, drink or smoke when using this product. Wash thoroughly after handling. Recycle if possible and dispose of the article by following all applicable governmental regulations relevant to your geographic location.
Halogen Content	Low Bromine/Chlorine - Br and Cl < 900 ppm per homogenous material. Also BFR /CFR/PVC Free
Solder Process Capability	Not applicable for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) ‘Guidance on requirements for substances in articles’ posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

Compatible Parts












TE Part # 2-221128-3
PLUG,COMMERCIAL BNC

Also in the Series | BNC



Coax Connectors(167)




RF Cable Assemblies(25)



RF Terminators(1)

Customers Also Bought



TE Part #596381-000
B-106-1602




TE Part #5-102202-5
08 MODII HDR SRST SHRD LF




TE Part #5-146256-1
02 MODII HDR DRST B/A .100CL LF



TE Part #3-641217-2
02P MTA156 CONN ASSY 18AWG
ORA



TE Part #1487594-1
USB, A-B, 28/28, BLACK, 0.5M



TE Part #1586027-5
5P SR RCPT VAL-U-LOK V0



TE Part #1618277-8
K70C841=RELAY, PRESSURIZED, SP



TE Part #1825289-2
MHS222G04=DPDT SL SW VERT AU



TE Part #9-1879061-8
CPF0402 110K 0.1% 25PPM 5K RL



TE Part #5227661-1
BNC PCB RT ANGLE



Documents

Product Drawings

RECEPTACLE,PRESS FIT,COML BNC

English

CAD Files

3D PDF

3D

Customer View Model

ENG_CVM_CVM_222006-1_L1.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_222006-1_L1.3d_stp.zip

English

Customer View Model

ENG_CVM_CVM_222006-1_L1.2d_dxf.zip

English

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

Product Specifications

Application Specification

English