




Connectors > Contacts > Connector Contacts > Contact: Component To Wire; 15A, 28-14 wire size



Contact Type: **Receptacle**
Contact Mating Area Plating Material: **Gold (Au)**
Wire Size: **.2 – .6 mm²**
Product Terminates To: **Wire & Cable**
All Contact: Component To Wire; 15A, 28-14 wire size (91)

Features

Contact Features

Contact Type	Receptacle
Contact Mating Area Plating Material	Gold (Au)
Contact Current Rating (Max)	15 A
Mating Tab Width	2 mm[.078 in]
Mating Tab Thickness	.64 mm[.025 in]

Termination Features

Product Terminates To	Wire & Cable
-----------------------	--------------

Dimensions

Wire Size	.2 – .6 mm ²
-----------	-------------------------

Usage Conditions

Operating Temperature Range	-55 – 105 °C[-67 – 221 °F]
-----------------------------	----------------------------

Operation/Application

Circuit Application	Power & Signal
---------------------	----------------



Packaging Features

Packaging Method	Bag & Box
------------------	-----------

Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2025 (250) Candidate List Declared Against: JUNE 2025 (250) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Not reviewed for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) ‘Guidance on requirements for substances in articles’ posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

Compatible Parts



TE Part # 1-2303376-1
D3200 FMLB REC STRAIN RELIEF KIT
4P RR



TE Part # 2316817-2
HD3 TAB CONTACT AU0.38 M SIZE L
/P




TE Part # CAT-H3399-H648
HDC HMN Modular System, Rail
Compliant

Also in the Series | Dynamic 3000 Series




Connector Contacts(94)




Connector Hardware(8)



Insertion & Extraction Tools(2)



PCB Headers & Receptacles(290)




PCB Terminal Blocks(5)



Power Contacts(94)




Rectangular Power Connectors(443)



Wire-to-Board Headers & Receptacles (290)

Customers Also Bought




TE Part #92009-3
RCPT HSG METRIC INTERCONN SYS




TE Part #2316669-1
HD1 TAB CONTACT AU0.38 S SIZE L/P



TE Part #2316671-1
HD1 REC CONTACT AU0.38 S SIZE L/P




TE Part #2316817-3
HD3 TAB CONTACT AU0.38 L SIZE L/P




TE Part #2390402-1
DYNAMIC FRAME CABLE W KEY 2 MODULE




TE Part #2390404-1
DYNAMIC FRAME PANEL W KEY 2 MODULE




TE Part #2260110-2
MINI IO PIERCING CABLE ASSY L2000



TE Part #2260110-3
MINI IO PIERCING CABLE ASSY L3000



TE Part #2260110-7
MINI IO PIERCING CABLE ASSY L1500



TE Part #2260862-7
F07 APF CABLE ASSY 4M

Documents



Product Drawings

DYNAMIC D-3 FMLB REC CONT AU0.38 M L/P

English

CAD Files

3D PDF

3D

Customer View Model

ENG_CVM_CVM_2311162-2_A.2d_dxf.zip

English

Customer View Model

ENG_CVM_CVM_2311162-2_A.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_2311162-2_A.3d_stp.zip

English

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

Product Specifications

CRIMPING FOR DYNAMIC D3000 SERIES FMLB CONTACTS

English

Product Specification

English

Instruction Sheets

Instruction Sheet (non U.S.)

English

Agency Approvals

TUV Certificate

English