



Wire & Cable > Hook Up Wire



Cable Type: **Spec 44**

Operating Voltage: **600 V**

Wire & Cable Insulation Material: **Radiation-Crosslinked, Extruded Polyalkene**

Conductor Material: **Tin-Coated Copper**

Wire Size: **20 AWG**

Features

Product Type Features

Wall Type	Dual Wall
Cable Style	Special Construction

Configuration Features

Number of Conductors	1
----------------------	---

Electrical Characteristics

Operating Voltage	600 V
-------------------	-------

Body Features

Conductor Stranding	Standard
Wire & Cable Insulation Material	Radiation-Crosslinked, Extruded Polyalkene
Conductor Material	Tin-Coated Copper
Wire Color (Base)	Black

Dimensions

Outside Cable Diameter	1.3 mm[.051 in]
Conductor Diameter Range	.84 mm[.033 in]
Wire Size	.52 mm ²

Usage Conditions

Cable Type	Spec 44
------------	---------



Operating Temperature Range

-65 – 150 °C[-85 – 302 °F]

Other

Product Source	UK
----------------	----

Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	有害物质含量符合标准要求 No Restricted Substance(s) Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2025 (250) Candidate List Declared Against: JAN 2025 (247) Does not contain REACH SVHC
Halogen Content	Low Bromine/Chlorine - Br and Cl < 900 ppm per homogenous material. Also BFR /CFR/PVC Free
Solder Process Capability	Not applicable for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

Compatible Parts



TE Part # 9-120035-6
[HarnWare/HarnVis Renewal Charge](#)



TE Part # 9-120035-5
[HarnWare/HarnVis Purchase Charge](#)



Customers Also Bought



TE Part #AS614-35SN
PLUG.Boot termin'n type 6



TE Part #2160763002
55A0111-24-8



TE Part #CAT-55A-TC-H22
General Purpose Hookup Wire: Tin Coated Copper Wire, 22 AWG



TE Part #2160023004
55A0111-22-2




TE Part #AS107-98SN
RECEPT. IN LINE TYPE 1 AS MICRO 7




TE Part #AS607-35PB
PLUG. Boot termin. type 6 AS MICRO 7



TE Part #ASU003-03SA-HE
RECEPT ASSY 2 HOLE MTG AS 3 WAY



TE Part #646572-000
204W221-25-0



TE Part #C65070-000
204W221-25-G03-0

Documents

Product Drawings

44A9083-20-0

English

Datasheets & Catalog Pages

Raychem Wire and Cable Quick Reference Guide

English