280530-3 ✔ ACTIVE


AMPMODU | AMPMODU IV/V


TE Internal #: 280530-3

Gold (Au), Socket Contact, 26 – 22 AWG, 40 VAC, 40 VDC, .12 – .4 mm² Wire, Locking Lance Contact Retention, 254.1 – 642.5 CMA, AMPMODU IV/V

View on TE.com >

Connectors > Contacts > Connector Contacts

Contact Type: **Socket**

Contact Mating Area Plating Material: **Gold (Au)**

Operating Voltage: **40 VDC**

Contact Retention Type Within Housing: **Locking Lance**

Features

Product Type Features

Discrete Wire Type	Solid or Stranded
Applied Pressure	Standard
Sealable	No

Configuration Features

Compatible With Wire & Cable Type	Discrete Wire

Electrical Characteristics

Operating Voltage	40 VDC

Contact Features

Contact Underplating Material	Nickel
Contact Orientation	Straight
Contact Underplating Material Thickness	1.3 µm[51.18 µin]
Contact Mating Area Plating Material Thickness	.4 µm[15.74 µin]
Mating Square Post Dimension	.64 mm[.025 in]
Contact Length	12 mm[.472 in]

Barrel Type	Open
Contact Type	Socket
Contact Mating Area Plating Material	Gold (Au)
Contact Base Material	Phosphor Bronze
Contact Current Rating (Max)	3 A

Termination Features

Termination Method to Wire & Cable	Crimp
Product Terminates To	Wire & Cable

Mechanical Attachment

Wire Insulation Support	With
Contact Retention Type Within Housing	Locking Lance

Dimensions

Compatible Insulation Diameter Range	.89 – 1.55 mm[.035 – .061 in]
Wire Size	254.1 – 642.5 CMA

Usage Conditions

Operating Temperature Range	-40 – 80 °C[-40 – 176 °F]

Operation/Application

Circuit Application	Signal

Packaging Features

Packaging Quantity	40000
Packaging Method	Reel

Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	有害物质含量符合标准要求 No Restricted Substance(s) Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2025 (250) Candidate List Declared Against: JUNE 2025 (250) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F < 900 ppm per

	homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Not applicable for solder process capability


Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

Compatible Parts




TE Part # 280362
AMPMODU II REC. HSG, SINGLE ROW, 10 POS.



TE Part # 280388-2
2X22P MODU II SHRD HDR,ST, 0.38AU



TE Part # 280361
AMPMODU II REC. HSG, SINGLE ROW 8 POS



TE Part # 280369
AMPMODU II REC. HSG, DUAL ROW, 44 POS.



TE Part # 280364
AMPMODU II COSI REC. HSG, SGL ROW, 22POS



TE Part # 2151969-1
OCEAN_2.0_APPLICATOR-S-055F062O-RSM




TE Part # 280359
AMPMODU II REC. HSG, SINGLE ROW, 4 POS.



TE Part # 280366
AMPMODU II REC. HSG DUAL ROW, 16 POS.



TE Part # 280514
AMPMODU II REC. HSG, SINGLE ROW, 12 POS.




TE Part # 280515
AMPMODU II REC. HSG, DUAL ROW, 24 POS.

TE Part # 284123-1
AMPMODU II REC. HSG, DUAL ROW, 10 POS.



TE Part # 58654-1
PRO-CRIMP TL & DIE MOD II




TE Part # 281018
AMPMODU II REC. HSG, DUAL ROW, 36 POS.



TE Part # 280360
AMPMODU II REC. HSG, SINGLE ROW 6 POS



TE Part # 280365
AMPMODU, DBL ROW, CONTACT REC



TE Part # 7-2151969-7
OCEAN_2.0_SPARE_PART_KIT-055F062O



TE Part # 280512
AMPMODU II REC. HSG, SINGLE ROW, 9 POS.



TE Part # 280363
AMPMODU II REC. HSG, SINGLE ROW, 15 POS.




TE Part # 280368
AMPMODU II REC. HSG, DUAL ROW, 30 POS.



TE Part # 280513
AMPMODU II REC. HSG, DUAL ROW, 18 POS

Also in the Series | AMPMODU IV/V




Backplane Connector Housings(1)



Connector Caps & Covers(5)




Connector Contacts(178)



Connector Hardware(8)



Insertion & Extraction Tools(4)




PCB Headers & Receptacles(125)



Power Contacts(140)


Customers Also Bought



TE Part #1-215079-4
MICRO-MATCH FOB.14P




TE Part #280363
AMPMODU II REC. HSG, SINGLE ROW, 15 POS.



TE Part #280373-2
8P AMPMODU II SHRD HDR, ST, 0.38 AU



TE Part #1-640456-5
15P MTA100 HDR ASSY F/L SQ STR



TE Part #829264-3
2X 3P HV100 REC CON.B/TE, 6.2,NO KINK



TE Part #1803323-1
CRIMPER, WIRE, F PREMIUM



TE Part #1825190-3
DIP Shunt,4 pos



TE Part #5-1879071-4
THS50 2K2 5%



TE Part #2007435-1
Std HDMI, Flag, T/H



TE Part #1803323-8
CRIMPER, WIRE, F PREMIUM

Documents

Product Drawings

MOD II COSI RECP CONT STR PRE

English

CAD Files

3D PDF

3D

Customer View Model

ENG_CVM_CVM_280530-3_AN_c-280530-3-an.2d_dxf.zip

English

Customer View Model

ENG_CVM_CVM_280530-3_AN_c-280530-3-an.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_280530-3_AN_c-280530-3-an.3d_stp.zip

English

By downloading the CAD file I accept and agree to the Terms and Conditions of use.

Product Specifications

Application Specification

English