



Connectors > Contacts > Connector Contacts



Contact Type: **Socket**

Contact Mating Area Plating Material: **Tin (Sn)**

Wire Size: **.3 – .9 mm²**

Contact Base Material: **Phosphor Bronze**

Features

Product Type Features

Applied Pressure	High
------------------	------

Contact Features

PCB Contact Termination Area Plating Material Thickness	.8 µm[31.496 µin]
Contact Orientation	Straight
PCB Contact Termination Area Plating Material	Tin
Contact Mating Area Plating Material Thickness	.8 µm[31.496 µin]
Contact Type	Socket
Contact Mating Area Plating Material	Tin (Sn)
Contact Base Material	Phosphor Bronze
Contact Current Rating (Max)	5 A

Termination Features

Product Terminates To	Wire & Cable
-----------------------	--------------

Mechanical Attachment

Wire Insulation Support	With
PCB Mount Retention	Without



Dimensions

Compatible Insulation Diameter Range	1.8 – 2.3 mm[.071 – .091 in]
Wire Size	.3 – .9 mm²

Usage Conditions

Operating Temperature Range	-40 – 105 °C[-40 – 221 °F]
-----------------------------	----------------------------

Operation/Application

Circuit Application	Signal
---------------------	--------

Packaging Features

Packaging Method	Reel
Packaging Quantity	5000

Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2025 (250) Candidate List Declared Against: JUNE 2025 (250) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Not applicable for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) ‘Guidance on requirements for substances in articles’ posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

Compatible Parts



TE Part # 843473-1
EXTRACTION TOOL



TE Part # 2266174-1
OCEAN-2.0-APPLICATOR-S-070F100O-RSM



TE Part # 280595
AMP MODU MOD I RECEPT HSG




TE Part # 280594
AMP MODU MOD I RECEPT HSG



TE Part # 280592
AMPMODU I RECEPTACLE HOUSING.



TE Part # 2266174-2
OCEAN-2.0-APPLICATOR-S-070F100O-RSA



TE Part # 1285002-2
SDE F AMP MODU 18-22 DIE SET



TE Part # 280590
AMPMODU MOD I REC HOUSING



TE Part # 280591
AMPMODU MODU I REC HOUSING



TE Part # 1285002-1
SDE F AMPMODU 18-22 ASSY



TE Part # 280593
AMP MODU MOD I RECEPT HSG



TE Part # 7-2266174-7
OCEAN_2.0_SPARE_PART_KIT-070F100O

Also in the Series | AMPMODU MOD 1



Board-to-Board Jumpers & Shunts(1)




Connector Contacts(41)



Connector Hardware(2)



Insertion & Extraction Tools(1)




PCB Headers & Receptacles(81)



Power Contacts(1)



Rectangular Power Connectors(16)



Wire-to-Board Headers & Receptacles (28)


Customers Also Bought




TE Part #280359
AMPMODU II REC. HSG, SINGLE ROW, 4 POS.




TE Part #280360
AMPMODU II REC. HSG, SINGLE ROW 6 POS



TE Part #280365
AMPMODU, DBL ROW, CONTACT REC




TE Part #280366
AMPMODU II REC. HSG DUAL ROW, 16 POS.



TE Part #280593
AMP MODU MOD I RECEPT HSG



TE Part #280594
AMP MODU MOD I RECEPT HSG




TE Part #926657-3
3P LOCKG CLIP GEH



TE Part #1544545-3
CLIP 2,8 E.D. 0,2-



TE Part #1-1734328-2
Mini USB AB R/A,Rcpt,SMT,T&R, 0.6 mm



TE Part #1745082-1
3 POS. TAB ASSY AMP SUPERSEAL 1.5 SRS.

Documents

Product Drawings
AMPMODU CONT.

English

CAD Files

3D PDF

3D

Customer View Model

ENG_CVM_CVM_280702-1_P.2d_dxf.zip

English

Customer View Model

ENG_CVM_CVM_280702-1_P.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_280702-1_P.3d_stp.zip

English

3D PDF

English



Customer View Model

[ENG_CVM_280702-1_G.3d_igs.zip](#)

English

Customer View Model

[ENG_CVM_280702-1_G.3d_stp.zip](#)

English

Customer View Model

[ENG_CVM_280702-1_G.2d_dxf.zip](#)

English

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

Product Specifications

[Application Specification](#)

English