




Terminals & Splices > Ring Terminals



Ring Terminal Product Type: Closed Ring Tongue Terminal

Wire Size: 52600 – 83700 CMA

Stud Size: 1/4, M6

Features

Product Type Features

Ring Terminal Product Type	Closed Ring Tongue Terminal
Stud Size	1/4, M6
Sealable	No
Wire Insulation Support Retention Type	Non-Insulation Support

Configuration Features

Number of Holes	1
-----------------	---

Body Features

Product Weight	15.012 g
----------------	----------

Contact Features

Barrel Type	Closed
Terminal Orientation	Straight
Terminal Plating Material	Tin

Mechanical Attachment

Wire Insulation Support	Without
-------------------------	---------

Dimensions



Wire Size	52600 – 83700 CMA
Stud Diameter	6.73 mm[.265 in]
Tongue Thickness	.79 mm[.031 in]
Product Length	38.79 mm[1.527 in]
Barrel Inside Diameter	9.4 mm[.37 in]

Usage Conditions

Insulation Option	Uninsulated
Operating Temperature Range	0 – 170 °C[0 – 338 °F]

Operation/Application

Compatible With Wire Base Material	Copper
Compatible With Wire Plating Material	Tin

Industry Standards

Government Qualified Terminal	No
-------------------------------	----

Packaging Features

Packaging Quantity	50
Packaging Method	Loose Piece

Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2025 (250) Candidate List Declared Against: JAN 2025 (247) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Not applicable for solder process capability


Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these



limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

Compatible Parts



TE Part # 48130
HYP8 SOLIS 2AWG NEST



TE Part # 601075
BANTAM ROTA-CRIMP TOOL




TE Part # 8-320383-3
TERMINAL,SOLIS R 2 1/4



TE Part # 45433
HYP8/10 SOLIS 2AWG DIE SET



TE Part # 1490413-4
HYP10 SOLIS 2AWG NEST



TE Part # 600850
ROTO-CRIMP TOOL (ASI)



TE Part # 1490414-2
HYP10 SOLIS HD 6-4AWG INDENTER



TE Part # 132102-1
SOLIS, RT, 4, M5



TE Part # 320383-1
TERMINAL,SOLIS R 2 1/4 90DEG



TE Part # 48127
HYP8 SOLIS 6-2AWG INDENTER

Customers Also Bought



TE Part #33469
TERMINAL,SOLIS R 4 1/4



TE Part #36918
TERMINAL,SOLIS R 1/0 7/16



TE Part #321878
TERMINAL,SOLIS R 4/0 3/8



TE Part #324461
SPLICE,AMPOWER BUTT 4/0



TE Part #647878-1
SERIES 50 & 75 CONTACT,8 AWG

TE Part #1-776279-1
8POS,PIN DIA 1.3,HDR ASSY,90DEG, COD 1

TE Part #794215-1
24P MINI UMN2 CAP HSG UL94V0 COD 1

TE Part #2-1616921-3
K400B1F=CONTACTOR-SPST NO

TE Part #5-1634537-1
F Type Elbow Adaptor Plug - Jack

TE Part #668419-000
55A6359-26-0CS1999

Documents

Product Drawings
TERMINAL,SOLIS R 2 1/4
English

CAD Files
3D PDF
3D
Customer View Model
ENG_CVM_CVM_320383_AE.2d_dxf.zip
English
Customer View Model
ENG_CVM_CVM_320383_AE.3d_igs.zip
English
Customer View Model
ENG_CVM_CVM_320383_AE.3d_stp.zip
English

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

Instruction Sheets
Instruction Sheet (U.S.)
English

Agency Approvals
UL Report
English
UL Report
English

320383

Closed Ring Tongue Terminal, 2 AWG, 1/4 / M6 Stud, 6.73 mm [.265 in] Stud Diameter, Closed Barrel, Straight, Tin Plating, Uninsulated

