321026 ✔ ACTIVE

PLASTI-GRIP


TE Internal #: 321026

Yellow, Butt Splice, 26 – 22 AWG, .12 – .4 mm² Wire, 202 – 810 CMA, Fully Insulated, Serrated, Copper, 15.75 mm [.62 in] Length, PLASTI-GRIP

View on TE.com >

Terminals & Splices > Splices







Splice Type: **Butt Splice**

Wire Size: **.12 – .4 mm²**

Sealable: **No**

Splice Features: **Serrated**

Features

Product Type Features

Splice Accessory Type	Splice
Splice Type	Butt Splice
Sealable	No
Compatible With Discrete Wire Type	Solid, Stranded
Wire Insulation Support Retention Type	Insulation Support

Configuration Features

Compatible With Wire & Cable Type	Discrete Wire

Body Features

Product Weight	.257 g
Insulation Material	Vinyl
Splice Features	Serrated
Primary Product Color	Yellow

Contact Features

Terminal Plating Material	Tin

Contact Base Material	Copper
Barrel Type	Closed

Mechanical Attachment

Wire Insulation Support	With

Dimensions

Wire Size	202 – 810 CMA
Compatible Insulation Diameter Range	2.03 mm[.08 in]
Product Length	15.75 mm[.62 in]

Usage Conditions

Insulation Option	Fully Insulated

Operation/Application

Compatible With Wire Base Material	Copper

Industry Standards

Government Qualified Splice	No

Packaging Features

Packaging Quantity	1000
Packaging Method	Loose Piece

Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2025 (250) Candidate List Declared Against: JAN 2025 (247) Does not contain REACH SVHC
Halogen Content	Not Low Halogen - contains Br or Cl > 900 ppm.
Solder Process Capability	Not applicable for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as

EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

Compatible Parts




TE Part # 46121
DAHT PG PIDG 26-22 ASSY

Also in the Series | PLASTI-GRIP




Compression Connectors(3)



Crimp Wire Pins, Tabs & Ferrules(20)



Ring Terminals(310)




Spade Terminals(158)




Splices(45)

Customers Also Bought

Yellow, Butt Splice, 26 – 22 AWG, .12 – .4 mm² Wire, 202 – 810 CMA, Fully Insulated, Serrated, Copper, 15.75 mm [.62 in] Length, PLASTI-GRIP



TE Part #612614-000
222D921-3/86-0




TE Part #013706-000
202D132-25/86-0



TE Part #ER2166-000
RPS-CT-50M-6.4-OUT-0



TE Part #074251-000
202F232-71/86-0




TE Part #86280-2
GROUND BUSHING




TE Part #3-644463-4
04P MTA156 CONN ASSY 22AWG RED




TE Part #5-1393144-5
K10P-11D15-12=K10/K20



TE Part #9-1393646-4
V42254B7200C933=PC612 MESSERLE



TE Part #1719101-1
PCB 9.5 TERMINAL SN



TE Part #87165-2
LOCKING CLIP ASSY .025 SQ LP

Documents

Product Drawings

SPLICE,PG BUTT 26-22

English

CAD Files

3D PDF

3D

Customer View Model

ENG_CVM_CVM_321026_G.2d_dxf.zip

English

Customer View Model

ENG_CVM_CVM_321026_G.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_321026_G.3d_stp.zip

English

By downloading the CAD file I accept and agree to the Terms and Conditions of use.

Product Specifications

Application Specification

English

Agency Approvals

CSA Certificate

English