Part Number : 357501010
Series Number : 35750
Status : Active - Proprietary
Product Category : Ring and Spade Terminals



Specifications

PK-35750-001-001.pdf

PS-35750-0300-001.pdf

Product Environment Compliance

Compliance

GADSL/IMDS	Not Relevant
China RoHS	per SJ/T 11365-2006
EU ELV	Compliant per 2000/53/EC
Low-Halogen Status	Low-Halogen per IEC 61249-2-21
REACH SVHC	Not Contained per D(2025)4165-DC (25 June 2025)
EU RoHS	Compliant per EU 2015/863

Compliance Statements
- EU RoHS
- REACH SVHC
- Low-Halogen

Industry Documents
- IPC 1752A Class C
- IPC 1752A Class D
- Molex Product Compliance Declaration
- IEC-62474
- chemSHERPA (xml)

Substances of Interest
- PFAS

EU RoHS Certificate of Compliance

Additional Product Compliance Information

Part Details

General

Status	Active - Proprietary
Category	Ring and Spade Terminals
Series	35750
Description	Ring Tongue Terminal for 18-14 AWG (0.75~2.08mm^2), Stud Size 8 (M4), Tin Plating
Keyword	Ring Terminal, Ring Terminals
Product Name	N/A
Style	Ring
Type	Ring Terminal
UPC	800753514713

Agency

UL	E134962

Electrical

Voltage - Maximum	300V AC

Physical

Barrel Type	Open
Insulation	None
Material - Plating Mating	Tin
Net Weight	0.413/g
Packaging Type	Reel
Stud Size	8 (M4)
Temperature Range - Operating	-40° to +105°C
Termination Interface Style	Crimp or Compression
Wire Insulation Diameter	3.20mm max.
Wire Size (AWG)	14, 16, 18

Solder Process Data

Lead-Free Process Capability	N/A