



Part Number : [1300950178](#)

Product Description : Medium Duty Wire Mesh Pulling Grip, Single/Double Weave, Bale Eye, Short Mesh Length 0.61m (24.00"), Cable Range 63.50-75.90mm (2.500-2.990"), Approximate Break Strength 11113.01kg (24500 lbs)

Series Number : 130095

Status : Active

Product Category : Cable Grips

Engineering Part Number : 35946



Documents and Resources

Drawings

[1300950178 sd.pdf](#)

Product Environment Compliance

Compliance

China RoHS	Not Reviewed
EU ELV	Not Reviewed
Low-Halogen Status	Not Reviewed
REACH SVHC	Not Reviewed
EU RoHS	Not Reviewed

Compliance Statements

- EU RoHS
- REACH SVHC
- Low-Halogen

Industry Documents

- IPC 1752A Class C
- IPC 1752A Class D
- Molex Product Compliance Declaration
- IEC-62474
- chemSHERPA (xml)

Substances of Interest

- PFAS

Part Details

General

Status	Active
Category	Cable Grips
Series	130095
Description	Medium Duty Wire Mesh Pulling Grip, Single/Double Weave, Bale Eye, Short Mesh Length 0.61m (24.00"), Cable Range 63.50-75.90mm (2.500-2.990"), Approximate Break Strength 11113.01kg (24500 lbs)
Comments	Cable Eye Thickness 1/2"
Product Name	Medium Duty
Type	Pulling Grip
UPC	78678835946

Agency

CSA	LR32159
-----	---------

Physical

Approximate Break Strength	11113.01kg (24500 lbs)
Bale Length	N/A
Body Style	Straight
Cable Diameter	63.50-75.95mm (2.500-2.990")
Color - Grommet	N/A
Eye Type	Flexible
Gender	N/A
Material - Body	N/A
Material - Grip	Galvanized Steel
Mesh Length	0.61m (24.00")
Number of Holes	N/A
O-Ring	N/A

Thread Size	N/A
-------------	-----

This document was generated on May 19, 2026