



TE Internal #: 4-1734376-8
B, Standard USB, 2.0, Receptacle, 4 Position, Top Mount, 1 Port,
Right Angle, Box & Tray / Tray, Offset, Through Hole - Solder,
Cable-to-Board
[View on TE.com >](#)

Connectors > Audio & Video Connectors > USB Connectors



USB Type: B
USB Version: 2.0
Connector Profile: Standard
Connector & Housing Type: Receptacle
Number of Ports: 1

Features

Product Type Features

USB Type	B
USB Version	2.0
Connector & Housing Type	Receptacle
Connector System	Cable-to-Board
Connector & Contact Terminates To	Printed Circuit Board

Configuration Features

Number of Ports	1
Number of Positions	4

Body Features

Connector Profile	Standard
-------------------	----------

Contact Features

Contact Current Rating (Max)	1 A
------------------------------	-----

Termination Features

Termination Method to PCB	Through Hole - Solder
---------------------------	-----------------------



Mechanical Attachment

Locking Feature	With
PCB Mount Location	Top Mount
PCB Connector Seating	Offset
PCB Mount Retention Type	Boardlock
Connector Mounting Type	Board Mount

Housing Features

Body Orientation	Right Angle
Centerline (Pitch)	2.5 mm[.098 in]

Usage Conditions

Soldering Temperature (Max)	260 °C[500 °F]
Mating Cycles (Max)	1500
Operating Temperature Range	0 – 50 °C[32 – 122 °F]

Operation/Application

Assembly Process Feature	Without Pick and Place Cover
Circuit Application	Power

Packaging Features

Packaging Method	Box & Tray, Tray
------------------	------------------

Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Out of Scope
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2025 (250) Candidate List Declared Against: JUNE 2025 (250) Does not contain REACH SVHC
Halogen Content	Not Low Halogen - contains Br or Cl > 900 ppm.
Solder Process Capability	Reflow solder capable to 260°C

Product Compliance Disclaimer



This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

Compatible Parts



TE Part # 1487587-1

USB, A-B, 28/26, WHITE, 1.0M

Customers Also Bought



TE Part #5-146305-5

05 MODII HD SRRA B/A .100CL,LF



TE Part #5-535541-8

10 MODIV VRT SR CE 100/115



TE Part #1825057-6

ADE0704=DIP SWITCH,EXT,THRU/HL



TE Part #7-1879354-8

RR03 5% 510R AMMO




TE Part #8-1879354-2

RR03 5% 750R AMMO




TE Part #2102061-9

Mezalog, Socket, 114 p, 18 mm, 50 Au, TL



TE Part #6-2176304-2

RP 1E 0.1W 43R2 0.1% 25PPM 5K RL



TE Part #7-2176591-6

RLC73PD 2E R34 1% 1K RL



Documents

Product Drawings

[USB CONN., B,4P, R/A,W/ SHELL, NATURAL](#)

English

CAD Files

Customer View Model

[ENG_CVM_CVM_4-1734376-8_A.2d_dxf.zip](#)

English

[3D PDF](#)

3D

Customer View Model

[ENG_CVM_CVM_4-1734376-8_A.3d_igs.zip](#)

English

Customer View Model

[ENG_CVM_CVM_4-1734376-8_A.3d_stp.zip](#)

English

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

Product Specifications

[Product Specification](#)

English